



## INDEX

---

### A

- absolute range [11-20](#)
- alert central, accessing [10-1](#)
- alert notification
  - configuring parameters for counter (table) [6-6](#)
  - e-mail for counter [6-5](#)
  - message [6-5](#)
  - schedule [6-5](#)
  - thresholds [6-5](#)
- alert notification, configuring [10-6](#)
- alerts
  - accessing alert central [10-1](#)
  - action configuration (table) [9-8](#)
  - configuring actions [10-6](#)
  - configuring e-mail for [10-6](#)
  - configuring with Default alert action [10-7](#)
  - customization (table) [9-6](#)
  - emailing notification [3-5](#)
  - logs, described [9-9](#)
  - notification for a counter [3-5](#)
  - preconfigured [9-2](#)
  - scheduling notification [3-5](#)
  - setting properties [10-3](#)
  - suspending [10-5](#)
  - thresholds [3-5](#)
- audit logs [11-19](#)
  - browse [11-19](#)
  - download [11-19](#)
  - schedule download [11-19](#)

---

### B

- browse audit logs [11-19](#)

---

### C

- call control discovery
  - reports
    - learned patterns [5-25](#)
- category
  - adding [6-2](#)
  - deleting [6-3](#)
  - renaming [6-2](#)
- category tabs
  - described [3-3](#)
  - sample rates [3-3](#)
- Cisco Analog Access
  - perfmon object and counters [B-2](#)
- Cisco Annunciator Device
  - perfmon object and counters [B-3](#)
- Cisco CallManager
  - perfmon object and counters [B-4](#)
- Cisco CallManager System Performance
  - perfmon object and counters [B-12](#)
- Cisco CTIManager
  - perfmon object and counters [B-14](#)
- Cisco Dual-Mode Mobility perfmon object and counters [B-15](#)
- Cisco Extension Mobility
  - perfmon object and counters [B-16](#)
- Cisco Gatekeeper
  - perfmon object and counters [B-17](#)
- Cisco H.323

- perfmon object and counters [B-17](#)
- Cisco Hunt Lists
  - perfmon object and counters [B-18](#)
- Cisco HW Conference Bridge Device
  - perfmon object and counters [B-19](#)
- Cisco IP Manager Assistant
  - perfmon object and counters [B-20](#)
- Cisco Lines
  - perfmon object and counters [B-20](#)
- Cisco Locations
  - perfmon object and counters [B-21](#)
- Cisco Media Streaming Application
  - perfmon object and counters [B-22](#)
- Cisco Messaging Interface
  - perfmon object and counters [B-25](#)
- Cisco MGCP BRI Device
  - perfmon object and counters [B-25](#)
- Cisco MGCP FXO Device
  - perfmon object and counters [B-26](#)
- Cisco MGCP FXS Device
  - perfmon object and counters [B-26](#)
- Cisco MGCP Gateways
  - perfmon object and counters [B-27](#)
  - Cisco MGCP Gateways [B-28](#)
- Cisco MGCP PRI Device
  - perfmon object and counters [B-28](#)
- Cisco MGCP T1CAS Device
  - perfmon object and counters [B-28](#)
- Cisco MOH Device
  - perfmon object and counters [B-29, B-30](#)
- Cisco MTP Device
  - perfmon object and counters [B-31](#)
- Cisco Phones
  - perfmon object and counters [B-31](#)
- Cisco Presence Feature
  - perfmon object and counters [B-32](#)
- Cisco QSIG Feature
  - perfmon object and counters [B-32](#)
- Cisco Signaling Performance
  - perfmon object and counters [B-33](#)
- Cisco SIP
  - perfmon object and counters [B-32, B-33](#)
- Cisco SIP Normalization
  - perfmon object and counters [B-34](#)
- Cisco SIP Stack
  - perfmon object and counters [B-41](#)
- Cisco SW Conf Bridge Device
  - perfmon object and counters [B-51](#)
- Cisco TFTP Server
  - perfmon object and counters [B-51](#)
- Cisco Tomcat Connector
  - perfmon object and counters [A-2](#)
- Cisco Transcode Device
  - perfmon object and counters [B-55](#)
- Cisco Unity Connection
  - using Port Monitor [8-1](#)
- Cisco Video Conference Bridge
  - perfmon object and counters [B-55](#)
- Cisco WebDialer
  - perfmon object and counters [B-56](#)
- Cisco WSM Connector
  - perfmon object and counters [B-57](#)
- configuration profile
  - adding [2-7](#)
  - deleting [2-8](#)
  - restoring [2-7](#)
  - using default [2-7](#)
- conventions [1-xix](#)
- counters
  - adding [6-3](#)
  - alert notification [3-5](#)
  - alert notification parameters (table) [6-6](#)
  - configuring alert notification for [6-5](#)
  - data sample, configuring [6-9](#)
  - data sample parameters (table) [6-9](#)
  - properties [3-4](#)
  - viewing data [6-10](#)
  - zooming [3-3, 3-4](#)

## CTI

Cisco CTIManager

perfmon object and counters [B-14](#)

finding CTI devices [5-17](#)

monitoring CTI applications [5-21](#)

monitoring CTI devices [5-22](#)

monitoring CTI lines [5-23](#)

viewing CTIManager information [5-21](#)

CUC Data Store, perfmon object and counters [C-2](#)

CUC Data Store: Databases, perfmon object and counters [C-2](#)

CUC Digital Notifications, perfmon object and counters [C-3](#)

CUC Directory Services, perfmon object and counters [C-3](#)

CUC Message Store, perfmon object and counters [C-3](#)

CUC Message Store: Databases, perfmon object and counters [C-5](#)

CUC Personal Call Transfer Rules, perfmon object and counters [C-5](#)

CUC Phone System, perfmon object and counters [C-5](#)

CUC Phone System: Ports, perfmon object and counters [C-8](#)

CUC Replication, perfmon object and counters [C-8](#)

CUC Replicator: Remote Connection Locations, perfmon object and counters [C-8](#)

CUC Sessions: Calendar Access, perfmon object and counters [C-9](#)

CUC Sessions: E-mail Access, perfmon object and counters [C-9](#)

CUC Sessions: IMAP Server, perfmon object and counters [C-10](#)

CUC Sessions: RSS, perfmon object and counters [C-11](#)

CUC Sessions: SMTP Server, perfmon object and counters [C-11](#)

CUC Sessions: SpeechView Processor, perfmon object and counters [C-12](#)

CUC Sessions: TRaP, perfmon object and counters [C-12](#)

CUC Sessions: TTS, perfmon object and counters [C-13](#)

CUC Sessions: Unified Client, perfmon object and counters [C-13](#)

CUC Sessions: Voice, perfmon object and counters [C-13](#)

CUC Sessions: VUI, perfmon object and counters [C-15](#)

CUC Sessions: Web, perfmon object and counters [C-15](#)

CUC Sessions: Web E-mail Access, perfmon object and counters [C-16](#)

---

**D**

Database Change Notification Client

perfmon object and counters [A-5](#)

Database Change Notification Server

perfmon object and counters [A-6](#)

Database Change Notification Subscription

perfmon object and counters [A-7](#)

Database Local DSN

perfmon object and counters [A-7](#)

data sample

configuring parameters (table) [6-9](#)

DB User Host Information Counters

perfmon object and counters [A-7](#)

document

audience [1-xvi](#)

conventions [1-xix](#)

organization [1-xvi](#)

purpose [1-xv](#)

documentation

related [1-xviii](#)

download audit logs [11-19](#)

---

**E**

e-mail configuration

alerts [10-6](#)

Enterprise Replication DBSpace Monitors

perfmon object and counters [A-7](#)

Enterprise Replication Perfmon Counters

perfmon object and counters [A-8](#)

---

**I**

IME Configuration Manager

- perfmon object and counters [D-1](#)
- IME Server
  - perfmon object and counters [D-2](#)
- IME Server System Performance
  - perfmon object and counters [D-3](#)
- installation logs
  - collecting [11-7](#)
- IP
  - perfmon object and counters [A-8](#)
- IP6
  - perfmon object and counters [A-9](#)

---

## L

- learned pattern reports [5-25](#)
- Log Partition Monitoring
  - configuring [13-1](#)
- logs
  - alerts [9-9](#)

---

## M

- Memory
  - perfmon object and counters [A-10](#)
- monitoring
  - CTI applications [5-21](#)
  - CTI devices [5-17, 5-22](#)
  - CTI lines [5-23](#)
  - gateways [5-17](#)
  - H.323 devices [5-17](#)
  - hunt list [5-17](#)
  - media resources [5-17](#)
  - phones [5-17](#)
  - SIP trunk [5-17](#)
  - voice-mail devices [5-17](#)

---

## N

- Network Interface
  - perfmon object and counters [A-12](#)
- Number of Replicates
  - perfmon object and counters [A-14](#)

---

## O

- object and counters
  - Database Change Notification Client [A-5](#)
- organization [1-xvi](#)

---

## P

- Partition
  - perfmon object and counters [A-14](#)
- perfmon
  - counters
    - adding [6-3](#)
    - category tabs, described [3-3](#)
    - properties [3-4](#)
    - sample rates [3-3](#)
  - object and counters
    - Cisco Analog Access [B-2](#)
    - Cisco Annunciator Device [B-3](#)
    - Cisco CallManager [B-4](#)
    - Cisco CallManager System Performance [B-12](#)
    - Cisco Call Restriction [B-3](#)
    - Cisco CTIManager [B-14](#)
    - Cisco Dual-Mode Mobility [B-15](#)
    - Cisco Extension Mobility [B-16](#)
    - Cisco Gatekeeper [B-17](#)
    - Cisco H.323 [B-17](#)
    - Cisco Hunt Lists [B-18](#)
    - Cisco HW Conference Bridge Device [B-19](#)
    - Cisco IP Manager Assistant [B-20](#)
    - Cisco Lines [B-20](#)
    - Cisco Locations [B-21](#)

- Cisco Media Streaming Application [B-22](#)
- Cisco Messaging Interface [B-25](#)
- Cisco MGCP FXO Device [B-26](#)
- Cisco MGCP FXS Device [B-26](#)
- Cisco MGCP Gateways [B-27](#)
- Cisco MGCP PRI Device [B-28](#)
- Cisco MGCP T1CAS Device [B-28](#)
- Cisco MobilityManager [B-29](#)
- Cisco MOH Device [B-30](#)
- Cisco MTP Device [B-31](#)
- Cisco Phones [B-31](#)
- Cisco Presence Feature [B-32](#)
- Cisco QSIG Feature [B-32](#)
- Cisco Signaling Performance [B-33](#)
- Cisco SIP [B-32](#), [B-33](#)
- Cisco SIP Stack [B-41](#)
- Cisco SIP Station [B-49](#)
- Cisco SW Conf Bridge Device [B-51](#)
- Cisco TFTP Server [B-51](#)
- Cisco Tomcat Connector [A-2](#)
- Cisco Transcode Device [B-55](#)
- Cisco Video Conference Bridge [B-55](#)
- Cisco WebDialer [B-56](#)
- Cisco WSM Connector [B-57](#)
- CUC Data Store [C-2](#)
- CUC Data Store: Databases [C-2](#)
- CUC Digital Notifications [C-3](#)
- CUC Directory Services [C-3](#)
- CUC Message Store [C-3](#)
- CUC Message Store: Databases [C-5](#)
- CUC Personal Call Transfer Rules [C-5](#)
- CUC Phone System [C-5](#)
- CUC Phone System: Ports [C-8](#)
- CUC Replication [C-8](#)
- CUC Replicator: Remote Connection Locations [C-8](#)
- CUC Sessions: E-mail Access [C-9](#)
- CUC Sessions: IMAP Server [C-10](#)
- CUC Sessions: RSS [C-11](#)
- CUC Sessions: SMTP Server [C-11](#)
- CUC Sessions: TRaP [C-12](#)
- CUC Sessions: TTS [C-13](#)
- CUC Sessions: Unified Client [C-13](#)
- CUC Sessions: Voice [C-13](#)
- CUC Sessions: VUI [C-15](#)
- CUC Sessions: Web [C-15](#)
- CUC Sessions: Web E-mail Access [C-16](#)
- Database Change Notification Server [A-6](#)
- Database Change Notification Subscription [A-7](#)
- Database Local DSN [A-7](#)
- DB User Host Information [A-7](#)
- Enterprise Replication [A-8](#)
- Enterprise Replication DBSpace Monitors [A-7](#)
- IME Configuration Manager [D-1](#)
- IME Server [D-2](#)
- IME Server System Performance [D-3](#)
- IP [A-8](#)
- IP6 [A-9](#)
- Memory [A-10](#)
- Network Interface [A-12](#)
- Partition [A-14](#)
- Process [A-15](#)
- Processor [A-17](#)
- System [A-17](#)
- TCP [A-18](#)
- Thread [A-20](#)
- Tomcat JVM [A-3](#)
- Tomcat Web Application [A-4](#)
- Perfmon data logging [7-4](#)
- perfmon data logging
  - troubleshooting [3-5](#)
  - understanding [3-5](#)
- perfmon logs
  - understanding [3-5](#)
- performance counter
  - adding a counter instance [6-5](#)
  - removing [6-4](#)
- performance counters

- displaying in chart format [6-3](#)
- displaying in table format [6-3](#)
- performance monitoring
  - category tabs,described [3-3](#)
  - configuring alert notification for counters [6-5](#)
  - counters
    - adding [6-3](#)
    - properties [3-4](#)
  - Number of Replicates [A-14](#)
  - object and counters
    - Cisco Analog Access [B-2](#)
    - Cisco Annunciator Device [B-3](#)
    - Cisco CallManager [B-4](#)
    - Cisco CallManager System Performance [B-12](#)
    - Cisco CTIManager [B-14](#)
    - Cisco Dual-Mode Mobility [B-15](#)
    - Cisco Extension Mobility [B-16](#)
    - Cisco Gatekeeper [B-17](#)
    - Cisco H.323 [B-17](#)
    - Cisco Hunt Lists [B-18](#)
    - Cisco HW Conference Bridge Device [B-19](#)
    - Cisco IP Manager Assistant [B-20](#)
    - Cisco Lines [B-20](#)
    - Cisco Locations [B-21](#)
    - Cisco Media Streaming Application [B-22](#)
    - Cisco Messaging Interface [B-25](#)
    - Cisco MGCP BRI Device [B-25](#)
    - Cisco MGCP FXO Device [B-26](#)
    - Cisco MGCP FXS Device [B-26](#)
    - Cisco MGCP Gateways [B-27](#)
    - Cisco MGCP PRI Device [B-28](#)
    - Cisco MGCP T1CAS Device [B-28](#)
    - Cisco Mobility Manager [B-29](#)
    - Cisco MOH Device [B-30](#)
    - Cisco MTP Device [B-31](#)
    - Cisco Phones [B-31](#)
    - Cisco Presence Feature [B-32](#)
    - Cisco QSIG Feature [B-32](#)
    - Cisco Signaling Performance [B-33](#)
    - Cisco SIP [B-32](#), [B-33](#)
    - Cisco SIP Normalization [B-34](#)
    - Cisco SIP Stack [B-41](#)
    - Cisco SIP Station [B-49](#)
    - Cisco SW Conf Bridge Device [B-51](#)
    - Cisco TFTP Server [B-51](#)
    - Cisco Tomcat Connector [A-2](#)
    - Cisco Transcode Device [B-55](#)
    - Cisco Video Conference Bridge [B-55](#)
    - Cisco WebDialer [B-56](#)
    - Cisco WSM Connector [B-57](#)
- CUC Data Store [C-2](#)
- CUC Data Store: Databases [C-2](#)
- CUC Digital Notifications [C-3](#)
- CUC Directory Services [C-3](#)
- CUC Message Store [C-3](#)
- CUC Message Store: Databases [C-5](#)
- CUC Personal Call Transfer Rules [C-5](#)
- CUC Phone System [C-5](#)
- CUC Phone System: Ports [C-8](#)
- CUC Replication [C-8](#)
- CUC Replicator: Remote Connection Locations [C-8](#)
- CUC Sessions: Calendar Access [C-9](#)
- CUC Sessions: E-mail Access [C-9](#)
- CUC Sessions: IMAP Server [C-10](#)
- CUC Sessions: RSS [C-11](#)
- CUC Sessions: SMTP Server [C-11](#)
- CUC Sessions: SpeechView Processor [C-12](#)
- CUC Sessions: TRaP [C-12](#)
- CUC Sessions: TTS [C-13](#)
- CUC Sessions: Unified Client [C-13](#)
- CUC Sessions: Voice [C-13](#)
- CUC Sessions: VUI [C-15](#)
- CUC Sessions: Web [C-15](#)
- CUC Sessions: Web E-mail Access [C-16](#)
- Database Change Notification Server [A-6](#)
- Database Change Notification Subscription [A-7](#)
- Database Local DSN [A-7](#)

- DB User Host Information [A-7](#)
- Enterprise Replication [A-8](#)
- Enterprise Replication DBSpace Monitors [A-7](#)
- IME Configuration Manager [D-1](#)
- IME Server [D-2](#)
- IME Server System Performance [D-3](#)
- IP [A-8](#)
- IP6 [A-9](#)
- Memory [A-10](#)
- Network Interface [A-12](#)
- Number of Replicates [A-14](#)
- Partition [A-14](#)
- Process [A-15](#)
- Processor [A-17](#)
- System [A-17](#)
- Thread [A-20](#)
- Tomcat JVM [A-3](#)
- Tomcat Web Application [A-4](#)
- sample rates [3-3](#)
- viewing counter data [6-10](#)
- performance queries [6-3](#)
- plug-ins
  - accessing [13-1](#)
  - downloading [13-1](#)
- polling intervals
  - sample rate [3-3](#)
- polling rate [5-20](#)
- Port Monitor
  - using [8-1](#)
- Process
  - perfmon object and counters [A-15](#)
- Processor
  - perfmon object and counters [A-17](#)
- alerts
  - accessing alert central [10-1](#)
  - action configuration (table) [9-8](#)
  - configuring alert actions [10-6](#)
  - configuring e-mail for [10-6](#)
  - configuring with Default alert action [10-7](#)
  - customization (table) [9-6](#)
  - logs, described [9-9](#)
  - notification for a counter [3-5](#)
  - preconfigured [9-2](#)
  - setting properties [10-3](#)
  - suspending [10-5](#)
- category
  - adding [6-2](#)
  - deleting [6-3](#)
  - renaming [6-2](#)
- category tabs,described [3-3](#)
- collecting a crash dump [11-16](#)
- collecting traces [11-3](#)
- collecting traces using the query wizard [11-8](#)
- collecting traces using the schedule collection option [11-12](#)
- configuration profile
  - adding [2-7](#)
  - deleting [2-8](#)
  - restoring [2-7](#)
  - using default [2-7](#)
- counters
  - alert notification [3-5](#)
  - data sample [6-9](#)
  - displaying property description [6-8](#)
  - viewing data [6-10](#)
  - zooming [3-3, 3-4](#)
- data samples [6-9](#)
- deleting scheduled collections [11-15](#)
- finding
  - CTI applications [5-21](#)
  - CTI devices [5-22](#)
  - CTI lines [5-23](#)

---

**R**
**Real-Time Monitoring Tool**

- alert notification
  - configuring for a counter [6-5](#)

- devices [5-17](#)
- highlighting a chart [3-4](#)
- logging and report generation
  - call log [5-7](#)
  - device log [5-16](#)
  - server log [4-4](#)
  - service log [5-13](#)
- polling interval [3-3](#)
- polling rate, configuring [5-20](#)
- related topics for trace collection [11-33](#)
- sample rate [3-3](#)
- session trace [5-8](#)
- SysLog Viewer [12-1](#)
- updating trace configuration settings [11-32](#)
- using the real time trace option [11-28](#)
- using the real time trace option, monitor user event [11-29](#)
- using the real time trace option, view real time data [11-28](#)
- viewing
  - CTIManager information [5-21](#)
  - device properties [5-19](#)
  - phone information [5-19](#)
  - viewing trace collection status [11-15](#)
  - viewing trace files using the local browse option [11-22](#)
  - viewing trace files using the remote browse option [11-23](#)
  - zooming a counter [3-3](#)
- related documentation [1-xviii](#)
- relative range [11-21](#)
- reports
  - learned patterns [5-25](#)

---

## S

- sample rate [3-3](#)
- schedule download of audit logs [11-19](#)
- server authentication certificates
  - importing using the trace collection option [11-2](#)

- SysLog Viewer [12-1](#)
- System
  - perfmon object and counters [A-17](#)

---

## T

- TCP [A-18](#)
  - perfmon object and counters [A-18](#)
- Thread
  - perfmon object and counters [A-20](#)
- Tomcat JVM
  - perfmon object and counters [A-3](#)
- Tomcat Web Application
  - perfmon object and counters [A-4](#)
- Trace
  - collection
    - collecting crash dump option [11-16](#)
    - collecting files option [11-3](#)
    - configuration, described [11-1](#)
    - deleting scheduled collections [11-15](#)
    - list of topics [11-1](#)
    - related topics [11-33](#)
    - schedule collection option [11-12](#)
    - using the local browse option [11-22](#)
    - using the query wizard option [11-8](#)
    - using the real time trace option [11-28](#)
    - using the real time trace option, monitor user event [11-29](#)
    - using the real time trace option, view real time data [11-28](#)
    - using the remote browse option [11-23](#)
    - viewing status [11-15](#)
  - trace and log central
    - collecting installation and upgrade logs [11-7](#)
  - troubleshooting
    - Perfmon data logging
      - configuring [7-4](#)
      - parameters [7-5](#)
      - viewing log files [7-3](#)



---

**U**

upgrade logs

collecting [11-7](#)

---

**Z**

zooming a counter [3-3, 3-4](#)

