



## New and Changed Information

- [New and Changed Information for Firmware Release 14.2\(1\), on page 1](#)
- [New and Changed Information for Firmware Release 14.1\(1\), on page 1](#)
- [New and Changed Information for Firmware Release 14.0\(1\), on page 2](#)
- [New and Changed Information for Firmware Release 12.8\(1\), on page 2](#)
- [New and Changed Information for Firmware Release 12.7\(1\), on page 2](#)
- [New and Changed Information for Firmware Release 12.6\(1\), on page 2](#)
- [New and Changed Information for Firmware Release 12.5\(1\)SR3, on page 2](#)
- [New and Changed Information for Firmware Release 12.5\(1\)SR2, on page 3](#)
- [New and Changed Information for Firmware Release 12.5\(1\)SR1, on page 3](#)
- [New and Changed Information for Firmware Release 12.5\(1\), on page 3](#)
- [New and Changed Information for Firmware Release 12.1\(1\), on page 4](#)

## New and Changed Information for Firmware Release 14.2(1)

The following information is new or changed for Firmware Release 14.2(1).

Feature	New or Changed
Support for SIP OAuth on SRST	<a href="#">Security Enhancements for Your Phone Network</a>

## New and Changed Information for Firmware Release 14.1(1)

The following information is new or changed for Firmware Release 14.1(1).

Feature	New or Changed
SIP OAuth for Proxy TFTP support	<a href="#">Security Enhancements for Your Phone Network</a>
Phone Migration without Transition Load	<a href="#">Migration of your Phone to a Multiplatform Phone Directly</a>

## New and Changed Information for Firmware Release 14.0(1)

**Table 1: New and Changed Information**

Feature	New or Changed Sections
SIP OAuth Enhancements	<a href="#">Security Enhancements for Your Phone Network</a>
User Interface Enhancements	<a href="#">Surviveable Remote Site Telephony</a>
OAuth Enhancements for MRA	<a href="#">Mobile and Remote Access Through Expressway</a>

As of Firmware Release 14.0, the phones support DTLS 1.2. DTLS 1.2 requires Cisco Adaptive Security Appliance (ASA) Release 9.10 or later. You configure the minimum DTLS version for a VPN connection in ASA. For more information, see *ASDM Book 3: Cisco ASA Series VPN ASDM Configuration Guide* at <https://www.cisco.com/c/en/us/support/security/asa-5500-series-next-generation-firewalls/products-installation-and-configuration-guides-list.html>

## New and Changed Information for Firmware Release 12.8(1)

The following information is new or changed for Firmware Release 12.8(1).

Feature	New or Changed Content
Phone Data Migration	<a href="#">Change a User's Phone Model</a>
Add additional information about the Web Access field	<a href="#">Product Specific Configuration</a>

## New and Changed Information for Firmware Release 12.7(1)

No administration guide updates were required for Firmware Release 12.7(1).

## New and Changed Information for Firmware Release 12.6(1)

No administration guide updates were required for Firmware Release 12.6(1).

## New and Changed Information for Firmware Release 12.5(1)SR3

All references to the Cisco Unified Communications Manager documentation have been updated to support all Cisco Unified Communications Manager releases.

The following table lists the changes made to the *Cisco IP Conference Phone 7832 Administration Guide for Cisco Unified Communications Manager* to support Firmware Release 12.5(1)SR3.

**Table 2: Cisco IP Phone 7832 Administration Guide Revisions for Firmware Release 12.5(1)SR3**

Revision	New or Updated Section
Support for Activation Code Onboarding and Mobile and Remote Access	<a href="#">Activation Code Onboarding and Mobile and Remote Access</a>
Support for the Problem Report Tool use from Cisco Unified Communications Manager.	<a href="#">Create a Phone Problem Report from Cisco Unified Communications Manager</a>

## New and Changed Information for Firmware Release 12.5(1)SR2

No administration guide updates were required for Firmware Release 12.5(1)SR2.

Firmware Release 12.5(1)SR2 replaces Firmware Release 12.5(1) and Firmware 12.5(1)SR1. Firmware Release 12.5(1) and Firmware Release 12.5(1)SR1 have been deferred in favor of Firmware Release 12.5(1)SR2.

## New and Changed Information for Firmware Release 12.5(1)SR1

The following table lists the changes made to the *Cisco IP Conference Phone 7832 Administration Guide for Cisco Unified Communications Manager* to support Firmware Release 12.5(1)SR1.

**Table 3: Cisco IP Conference Phone 7832 Administration Guide Revisions for Firmware Release 12.5(1)SR1**

Revision	New or Updated Section
Support for Elliptic Curve	<a href="#">Supported Security Features</a>
Support for Media Paths and Interactive Connectivity Establishment	<a href="#">Media Paths and Interactive Connectivity Establishment</a>
Support for Activation Code Onboarding	<a href="#">Activation Code Onboarding for On-premises Phones</a>

## New and Changed Information for Firmware Release 12.5(1)

The following table lists the changes made to the *Cisco IP Conference Phone 7832 Administration Guide for Cisco Unified Communications Manager* to support Firmware Release 12.5(1).

**Table 4: Cisco IP Conference Phone 7832 Administration Guide Revisions for Firmware Release 12.5(1)**

Revision	New or Updated Section
Support for Whisper Paging on Cisco Unified Communications Manager Express	<a href="#">Cisco Unified Communications Manager Express Interaction</a>
Support for Disable TLS Ciphers	<a href="#">Product Specific Configuration</a>
Support for Enbloc Dialing for Inter-Digit Timer T.302 Enhancement.	<a href="#">Product Specific Configuration</a>

## New and Changed Information for Firmware Release 12.1(1)

The following table lists changes made to the *Cisco IP Conference Phone 7832 Administration Guide for Cisco Unified Communications Manager* to support Firmware Release 12.1(1).

Revision	New or Updated Section
Support for Mobile and Remote Access Through Expressway	<ul style="list-style-type: none"><li>• <a href="#">Mobile and Remote Access Through Expressway</a></li><li>• <a href="#">Deployment Scenarios</a></li><li>• <a href="#">Configure User Credentials Persistent for Expressway Sign-In</a></li></ul>
Support for enabling or disabling TLS 1.2 for web server access	<a href="#">Product Specific Configuration</a>
Support for G722.2 AMR-WB audio codec	<ul style="list-style-type: none"><li>• <a href="#">The Cisco IP Conference Phone 7832</a></li><li>• <a href="#">Call Statistics Fields</a></li></ul>