



## Worksheets

---

- [Worksheets, on page 1](#)

## Worksheets

You may find these worksheets useful when you gather the information you need to configure your system. You can print this chapter if you need a paper record. You could also set up a spreadsheet or document and recreate the worksheets for an electronic record.

### Server Configuration Parameters Worksheet

The following table contains the mandatory information you need to configure the base station. You can use the Data column to gather your information if you print the chapter.

Field name	Description	Data
Registrar	The IP address or FQDN of the call control system.	
Outbound proxy	Session Border Controller or SIP server outbound proxy.	
Time Server	The IP address or FQDN of the network time server.	
MAC address of the base station	The MAC address is on the label under the LAN port and also on the cardboard box that contained the base station.	
IP address of the base station	When the base station is plugged in, it uses DHCP to get an IP address. You can get the IP address of the base station with this task: <a href="#">Find the base station IP address</a>	
MAC address of the second base station	The MAC address is on the label under the LAN port and also on the cardboard box that contained the base station.	

Field name	Description	Data
IP address of the second base station	When the base station is plugged in, it uses DHCP to get an IP address. You can get the IP address of the base station with this task: <a href="#">Find the base station IP address</a>	
-		
-		

## Base Station Worksheet

You find most of this information on the box label or the label on the base station.

### Primary Base Station

Description	Data
PID/VID	
Serial number	
MAC address	
IPv4 address	
RFPI address	
Installed location	

### Secondary Base Station 1

Description	Data
PID/VID	
Serial number	
MAC address	
IPv4 address	
RFPI address	
Installed location	

### Secondary Base Station 2

Description	Data
PID/VID	

Description	Data
Serial number	
MAC address	
IPv4 address	
RFPI address	
Installed location	

## Handset Configuration Parameters Worksheet

The following table contains the mandatory information you need to configure the handsets on the base station.

You can have up to 30 handsets configured on a base station, but the maximum number of handsets that can be active at one time is limited. For more information, see [Add Handsets to the Base Station](#).

The handset's International Portable Equipment Identity (IPEI) identifies the exact handset that the user is allocated.

User name	Phone Number and Handset IPEI	Authentication User Name and Password	XSI User Name and Password	Mailbox Name and Number
-	- -			
-	- -			
-	- -			
-	- -			
-	- -			
-	- -			

