



Preface

- [Purpose, page 1-1](#)
- [Audience, page 1-1](#)
- [Organization, page 1-1](#)
- [Related Documentation, page 1-2](#)
- [Conventions, page 1-3](#)
- [Obtain Documentation and Submit a Service Request, page 1-4](#)
- [Cisco Product Security Overview, page 1-4](#)

Purpose

Changing the IP Address, Hostname, Domain Name and Node Name for Cisco Unified Presence Release 8.6(5) describes the steps to change the IP address, hostname, domain name, or node name on a Cisco Unified Presence server.

Audience

This document is intended for administrators who are responsible for administering Cisco Unified Presence software.

Organization

The following table shows how this guide is organized.

Chapter	Description
Chapter 1	<p>“Preface”</p> <p>Provides information such as the document purpose, organization, conventions, and a list of related documentation.</p>
Chapter 2	<p>“Getting Started”</p> <p>Provides information about the server IP address, hostname, domain name, and node name. Also shows a workflow for changing each of these settings.</p>
Chapter 3	<p>“Pre-Change Tasks”</p> <p>Provides instructions to complete the tasks that you must perform before you change a server IP address, hostname, domain name, or node name.</p>
Chapter 4	<p>“Change Server IP Address”</p> <p>Provides instructions to change the IP address on a publisher and a subscriber server.</p>
Chapter 5	<p>“Change Server Hostname”</p> <p>Provides instructions to change the hostname on a publisher and a subscriber server.</p>
Chapter 6	<p>“Change Server Domain”</p> <p>Provides instructions to change the DNS domain name.</p>
Chapter 7	<p>“Change Server Node Name”</p> <p>Provides instructions to change a server node name.</p>
Chapter 8	<p>“Post-Change Tasks”</p> <p>Provides instructions to complete the tasks that you must perform after you change a server IP address, hostname, domain name, or node name.</p>

Related Documentation

See the following Cisco Unified Presence guides for more information:

- Online Help for Cisco Unified Presence Administration*

Provides step-by-step instructions for configuring, maintaining, and administering Cisco Unified Presence.
- Cisco Unified Operating System Maintenance Guide for Cisco Unified Presence*
http://www.cisco.com/en/US/products/ps6837/prod_maintenance_guides_list.html

Provides information about the utilities that are available through the operating system.

- *Command Line Interface (CLI) Reference Guide for Cisco Unified Presence*
http://www.cisco.com/en/US/products/ps6837/prod_maintenance_guides_list.html
 Provides information about using the CLI and lists the commands to perform many common system- and network-related tasks.
- *Deployment Guide for Cisco Unified Presence*
http://www.cisco.com/en/US/products/ps6837/products_installation_and_configuration_guides_list.html
 Provides an overview of the configuration process for Cisco Unified Presence and Cisco Unified Communications Manager, as well as information about integrating Cisco Unified Presence with Microsoft Live Communications Server, Microsoft Active Directory, and Microsoft Office Communicator. Also contains Cisco recommendations for high availability.
- *Real-Time Monitoring Tool Administration Guide for Cisco Unified Presence*
http://www.cisco.com/en/US/products/ps6837/prod_maintenance_guides_list.html
 Provides descriptions of Cisco Unified Presence serviceability, as well as step-by-step instructions for configuring alarms, traces, and other reporting.
- *Disaster Recovery System Administration Guide*
http://www.cisco.com/en/US/products/ps6837/prod_maintenance_guides_list.html
 Describes how to configure the backup settings, how to back up Cisco Unified Presence data, and how to restore the data.
- For Cisco Unified Communications Manager information, see the following URL:
http://cisco.com/en/US/products/sw/voicesw/ps556/tsd_products_support_series_home.html?q=

Conventions

This document uses the following conventions.

Convention	Description
boldface font	Commands and keywords are in boldface .
<i>italic font</i>	Arguments for which you supply values are in <i>italics</i> .
[]	Elements in square brackets are optional.
{ x y z }	Alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
screen font	Terminal sessions and information the system displays are in <code>screen font</code> .
boldface screen font	Information you must enter is in boldface screen font .
<i>italic screen font</i>	Arguments for which you supply values are in <i>italic screen font</i> .

Convention	Description
^	The symbol ^ represents the key labeled Control—for example, the key combination ^D in a screen display means hold down the Control key while you press the D key.
< >	Nonprinting characters, such as passwords, are in angle brackets.

**Note**

Means reader take note. Notes contain helpful suggestions or references to material not covered in the publication.

**Caution**

Means reader be careful. In this situation, you might do something that could result in equipment damage or loss of data.

**Timesaver**

Means the described action saves time. You can save time by performing the action described in the paragraph.

**Tip**

Means the information contains useful tips.

Obtain Documentation and Submit a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly What's New in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the What's New in Cisco Product Documentation as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS Version 2.0.

Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

Further information regarding U.S. export regulations may be found at http://www.access.gpo.gov/bis/ear/ear_data.html.