



## Configuring Routing Triggers

---

- [Viewing a List of Routing Triggers, on page 1](#)
- [Adding or Editing a Routing Trigger, on page 1](#)

### Viewing a List of Routing Triggers

Routing triggers correlate trigger conditions with routing policies (which are also known as lookup policies). A single policy is chosen based on which corresponding condition is matched. The conditions are evaluated in ascending order based on sequence number.

A routing trigger is a set of conditions that can be used to dictate routing logic. It is automatically executed in response to a certain event (or condition case). Conditions can have multiple cases.

#### Procedure

---

**Step 1** Choose **Configure > Routing Triggers**.

The system displays the Routing Triggers page and displays all routing triggers.

**Step 2** To delete a routing trigger, do the following:

- a) Check the check box next to the name of the routing trigger to delete.
  - b) Click **Remove**.
  - c) In the Cisco Unified SIP Proxy header, click **Commit Candidate Configuration** to commit this change.
- 

### Adding or Editing a Routing Trigger

#### Before you begin

You must have at least one trigger in your system. See [Configuring Triggers](#).

## Procedure

---

**Step 1** Choose Configure > **Routing** Triggers.

The system displays the Routing Triggers page.

**Step 2** To add a routing trigger, do the following:

- a) Click **Add**.
- b) The system displays the Routing Trigger (New) page.
- c) Select a routing policy from the drop-down box.
- d) Select a trigger condition from the drop-down box.
- e) Click **Add**.

The system displays the Routing Triggers page with the new routing trigger displayed.

**Step 3** To edit an existing routing trigger, do the following:

- a) Check the check box next to the name of the routing trigger to edit.
- b) Click **Edit**.
- c) Choose a different routing policy or trigger condition. You can change one or both.
- d) Click **Update**.

**Step 4** To move an existing routing trigger, do the following:

- a) Check the check box next to the name of the routing trigger to move.
- b) Click the up or down arrows.

**Step 5** In the Cisco Unified SIP Proxy header, click **Commit Candidate Configuration** to commit this change.

---

## Related Topics

[Configuring Routing Triggers](#), on page 1

[Managing the System Configuration](#)