



## Configuring Backup and Restore

Perform the following tasks from the Administration Backup/Restore window:

- [Configuring the Backup Server](#)
- [Viewing Scheduled Backups](#)
- [Adding a Scheduled Backup](#)
- [Manually Starting a Backup](#)
- [Starting a Restore](#)

### Configuring the Backup Server

Before you begin the backup process, set the backup configuration parameters.

#### Before You Begin

Gather the following values.

**Table 29** Backup Configuration Parameters

Parameter	Description
Server URL	The URL of the server on the network where backup files are stored. The format should be ftp://<server/directory>/ where <server/directory> is the IP address or hostname of the backup server.
User ID	The user ID on the backup server. You must have an account on the server to which you are backing up your data. Do not use an anonymous user ID.
Password	The password for the user ID on the backup server.
Maximum revisions	The maximum number of revisions of the backup data to keep on the backup server. The maximum number is 50. The default value is 5.

### Procedure

---

- Step 1** Choose **Administration > Backup / Restore > Configuration**.  
The system displays the Backup / Restore Configuration page.
- Step 2** Enter the information shown in the following fields: [Table 29](#).
- Step 3** Click **Apply** to save the information.
- 

### Related Topics

Back to the [Configuring Backup and Restore](#) menu page

## Viewing Scheduled Backups

### Procedure

---

- Step 1** Choose **Administration > Backup / Restore > Scheduled Backups**.  
The system displays the Backup / Restore Scheduled Backups page with the following information:
- Name
  - Description
  - Schedule
  - Next Run
  - Categories of backup or type of data to save
- Step 2** To see a different number of scheduled backups on each page, on the top right, choose another number from the drop-down box and click **Go**. You can choose to see 10, 25, 50, 100, or all scheduled backups.
- Step 3** To move to another page, use the left and right arrow buttons on the bottom right, or enter another page number and press **Enter**.
- Step 4** To sort scheduled backups, click any of the headers.
- 

### Related Topics

Back to the [Configuring Backup and Restore](#) menu page

## Adding a Scheduled Backup

You can configure scheduled backups to occur once or recurring jobs that repeat:

- Every N days at a specific time
- Every N weeks on specific day and time
- Every N months on a specific day of the month and time
- Every N years on specific day and time

**Before You Begin**

- Configure the server used to back up the data. See [Configuring the Backup Server](#).
- Save your system configuration. See [Managing the System Configuration](#).

**Procedure**

---

- Step 1** Choose **Administration > Backup / Restore > Scheduled Backups**.  
The system displays the Backup / Restore Scheduled Backup page.
- Step 2** Click **Schedule Backup**.  
The system displays the Backup / Restore Scheduled Backups page.
- Step 3** Enter a name and description for the scheduled backup.
- Step 4** Check the check box for the type of data to save. You can choose one or both:
- Configuration—Saves the configurations of the system and applications.
  - Data—Saves your application data and voicemail messages.
- Step 5** From the Schedule tab, select the frequency of the scheduled backup:
- Once
  - Daily
  - Weekly
  - Monthly
  - Yearly
- Step 6** Select whether the scheduled backup will start:
- Once
  - On a specific date and time
- Step 7** Click **Add**.
- 

**Related Topics**

Back to the [Configuring Backup and Restore](#) menu page.

## Manually Starting a Backup

**Before You Begin**

- Configure the server used to back up the data. See [Configuring the Backup Server](#).
- Save your configuration. See [Managing the System Configuration](#).

**Procedure**

---

- Step 1** Click **Administration > Backup / Restore > Start Backup**.  
The system displays the Backup / Restore Start Backup page and automatically generates a backup ID. The backup ID increases by one every time you back up the server.

- Step 2** Enter a description of the backup file; for example, “backupdata6-2-04.”
- Step 3** Check the check box for the types of data to save. You can choose one or both:
- Configuration—Saves the configurations of the system and applications.
  - Data—Saves your application data and voicemail messages.
- Step 4** Click **Start Backup**.
- Step 5** Click **OK** at the confirmation message.
- 

### Related Topics

Back to the [Configuring Backup and Restore](#) menu page

## Starting a Restore

After you have backed up your voicemail and configuration data, you can restore it for every new installation or upgrade.

### Before You Begin

Configure a backup server. See [Configuring the Backup Server](#).

### Procedure

---

- Step 1** Choose **Administration > Backup / Restore > Start Restore**.
- The system displays the Backup / Restore Start Restore page with the following fields:
- Backup ID —The backup ID of previous backups.
  - Version—Version
  - Description—Name of this backup.
  - Backup Time and Date—Date and time when this backup was made.
  - Categories—The type of data to restore.
- Step 2** Select the row containing the configuration to restore.
- Step 3** Check the check box for the type of data to save. You can choose one or both:
- Configuration—Saves the configurations of the system and applications.
  - Data—Saves your application data and voicemail messages.