



Preface

- [Change History](#) , on page i
- [About This Guide](#), on page ii
- [Audience](#), on page ii
- [Conventions](#), on page ii
- [Related Documents](#), on page iv
- [Documentation and Support](#), on page iv
- [Documentation Feedback](#), on page v

Change History

This table lists changes made to this guide. Most recent changes appear at the top.

Change	See	Date
Added new service property configuration CLI for port 5223.	Service Properties	April 2020
Initial Release of Document for Release 11.6(2)		August 2018
The integration of the Facebook Messenger with Unified CCX is added in the Subsystems > Chat and Email Menu Options.	Chat Integration - Facebook Messenger	
A new chat widget called Bubble Chat is added in the Subsystems > Chat and Email Menu Options with configurations for Post Chat Rating included.	Bubble Chat	
SocialMiner Configuration page has been updated with more details on Email Cache and SocialMiner Chat Gateway.	SocialMiner Configuration	

About This Guide

Cisco Unified Contact Center Express (Unified CCX), a member of the Cisco Unified Communications family of products, manages customer voice contact centers for departments, branches, or small to medium-size companies planning to deploy an entry-level or mid-market contact center solution.

The *Cisco Unified CCX Administration Guide* provides instructions for using the Administration web interface to provision the subsystems of the Unified CCX package and to configure Unified CCX applications.

This guide shows you how to implement the following two systems that integrate with the Unified CCX:

- Cisco Unified Contact Center Express (Unified CCX)
- Cisco Unified IP IVR

This guide also includes a reference section that describes all the menus and menu options of the Unified CCX Administration web interface.

This guide will help you to:

- Perform initial configuration tasks
- Administer applications such as the Unified CCX Engine and other components of the Cisco Unified Communications family of products
- Familiarize yourself with the menus and menu options of the Unified CCX Administration web interface

Audience

The *Cisco Unified CCX Administration Guide* is written for business analysts and application designers who have the domain-specific knowledge required to create multimedia and telephony customer response applications. Experience or training with Java is not required but is useful for making best use of the capabilities of the Cisco Unified Communications family of products.

Conventions

This manual uses the following conventions.

Convention	Description
boldface font	<p>Boldface font is used to indicate commands, such as user entries, keys, buttons, and folder and submenu names. For example:</p> <ul style="list-style-type: none"> • Choose Edit > Find • Click Finish.

Convention	Description
<i>italic font</i>	<p>Italic font is used to indicate the following:</p> <ul style="list-style-type: none"> • To introduce a new term. Example: A <i>skill group</i> is a collection of agents who share similar skills. • For emphasis. Example: <i>Do not</i> use the numerical naming convention. • An argument for which you must supply values. Example: IF (<i>condition, true-value, false-value</i>) • A book title. Example: See the <i>Cisco Unified Contact Center Express Installation Guide</i>.
window font	<p>Window font, such as Courier, is used for the following:</p> <ul style="list-style-type: none"> • Text as it appears in code or information that the system displays. Example: <code><html><title> Cisco Systems, Inc. </title></html></code> • File names. Example: <code>tserver.properties.</code> • Directory paths. Example: <code>C:\Program Files\Adobe</code>
string	<p>Nonquoted sets of characters (strings) appear in regular font. Do not use quotation marks around a string or the string will include the quotation marks.</p>
[]	<p>Optional elements appear in square brackets.</p>
{ x y z }	<p>Alternative keywords are grouped in braces and separated by vertical bars.</p>
[x y z]	<p>Optional alternative keywords are grouped in brackets and separated by vertical bars.</p>
< >	<p>Angle brackets are used to indicate the following:</p> <ul style="list-style-type: none"> • For arguments where the context does not allow italic, such as ASCII output. • A character string that the user enters but that does not appear on the window such as a password.

Convention	Description
^	The key labeled Control is represented in screen displays by the symbol ^. For example, the screen instruction to hold down the Control key while you press the D key appears as ^D.

Related Documents

Document or Resource	Link
Cisco Unified Contact Center Express Documentation Guide	https://www.cisco.com/en/US/products/sw/custcosw/ps1846/products_documentation_roadmaps_list.html
Cisco Unified CCX documentation	https://www.cisco.com/en/US/products/sw/custcosw/ps1846/tsd_products_support_series_home.html
Cisco Unified Intelligence Center documentation	https://www.cisco.com/en/US/products/ps9755/tsd_products_support_series_home.html
Cisco Finesse documentation	https://www.cisco.com/en/US/products/ps11324/tsd_products_support_series_home.html
Cisco SocialMiner documentation Note From Unified CCX Release 12.5(1), CCP documents are available in the Cisco Unified CCX documentation folder.	https://www.cisco.com/c/en/us/support/customer-collaboration/socialminer/tsd-products-support-series-home.html
Cisco Mediasense documentation	https://www.cisco.com/c/en/us/support/customer-collaboration/mediasense/tsd-products-support-series-home.html
Cisco Unified CCX Virtualization Information	https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/uc_system/virtualization/virtualization-cisco-unified-contact-center-express.html
Cisco Unified CCX Compatibility Information	https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-device-support-tables-list.html

Documentation and Support

To download documentation, submit a service request, and find additional information, see *What's New in Cisco Product Documentation* at <https://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>.

You can also subscribe to the *What's New in Cisco Product Documentation* RSS feed to deliver updates directly to an RSS reader on your desktop. The RSS feeds are a free service. Cisco currently supports RSS Version 2.0.

Documentation Feedback

To provide your feedback for this document, send an email to:

contactcenterproducts_docfeedback@cisco.com

