

Create Custom Reports

- Overview, on page 1
- How to Create Custom Reports, on page 1
- Create Unified CCX Data Source, on page 2
- Create Custom Stored Procedure, on page 3

Overview

You *can* create new reports with the Unified Intelligence Center that is embedded with Unified CCX. To create new custom Historical reports, you *need not* install a Standalone Unified Intelligence Center.

How to Create Custom Reports

The following table describes the task flow to create a new Historical report:

Table 1: Task Flow to Create Custom Reports

Sequence	Task	Where performed	Reference
1	Create Unified CCX datasource	Standalone Unified Intelligence Center	See Create Unified CCX Data Source, on page 2. See the "Standalone Cisco Unified Intelligence Center Configuration" section of the Cisco Unified Contact Center Express Administration and Operations Guide, located at: https://www.cisco.com/en/US/products/sw/custcosw/ ps1846/products_installation_and_configuration_ guides_list.html. Note This is an optional step and is required only when Standalone CUIC is being used to create the custom reports.
2	Create custom stored procedure	Unified CCX	See Create Custom Stored Procedure, on page 3.

Sequence	Task	Where performed	Reference
3	Create report definition	Unified Intelligence Center embedded in Unified CCX	
			https://www.cisco.com/en/US/products/ps9755/products_user_guide_list.html .
4	Export custom report	Unified Intelligence Center embedded in Unified CCX	categories" section of the Cisco Unified Intelligence Center Report Customization Guide, located at: https://www.cisco.com/en/US/products/ps9755/
			products_user_guide_list.html .
5	Import custom report to Unified CCX	Unified Intelligence Center embedded in Unified CCX	
			https://www.cisco.com/en/US/products/sw/custcosw/ps1846/products_user_guide_list.html.
6	Set permissions to the new custom report	Unified Intelligence Center embedded in Unified CCX	

Create Unified CCX Data Source

Create a Unified CCX data source on the Standalone Unified Intelligence Center server that points to the Unified CCX server.



Note

Do not create a data source in the Unified Intelligence Center that is bundled with Unified CCX. This scenario is not supported.

Procedure

- **Step 1** Set the password for the Historical Reporting User.
 - a) Log in to Cisco Unified Contact Center Express Administration using the Unified CCX username and password.
 - b) Select Tools > Password Management.
 - c) In the Historical Reporting User field, set the password, and click Save.
- **Step 2** Record settings of the existing Unified CCX data source.

- a) Log in to Unified Intelligence Center on the Unified CCX server.
- b) In the left pane, click **Data Sources**.

The **Data Sources** page opens in a separate tab in the right pane.

- c) Select the Unified CCX data source and click **Edit**.
- d) Record the settings in the page so that you can refer to this data later.
- **Step 3** Configure a data source on the Standalone Unified Intelligence Center server to point to the Unified CCX server.
 - a) Log in to the Standalone Unified Intelligence Center using credentials that has report designer permissions.
 - b) In the left pane, click **Data Sources**.
 - c) Click **Create** to create a new data source.
 - d) Set the parameters as per the settings you recorded in **Step 2d**.

Note The database user name should be uccxhruser and the password should match the password you set in **Step 1c**.

e) Click **Test Connection** and verify the settings.

Tip If an error is prompted, verify that the settings are correct and try again.

Create Custom Stored Procedure



Note

Perform the following steps for both Unified CCX nodes, if applicable.

The Unified CCX database schema details are described in the *Database Schema Guide for Cisco Unified CCX and Cisco Unified IP IVR*, located at:

https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-express/products-technical-reference-list.html.

Procedure

- **Step 1** Connect to the db_cra database using the **uccxhruser** username and password.
- **Step 2** Create a stored procedure using third-party tools such as SQuirrel SQL Client and AGS Server Studio.
- Step 3 Assign execution privileges for the stored procedure to uccxHrUserRole using the following command:

Example:

grant execute on <*your procedure name*> to 'uccxHrUserRole';

What to do next

See the task flow table in How to Create Custom Reports, on page 1.

Create Custom Stored Procedure