

## Callback\_Set\_Queue\_Defaults

The <code>Callback\_Set\_Queue\_Defaults</code> element is responsible for updating the DBServlet with the values that should be used for each queue. There is always a *default* queue type. The values are used whenever a queue type is encountered for which there are no explicitly defined values. For example, if an administrator has defined values for a *billing* and *default* queues, but the caller is queued for *mortgages*. In that case, the application uses the values from <code>Callback Set Queue Defaults</code>.

Note

When the DBServlet is not reachable to check the callback status for the duration of keepalive interval, the callback entry in the Reporting Server gets marked as a stale cached entry and subsequently gets cleared. As a result, a callback is not initiated.

- Settings, on page 1
- Element Data, on page 3
- Exit States, on page 3
- Folder and Class Information, on page 3
- Events, on page 4

## **Settings**

Name (Label)	Type	Req'd		Substitution Allowed	Default	Notes
Queue Name	string	Yes	true	false	None	The name of the queue.
Maximum Percentage	integer	No	true	false	50	Maximum percentage of callbacks that can exist in the queue. Maximum is 100, minimum is 0.
Maximum Count	integer	No	true	false	9999999	Absolute number of callbacks that can exist in a queue.
Refresh Interval	integer	No	true	false	30	Number of minutes between DBServlet refreshes of this reference data. Maximum is 1440 minutes, minimum is 1 minute.

Maximum Estimated Wait Time	integer	No	true	false	900	Callbacks are only offered for this queue when the estimated wait time (ewt) is greater than or equal this number of seconds. If 0, then callbacks are offered regardless of ewt. Maximum is 86400 seconds, minimum is 0.
Timezone	string enum	No	true	false	None	The timezone to apply to this queue. Valid options available from pull-down menu.
Keepalive Interval	integer	No	true	false	180	Maximum keepalive interval in seconds. Maximum is 300, minimum is 1. 'Ring No Answer Timeout' setting must be less than this value.
Dialed Number	string	No	true	false	None	Dialed Number to which a callback is directed for this queue.
Reconnect Time	integer	No	true	false	30	Approximate average time in seconds to reconnect caller. Take into account both ringtime and IVR time when determining this value. Maximum is 300, minimum is 1.
Service Level Agreement (SLA)	integer	No	true	false	60	Average number of seconds to wait before connecting to an agent after a caller is called back.
Calling Line ID	string	Yes	true	false	None	The CLI to be used on the callback.
Sample	string	No	true	false	0	Number of minutes in the interval used to calculate average time to leave queue. Maximum is 1440, minimum is 15.
Burst	string	No	true	false	10:1	X:Y, where X requests to method LeaveQueue in Y seconds. This is used to detect abnormal system failures so that the requests do not get included in the average time to leave queue calculation.
Ring No Answer Timeout	integer	No	true	false	30	The RNA timeout for the callback. Maximum is 300, minimum is 0. Must be less than the Keepalive Interval.

Sunday Time Range  Monday Time Range  Tuesday Time Range  Wednesday Time Range  Thursday Time Range  Friday Time Range  Saturday Time Range	string	No	true	false	00:00:00	can occur. Value "none" means no
Max No Response Count	string	No	true	false	3;300	
Max Busy Count	string	No	true	false	4;300	Max attempts to try the callback
Max No Answer Count	string	No	true	false	4;300	when this error occurs and the next the interval (in seconds) in which to retry the call.
Max Trunks Busy Count	string	No	true	false	4;300	
Max Error Count	string	No	true	false	4;300	

## **Element Data**

Name	Туре	Notes
result	string	Contains the reconnect exit state.

# **Exit States**

Name	Notes
done	The element execution is complete and the value was successfully retrieved.
error	The element failed to retrieve the value.

## **Folder and Class Information**

Studio Element Folder Name	Class Name	
Cisco > Callback	com.cisco.cvp.vxml.custelem.callback.SetQueueDefaults	

#### **Events**

Name (Label)	Notes
Event Type	You can select Java Exception as event handler type.

The output of the Customer\_Lookup element can be in JSON format . To know more about parsing the JSON Data refer to "Parsing JOSN Data" section in *User Guide for Cisco Unified CVP VXML Server and Cisco Unified Call Studio*.