



Preface

This guide explains how to install Cisco Finesse and how to perform initial configuration tasks so that agents can sign in to the Finesse desktop.

- [Change History](#), on page i
- [About This Guide](#), on page i
- [Audience](#), on page ii
- [Related Documents](#), on page ii
- [Communications, Services, and Additional Information](#), on page ii
- [Field Notice](#), on page ii
- [Documentation Feedback](#), on page iii
- [Conventions](#), on page iii

Change History

The following table lists changes made to this guide for Cisco Finesse 12.0(1) release version:

Change	See	Date
Added Edge Chromium details	Client Requirements	December 2020
Added Edge Chromium details	Browser Settings for Agent and Supervisor Desktop	
Initial Release of Document for Release 12.0(1)		September, 2018

About This Guide

The *Cisco Finesse Installation and Upgrade Guide* describes how to install Finesse, upgrade Finesse, and perform initial configuration.

Audience

This guide is prepared for system engineers and administrators who are responsible for the installation and initial configuration of Cisco Finesse.

Related Documents

Document or resource	Link
<i>Cisco Finesse Documentation Guide</i>	https://www.cisco.com/en/US/partner/products/ps11324/products_documentation_roadmaps_list.html
<i>Configure SNMP Trap in Cisco Finesse</i>	https://www.cisco.com/c/en/us/support/docs/contact-center/finesse/214387-configure-snmp-trap-in-cisco-finesse.html
Cisco.com site for Finesse documentation	https://www.cisco.com/en/US/partner/products/ps11324/tsd_products_support_series_home.html

Communications, Services, and Additional Information

- To receive timely, relevant information from Cisco, sign up at [Cisco Profile Manager](#).
- To get the business impact you're looking for with the technologies that matter, visit [Cisco Services](#).
- To submit a service request, visit [Cisco Support](#).
- To discover and browse secure, validated enterprise-class apps, products, solutions and services, visit [Cisco Marketplace](#).
- To obtain general networking, training, and certification titles, visit [Cisco Press](#).
- To find warranty information for a specific product or product family, access [Cisco Warranty Finder](#).

Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a web-based tool that acts as a gateway to the Cisco bug tracking system that maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. BST provides you with detailed defect information about your products and software.

Field Notice

Cisco publishes Field Notices to notify customers and partners about significant issues in Cisco products that typically require an upgrade, workaround, or other user action. For more information, see *Product Field Notice Summary* at <https://www.cisco.com/c/en/us/support/web/tsd-products-field-notice-summary.html>.

You can create custom subscriptions for Cisco products, series, or software to receive email alerts or consume RSS feeds when new announcements are released for the following notices:

- Cisco Security Advisories
- Field Notices
- End-of-Sale or Support Announcements
- Software Updates
- Updates to Known Bugs

For more information on creating custom subscriptions, see *My Notifications* at <https://cway.cisco.com/mynotifications>.

Documentation Feedback

To provide comments about this document, send an email message to the following address:
contactcenterproducts_docfeedback@cisco.com

We appreciate your comments.

Conventions

This document uses the following conventions:

Convention	Description
boldface font	<p>Boldface font is used to indicate commands, such as user entries, keys, buttons, folder names, and submenu names.</p> <p>For example:</p> <ul style="list-style-type: none"> • Choose Edit > Find. • Click Finish.
<i>italic font</i>	<p>Italic font is used to indicate the following:</p> <ul style="list-style-type: none"> • To introduce a new term. Example: A <i>skill group</i> is a collection of agents who share similar skills. • A syntax value that the user must replace. Example: IF (<i>condition, true-value, false-value</i>) • A book title. Example: See the <i>Cisco Unified Contact Center Enterprise Installation and Upgrade Guide</i>.
window font	<p>Window font, such as Courier, is used for the following:</p> <ul style="list-style-type: none"> • Text as it appears in code or that the window displays. Example: <code><html><title>Cisco Systems, Inc. </title></html></code>

Convention	Description
< >	<p data-bbox="620 289 1149 323">Angle brackets are used to indicate the following:</p> <ul data-bbox="656 340 1484 457" style="list-style-type: none"><li data-bbox="656 340 1484 373">• For arguments where the context does not allow italic, such as ASCII output.<li data-bbox="656 390 1484 457">• A character string that the user enters but that does not appear on the window such as a password.