

Release Notes for Cisco Packaged Contact Center Enterprise Release 10.5(3)

First Published: 2016-12-06

Cisco Packaged Contact Center Enterprise Release 10.5(3)

New Features

Cisco UCS C240 M4SX Support

This release of Packaged CCE supports the Cisco UCS C240 M4SX server. For more information, see the *Virtualization for Cisco Packaged CCE* at http://docwiki.cisco.com/wiki/Virtualization_for_Cisco_Packaged_CCE.

Support for TLS 1.2

Unified CCE and Packaged CCE supports TLS 1.0, TLS 1.1, and TLS 1.2. All VOS based components (Finesse, Unified Intelligence Center, Live Data and SocialMiner) supports TLS 1.0 and TLS 1.1.

Please see the [UCCE Software Compatibility Matrix](#) for further details.



Note TLS 1.2 support is added in version 10.5(3).

Updated Features

OpenSSL Upgraded

OpenSSL is upgraded to openssl-1.0.2j.

Important Notes

During upgrade, Packaged CCE deployment uses Unified CCE software. You can download the software at [https://software.cisco.com/download/release.html?mdfid=268439622&flowid=46046&softwareid=280840583&release=11.6\(1\)&reind=AVAILABLE&rellifecycle=&reltype=latest](https://software.cisco.com/download/release.html?mdfid=268439622&flowid=46046&softwareid=280840583&release=11.6(1)&reind=AVAILABLE&rellifecycle=&reltype=latest)

Caveats

Bug Search Tool

If you have an account with Cisco.com, you can use the Bug Search tool to find caveats of any severity for any release. Access the Bug Search tool at <https://www.cisco.com/cisco/psn/bssprt/bss>. Enter the bug identifier in the search box, and press return or click **Search**.

To access a list of open caveats and resolved caveats (rather than an individual caveat) for a particular product or component, see the relevant sections later in these notes.

You can also choose your own filters and criteria in the tool to see a specific subset of caveats, as described in the following table.

If you choose this in Releases	And you choose this in Status	A list of the following caveats appears
Affecting or Fixed in these Releases OR Affecting these Releases	Open	Any caveat in an open state for the release or releases you select.
Fixed in these Releases	Fixed	Any caveat in any release with the fix applied to the specific release or releases you select.
Affecting or Fixed in these Releases	Fixed	Any caveat that is either fixed or occurs in the specific release or releases you select.
Affecting these Releases	Fixed	Any caveat that occurs in the release or releases you select.

Severity 3 or Higher Caveats for Release 10.5(3)

Use the following link to the Bug Search Tool to view a list of Severity 3 or higher caveats for Packaged CCE for the current release.

https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=286311975&sb=af&sts=open&svr=3nH&bt=custV



Note

If the list of caveats does not automatically appear when you open the browser, refresh the browser.

Use the following link to view a list of Severity 3 or higher caveats for Unified CCE for the current release.

https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=286312041&sb=af&sts=open&svr=3nH&bt=custV

**Note**

Not all Unified CCE caveats apply to Packaged CCE.

Documentation Feedback

You can provide comments about this document by sending an email to the following address:

mailto:contactcenterproducts_docfeedback@cisco.com

We appreciate your comments.

Obtaining Documentation and Submitting a Service Request

Subscribe to [What's New](#) in Cisco Product Documentation, which lists all new and revised Cisco technical documentation as an RSS feed and delivers content directly to your desktop using a reader application.

The RSS feeds are a free service.

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <http://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2017 Cisco Systems, Inc. All rights reserved.