



# Hardware Components

The CE1300 is based on a UCS C220 M6S server, with the following components:

**Table 1: Components and UCS equivalent part numbers for the CE1300 Appliance**

Item	Part	Quantity
Chassis	UCSC-C220-M6S	1
Processor	UCS-CPU-I6334 (3.6GHz/165W 8C/18MB DDR4 3200MHz)	1
RAM	UCS-MR-X16G1RW 16GB RDIMM SRx4 3200 (8Gb)	2
Hard Disk (SED)	UCS-HD12T10NK9 1.2TB 12G SAS 10K RPM SFF HDD (SED)	2
RAID Controller	UCSC-RAID-220M6 Cisco 12G SAS RAID Controller w/4GB FBWC (16 Drv) w/1U Brkt	1
NIC	UCSC-PCIE-ID10GF Intel X710-DA2 dual-port 10G SFP+ NIC	1
	EXP-1GSFP-T (1Gb Copper SFP)	2
	EXP-10GSFP-SR-MP (10Gb SR 2 Fiber SFP)	2
PSU	UCSC-PSU1-1050W	2
TPM	UCSX-TPM-002C TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	1
M.2	UCS-M2-240G 240GB SATA M.2	1
M.2 Raid	UCS-M2-HWRAID Cisco Boot optimized M.2 Raid controller	1

Item	Part	Quantity
Miscellaneous	UCSC-RAIL-M6 (Rack Mount Kit)	1
	UCSC-HSLP-M6 (Heat Sink)	1
	UCS-DIMM-BLK (DIMM Slot Blanking)	10
	UCSC-BBLKD-S2 (Blanking Panels for HDD Slots)	8

This chapter explains the following:

- [Power Cables, on page 2](#)
- [KVM Adaptors, on page 2](#)
- [Field-Replaceable Components, on page 2](#)
- [Returns or Replacements, on page 3](#)

## Power Cables

Power cables are available to order from Cisco.




---

**Warning** If you opt not to order power cables from Cisco, you must use cables of the designated type, see [Cisco UCS C220 M6 SFF Rack Server Spec Sheet](#).

---

## KVM Adaptors

KVM adaptors are available to order from Cisco.

## Field-Replaceable Components

These components are field replaceable:

- Hard disks
- Power supply units (PSUs)
- Fan module
- SFP network connection modules (1 Gb and 10 Gb)




---

**Caution** To avoid compatibility issues, use only the supplied SFPs, and follow the other requirements for SFPs in [Task 2: Insert the SFP Network Connection Modules](#).

---

# Returns or Replacements

If you need to begin a Return Material Authorization (RMA) for any reason, go to [Cisco Returns Portal](#).

