



INDEX

A

ABlack list table [4-23](#)
active configuration [3-1](#)
a-digit tree [4-16](#)
Advice of Charge [1-25, 1-79](#)
A-number [1-4](#)
AOC [1-25, 1-79](#)
ATM profile [4-45](#)
AWhite list [4-23](#)

B

B-black list table [4-24](#)
b-digit tree [4-17](#)
bdigtree [3-18, 3-19, 3-21](#)
bearer trunk [2-2](#)
B-number [1-6](#)
B-white list table [4-24](#)

C

call routing [1-6](#)
cause [4-20](#)
 location [B-95](#)
 supported [B-29, B-44](#)
cause codes [B-1](#)
causes
 internal [B-2](#)
CgPn [1-24](#)
changing your configuration [3-1](#)
channels [2-3](#)
CIC [2-3](#)

CLI [2-3](#)
configuration
 active [3-1](#)
contentonly [4-11](#)
CPC [1-59](#)
customer networks [1-3](#)

D

dial plan [4-6](#)
 adding a called number to the BBLACK list [4-24](#)
 adding a called number to the BWHITE table [4-24](#)
 adding a calling number to the ABLACK list [4-23](#)
 adding a calling number to the AWHITE table [4-23](#)
 adding a cause [4-20](#)
 adding an element to a table [4-7](#)
 adding the dial plan [4-6](#)
 adding to a adigtree table [4-16](#)
 adding to a bdigtree table [4-17](#)
 adding to a location table [4-20](#)
 adding to an NPI table [4-17](#)
 adding to a NOA [4-18](#)
 adding to a result table [4-15](#)
 adding to a service table [4-14](#)
 adding to the digmodstring table [4-14](#)
 deleting an element [4-7, 4-8](#)
 edit a table element [4-10](#)
 retrieving an element in a table [4-11](#)
digit modification table [4-14](#)

G

GN-ACgPN [1-24](#)

GUI [2-3](#)

I

ISDN User Part

See ISUP [1-3](#)

ISUP

contains A-number and B-number [1-3](#)

L

location table [4-20](#)

M

MML [2-3](#)

mml

ablack [4-23](#)
 adigtrees [4-16](#)
 awhite [4-23](#)
 bblack [4-24](#)
 bdigtrees [4-17](#)
 bwhite [4-24](#)
 cause [4-20](#)
 digmodstring [4-14](#)
 location [4-20](#)
 noa [4-18](#)
 npi [4-17](#)
 numan-add [4-7](#)
 numan-dlt [4-7](#)
 numan-rtrv [4-11](#)
 porttbl [4-25](#)
 resulttable [4-15](#)
 service [4-14](#)
 termtbl [4-25](#)

N

NANP [1-63](#)
 nature of address [4-18](#)
 NIC [1-77](#)
 NOA [1-60](#)
 NPA [1-63](#)
 NPI [1-60](#)
 numan-ed [4-10](#)
 numbering plan indicator table [4-17](#)

P

PI [1-24](#)
 PSTN [1-4](#)

R

results table [4-15](#)
 result type

- A_NUM_DP_TABLE [1-18](#)
- ADDRESSCLASS [1-16](#)
- AMODDIG [1-17](#)
- ANNOUNCEMENT [1-18](#)
- B_NUMBER_TYPE [1-22](#)
- BLACKLIST [1-20](#)
- BMODDIG [1-21](#)
- BSM_REQ [1-22](#)
- CAUSE [1-23](#)
- CC_DIG [1-24](#)
- CG_PN_COPY [1-24](#)
- CG_PRES_IND [1-24](#)
- CG_SCREEN_IND [1-24](#)
- CHARGEORIGIN [1-27](#)
- CLI_NUMBER_LENGTH [1-27](#)
- CLI_REQ [1-27](#)
- CODEC [1-27](#)
- COND_ROUTE [1-27](#)
- CPC_REQ [1-28](#)

CPCMOD [1-28](#)
 DATA_EXCHANGE [1-28](#)
 DIGIT_REQD [1-29](#)
 E_PORTED_NUM [1-29](#)
 E_ROUTE_NUM [1-30](#)
 FSM_REQ [1-36](#)
 IN_TRIGGER [1-37](#)
 INC_NUMBERING [1-38](#)
 MGCPDIALPKG [1-38](#)
 NEW_DIALPLAN [1-39](#)
 OTG_NUMBERING [1-42](#)
 PERC_ROUTE [1-42](#)
 PN_NPI_TYPE [1-43](#)
 PNMODDIG [1-42](#)
 R_NUMBER_TYPE [1-45](#)
 RETRY_ACTION [1-44](#)
 RMODDIG [1-44](#)
 ROUTE [1-46](#)
 ROUTE_PREFERENCE [1-46](#)
 RTRN_START_ANAL [1-46](#)
 SCREENING [1-47](#)
 TERM_INFO [1-49](#)
 TESTCALLDETECTED [1-49](#)
 WHITELIST [1-49](#)

result types [1-11](#)

route [1-94](#)

defined [1-6](#)

route list [1-6, 1-94, 1-101](#)

S

service name [1-10](#)

service table [4-14](#)

SI [1-24](#)

SIF [1-3](#)

Signaling Information Field

See SIF [1-3](#)

span

E1 [2-3](#)

T1 [2-3](#)

span ID [2-3](#)

SS7 [1-1](#)

SysConnectDataAccess [2-6](#)

T

Tech Prefix [4-46](#)

time slots [2-3](#)

tips

before provisioning [3-1](#)

TMR [1-60](#)

TNS [1-62](#)

trunk

defined [1-6](#)

trunk group

defined [1-6](#)

trunk ID [2-2](#)

X

X-windows [2-5](#)

