

## show dns-client

This chapter includes the show dns-client command output tables.

• show dns-client, on page 1

## show dns-client

Table 1: show dns-client statistics client <client\_name> Command Output Descriptions

| Field                | Description  |
|----------------------|--|
| DNS Usage Statistics |  |
| Query Type           | The type of DNS queries performed. Possible type of DNS queries are:     |
|                      | A: The total A (IPv4 address record) type of queries.                    |
|                      | SRV: The total SRV (service locator) type of queries.                    |
|                      | AAAA: The total AAAA (IPv6 address record) type of queries.              |
|                      | NAPTR: The total NAPTR (Naming Authority Pointer) type of queries.       |
| Attempts             | The total number of DNS query of specific type attempted.                |
| Successes            | The total number of attempted and successful DNS query of specific type. |
| Failures             | The total number of attempted but failed DNS query of specific type.     |
| Total queries        | The total number of queries including A, SRV, and NAPTR type of queries. |
| DNS Cache Statistics |  |
| Central Cache        | The domain name lookups cached in central (remote) location.             |
| Local Cache          | The domain name lookups cached in local location.                        |

| Field                              | Description   |
|------------------------------------|---|
| Total Lookups                      | The total domain name lookups cached in central (remote) and local location.              |
| Cache Hits (Positive Response)     | The total number of hits with positive response.  |
| Cache Hits (Negative Response)     | The total number of hits with negative response.  |
| Not Found in Cache                 | The total number of hits which have no record in central or local cache memory.           |
| Hit Ratio (Percentage)             | The percentage of domain records hit and found in central or local cache memory.          |
| DNS Resolver Statistics            |   |
| Primary (or Secondary) Name Server | The IP address of the primary or secondary DNS (as specified by the display field title). |
| Query Type                         | The type of DNS queries performed. Possible type of DNS queries are:                      |
|                                    | A: The total A (IPv4 address record) type of queries.                                     |
|                                    | SRV: The total SRV (service locator) type of queries.                                     |
|                                    | AAAA: The total AAAA (IPv6 address record) type of queries.                               |
|                                    | NAPTR: The total NAPTR (Naming Authority Pointer) type of queries.                        |
| Attempts                           | The total number of DNS query of specific type attempted.                                 |
| Successes                          | The total number of attempted and successful DNS query of specific type.                  |
| Failures                           | The total number of attempted but failed DNS query of specific type.                      |
| Total Resolver Queries             | The total number of resolver queries made to the specified DNS of all query types.        |
| Successful Queries                 | The total number of queries resolved successfully.  |
| Query Timeouts                     | The total number of queries went timeout.   |
| Domain Not Found                   | The total number of queries where domain name not found.                                  |
| Connection Refused                 | The total number of queries for a domain for which connection refused.                    |
| Other Failures                     | The total number of queries failed due to reasons other that listed here.                 |