



EDNS Format Configuration Mode Commands

The EDR Format Configuration Mode enables configuring EDNS formats and associating fields with formats.

Command Modes

Exec > ACS Configuration > EDNS > EDNS Format Configuration

active-charging service *service_name* **edns> edns-format** *format_name*

Entering the above command sequence results in the following prompt:

```
[context_name]host_name(config-acs-edns-format) #
```



Important

The commands or keywords/variables that are available are dependent on platform type, product version, and installed license(s).



Important

Commands under this mode are license controlled. Contact your Cisco account representative for detailed information on specific licensing requirements.

- [end, on page 1](#)
- [exit, on page 2](#)
- [fields, on page 2](#)

end

Exits the current configuration mode and returns to the Exec mode.

Product

All

Privilege

Security Administrator, Administrator

Syntax Description

end

Usage Guidelines

Use this command to return to the Exec mode.

exit

Exits the current mode and returns to the parent configuration mode.

Product	All
Privilege	Security Administrator, Administrator
Syntax Description	exit
Usage Guidelines	Use this command to return to the parent configuration mode.

fields

This command allows you to configure EDNS Format mode commands.

Product	P-GW SAEGW
Privilege	Security Administrator, Administrator
Command Modes	Exec > ACS Configuration > EDNS > EDNS Format Configuration active-charging service <i>service_name</i> edns > edns-format <i>format_name</i> Entering the above command sequence results in the following prompt: <code>[context_name]host_name(config-acs-edns-format)#</code>
Syntax Description	fields <i>fields_name</i> encode no fields no Removes the fields values. fields Inserts EDNS fields. fields_name Specifies fields name. encode Defines fields to be used for encoding EDNS message.
Usage Guidelines	Use this command to configure fields value.

Example

The following example specifies fields in EDNS format mode:

```
fields f1 encode
```

