



# EDNS Format Configuration Mode Commands

The EDR Format Configuration Mode enables configuring EDNS formats and associating fields with formats.

## Command Modes

Exec > ACS Configuration > EDNS > EDNS Format Configuration

**active-charging service** *service\_name* **edns> edns-format** *format\_name*

Entering the above command sequence results in the following prompt:

```
[context_name]host_name(config-acs-edns-format) #
```



### Important

The commands or keywords/variables that are available are dependent on platform type, product version, and installed license(s).



### Important

Commands under this mode are license controlled. Contact your Cisco account representative for detailed information on specific licensing requirements.

- [end, on page 1](#)
- [exit, on page 2](#)
- [fields, on page 2](#)

## end

Exits the current configuration mode and returns to the Exec mode.

### Product

All

### Privilege

Security Administrator, Administrator

### Syntax Description

**end**

### Usage Guidelines

Use this command to return to the Exec mode.

## exit

Exits the current mode and returns to the parent configuration mode.

---

**Product**

All

---

**Privilege**

Security Administrator, Administrator

---

**Syntax Description**

**exit**

---

**Usage Guidelines**

Use this command to return to the parent configuration mode.

## fields

This command allows you to configure EDNS Format mode commands.

---

**Product**

P-GW  
SAEGW

---

**Privilege**

Security Administrator, Administrator

---

**Command Modes**

Exec > ACS Configuration > EDNS > EDNS Format Configuration  
**active-charging service** *service\_name* **edns** > **edns-format** *format\_name*

Entering the above command sequence results in the following prompt:

```
[context_name]host_name(config-acs-edns-format)#
```

---

**Syntax Description**

**fields** *fields\_name* **encode**  
**no fields**

**no**

Removes the fields values.

**fields**

Inserts EDNS fields.

**fields\_name**

Specifies fields name.

**encode**

Defines fields to be used for encoding EDNS message.

---

**Usage Guidelines**

Use this command to configure fields value.

**Example**

The following example specifies fields in EDNS format mode:

```
fields f1 encode
```

