



Support for Accounting Session ID

- [Information About Accounting Session ID, on page 1](#)
- [Configuring an Accounting Session ID \(CLI\), on page 1](#)
- [Verifying an Account Session ID, on page 2](#)

Information About Accounting Session ID

Accounting ID is a unique identifier for a wireless client session. This ID helps to identify the accounting data of a client in the AAA server. Accounting session ID is generated by the AAA module.

From Cisco IOS XE Bengaluru, Release 17.4.1 onwards, Accounting Session ID is supported in the AAA access request, while authenticating wireless client using IEEE 802.1x method. In the Cisco IOS XE Amsterdam, Release 17.3.x and earlier releases, the Accounting Session ID was sent only as part of the accounting request. From Cisco IOS XE Bengaluru, Release 17.4.1 onwards, the Accounting Session ID is sent as part of the access request too.

Configuring an Accounting Session ID (CLI)

Procedure

	Command or Action	Purpose
Step 1	configure terminal Example: Device# configure terminal	Enters global configuration mode.
Step 2	radius-server attribute wireless 44 include-in-access-req Example: Device(config)# radius-server attribute wireless 44 include-in-access-req	Sends the RADIUS authentication attribute 44, in the access request packet.
Step 3	aaa accounting identity <i>accounting-list-name</i> start-stop group <i>server-group-name</i> Example:	Configures the accounting session identity of the AAA server.

	Command or Action	Purpose
	Device(config)# aaa accounting identity <i>accounting-list-name</i> start-stop group AAA_GROUP_1	
Step 4	wireless profile policy Example: Device(config)# wireless profile policy default-policy-profile <i>accounting-list-name</i> start-stop group AAA_GROUP_1	Configures the WLAN policy profile.
Step 5	accounting-list <i>accounting-list-name</i> Example: Device(config-wireless-policy)# accounting-list <i>accounting-list-name</i>	Configures the accounting list. Note The Accounting Session ID is added as part of the account request, only if radius-server attribute wireless 44 include-in-access-req is enabled along with the accounting configuration under the wireless policy.
Step 6	description <i>description-name</i> Example: Device(config-wireless-policy)# description <i>accounting-description</i>	Adds a description for the policy profile.
Step 7	vlan <i>vlan-id</i> Example: Device(config-wireless-policy)# vlan 40	Configures the VLAN name or ID.
Step 8	no shutdown Example: Device(config-wireless-policy)# no shutdown	Saves the configuration and exits configuration mode and returns to privileged EXEC mode.

Verifying an Account Session ID

To verify if an Account Session ID is populated, use the following command:

```
Device# show wireless pmk-cache
Number of PMK caches in total : 1
Type      Station      Entry Lifetime  VLAN Override  IP Override
Accounting-Session-Id  Audit-Session-Id      Username

RSN      6c19.c0e6.a444      1768      NA
0x00000006      052DA8C1000000104E634C77      cwa-user
```

To display the current Accounting Session ID, use the following command:

```
Device# show wireless client mac-address<H.H.H>detail
Central NAT : DISABLED
Session Manager:
  Point of Attachment : capwap_90000005
  IIF ID               : 0x90000005
  Authorized           : TRUE
  Session timeout      : 1800
  Common Session ID: 0000000000000000B14E9130A
  Acct Session ID     : 0x0000000c
  Last Tried Aaa Server Details:
    Server IP : 9.10.8.247
  Auth Method Status List
    Method : Dot1x
             SM State       : AUTHENTICATED
             SM Bend State  : IDLE
  Local Policies:
    Service Template : wlan_svc_default-policy-profile (priority 254)
    VLAN              : 1
  Server Policies:
    Absolute-Timer   : 1800
  Resultant Policies:
    VLAN Name        : default
    VLAN             : 1
    Absolute-Timer   : 1800
```

