

## **Preface**

- About this Guide, on page i
- Audience, on page i
- Additional Support, on page ii
- Conventions (all documentation), on page ii
- Obtaining Documentation and Submitting a Service Request, on page iii

### **About this Guide**

The CPS Installation Guide for OpenStack assists System Administrators and Network Engineers with installing Cisco Policy Suite (CPS) in an OpenStack environment.

For installations that need to be performed within VMware virtualized environments, refer to the CPS Installation Guide for VMware.



**Note** The host addresses, names of VLANs, and so on used in the examples in this document may be different for your deployment.

### Audience

This guide is best used by these readers:

- Network administrators
- Network engineers
- · Network operators
- · System administrators

This document assumes a general understanding of network architecture, configuration, and operations.

### **Additional Support**

For further documentation and support:

- Contact your Cisco Systems, Inc. technical representative.
- Call the Cisco Systems, Inc. technical support number.
- Write to Cisco Systems, Inc. at support@cisco.com.
- Refer to support matrix at https://www.cisco.com/c/en/us/support/index.html and to other documents related to Cisco Policy Suite.

### **Conventions (all documentation)**

This document uses the following conventions.

Conventions	Indication
<b>bold</b> font	Commands and keywords and user-entered text appear in <b>bold</b> font.
<i>italic</i> font	Document titles, new or emphasized terms, and arguments for which you supply values are in <i>italic</i> font.
[]	Elements in square brackets are optional.
{x   y   z }	Required alternative keywords are grouped in braces and separated by vertical bars.
[ x   y   z ]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
courier font	Terminal sessions and information the system displays appear in courier font.
<>	Nonprinting characters such as passwords are in angle brackets.
[]	Default responses to system prompts are in square brackets.
!,#	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.

Note Means reader take note. Notes contain helpful suggestions or references to material not covered in the manual.  $\triangle$ Caution Means reader be careful. In this situation, you might perform an action that could result in equipment damage or loss of data. A Warning IMPORTANT SAFETY INSTRUCTIONS. Means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, be aware of the hazards involved with electrical circuitry and be familiar with standard practices for preventing accidents. Use the statement number provided at the end of each warning to locate its translation in the translated safety warnings that accompanied this device. SAVE THESE INSTRUCTIONS Ś Note Regulatory: Provided for additional information and to comply with regulatory and customer requirements.

# **Obtaining Documentation and Submitting a Service Request**

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see What's New in Cisco Product Documentation.

To receive new and revised Cisco technical content directly to your desktop, you can subscribe to the . RSS feeds are a free service.