

MIBs

- BROADHOP-MIB.mib, on page 1
- BROADHOP-NOTIFICATION-MIB.mib, on page 7
- Sample Alert Rule Configuration, on page 8

BROADHOP-MIB.mib

```
BROADHOP-MIB DEFINITIONS ::= BEGIN
IMPORTS
   MODULE-IDENTITY,
   OBJECT-TYPE,
   NOTIFICATION-TYPE,
   enterprises,
   Integer32
                             FROM SNMPv2-SMI
   DisplayString
                             FROM SNMPv2-TC;
broadhop MODULE-IDENTITY
   LAST-UPDATED "201201270000Z"
    ORGANIZATION "Broadhop, Inc."
    CONTACT-INFO "Technical Support
                 Web: www.broadhop.com
                 E-mail: support@broadhop.com
    DESCRIPTION "Top Level MIB-II for BroadHop Enterprise and Common Elements"
    REVISION "201207050000Z"
    DESCRIPTION
        "Add notification clear value to broadhopNotificationSeverity
        to support extended notifications.
    REVISION "201201270000Z"
    DESCRIPTION
        "Smilint validation and cleanup. Preparation for expansion.
        Break out BroadHop enterprise. Redo categories.
    REVISION "200906210000Z"
    DESCRIPTION
        "Initial version of this MIB module."
    ::= { enterprises 26878 }
broadhopCommon OBJECT IDENTIFIER ::= { broadhop 100 }
broadhopProducts OBJECT IDENTIFIER ::= { broadhop 200 }
```

```
broadhopCommonNotificationsGroup
                                 OBJECT IDENTIFIER
                                                      ::=
                                                             { broadhopCommon 1 }
broadhopNotificationParameters OBJECT IDENTIFIER ::= { broadhopCommonNotificationsGroup 1
broadhopAlarmDeviceName OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmDeviceName object is used to provide the
            name of the device being trapped and may represent the
           Network Element as a whole or may represent a subsystem
           contained in the Network Element.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 1 }
broadhopAlarmErrorNumber OBJECT-TYPE
    SYNTAX Integer32 (1..32767)
   MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmErrorNumber object is used to provide the
            error number associated with the problem being trapped.
           Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 2 }
broadhopAlarmErrorText OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmErrorText object is used to provide the
           error text associated with the problem being trapped.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 3 }
broadhopAlarmDateAndTime OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmDateAndTime object is used to provide the
            date and time associated with the occurrence of the problem
           being trapped. Format for this field is:
           YYYY-MM-DD at HH:MM:SS GMT-Offset
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 4 }
```

```
broadhopAlarmProbableCause OBJECT-TYPE
    SYNTAX DisplayString
    MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmProbableCause object is used to provide a
           cause for the problem being trapped.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 5 }
broadhopAlarmAdditionalInfo OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS deprecated
    DESCRIPTION
           "The broadhopAlarmAdditionalInfo object is used to provide
            any additional information about the problem being trapped
            that can be determined at run time.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 6 }
broadhopComponentName OBJECT-TYPE
    SYNTAX DisplayString
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
           "The broadhopComponentName object is used to provide the
           name of the individual system device being trapped.
            Example of value from field mimics HOST-RESOURCE-MIB sysName.
            sessionmgr01
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 7 }
broadhopComponentTime OBJECT-TYPE
    SYNTAX DisplayString
    MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
           "The broadhopComponentTime object is used to provide the
            date and time associated with the occurrence of the problem
            being trapped from the system component perspective.
            Example of value from this field mimics hrSystemDate like:
            2012-2-10,13:9:41.0,-7:0
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 8 }
```

```
broadhopComponentNotificationName OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
           "The broadhopComponentNotificatoinName object is used to provide
            the name of the notification. These names are outlined in the
            BroadHop QNS Monitoring and Alert Notification Guide.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 9 }
broadhopComponentAdditionalInfo OBJECT-TYPE
    SYNTAX DisplayString
   MAX-ACCESS read-only
    STATUS current
    DESCRIPTION
           "The broadhopAdditionalInfo object is used to provide
            any additional information about the problem being trapped
            that can be determined at run time.
            Please note, this value is used for trapping purposes only.
            If you try to read this value, the results are undefined
            and can not be relied upon."
    ::= { broadhopNotificationParameters 10 }
broadhopNotificationPrefix OBJECT IDENTIFIER ::= { broadhopCommonNotificationsGroup 2 }
broadhopNotifications OBJECT IDENTIFIER ::= { broadhopNotificationPrefix 0 }
broadhopCriticalAlarm NOTIFICATION-TYPE
   OBJECTS
      broadhopAlarmDeviceName,
      broadhopAlarmErrorNumber,
      broadhopAlarmErrorText,
      broadhopAlarmDateAndTime,
      broadhopAlarmProbableCause,
      {\tt broadhopAlarmAdditionalInfo}
    STATUS deprecated
    DESCRIPTION
           "This object is used to report all Critical severity problems
            that may occur with in the system."
    ::= { broadhopNotifications 1 }
broadhopMajorAlarm NOTIFICATION-TYPE
   OBJECTS
       broadhopAlarmDeviceName,
      broadhopAlarmErrorNumber,
      broadhopAlarmErrorText,
      broadhopAlarmDateAndTime,
      broadhopAlarmProbableCause,
      broadhopAlarmAdditionalInfo
    STATUS deprecated
    DESCRIPTION
           "This object is used to report all Major severity problems
            that may occur with in the system."
```

```
::= { broadhopNotifications 2 }
broadhopMinorAlarm NOTIFICATION-TYPE
    OBJECTS
       broadhopAlarmDeviceName,
       broadhopAlarmErrorNumber,
       broadhopAlarmErrorText,
       broadhopAlarmDateAndTime,
       broadhopAlarmProbableCause,
       broadhopAlarmAdditionalInfo
    STATUS deprecated
    DESCRIPTION
           "This object is used to report all Minor severity problems
            that may occur with in the system."
    ::= { broadhopNotifications 3 }
{\tt broadhopWarningAlarm\ NOTIFICATION-TYPE}
       broadhopAlarmDeviceName,
       broadhopAlarmErrorNumber,
       broadhopAlarmErrorText,
       broadhopAlarmDateAndTime,
       broadhopAlarmProbableCause,
       broadhop \verb|AlarmAdditionalInfo|
    STATUS deprecated
    DESCRIPTION
            "This object is used to report all Warning severity problems
            that may occur with in the system."
    ::= { broadhopNotifications 4 }
broadhopIndeterminateAlarm NOTIFICATION-TYPE
    OBJECTS
       broadhopAlarmDeviceName,
       broadhopAlarmErrorNumber,
       broadhopAlarmErrorText,
       broadhopAlarmDateAndTime,
       broadhopAlarmProbableCause,
       {\tt broadhopAlarmAdditionalInfo}
    STATUS deprecated
    DESCRIPTION
           "This object is used to report all Indeterminate severity problems
            that may occur with in the system."
    ::= { broadhopNotifications 5 }
broadhopNormalAlarm NOTIFICATION-TYPE
    OBJECTS
       broadhopAlarmDeviceName,
       broadhopAlarmErrorNumber,
       broadhopAlarmErrorText,
       broadhopAlarmDateAndTime,
       broadhopAlarmProbableCause,
       broadhopAlarmAdditionalInfo
```

```
STATUS deprecated
    DESCRIPTION
           "This object is used to report all Normal severity problems
            that may occur with in the system."
    ::= { broadhopNotifications 6 }
broadhopClearAlarm NOTIFICATION-TYPE
    OBJECTS
    {
       broadhopAlarmDeviceName,
       broadhopAlarmErrorNumber,
       broadhopAlarmErrorText,
       broadhopAlarmDateAndTime,
       broadhopAlarmProbableCause,
       broadhopAlarmAdditionalInfo
    STATUS deprecated
    DESCRIPTION
           "This object is used to report all alarm clearing problems
            that may occur with in the system."
    ::= { broadhopNotifications 7 }
broadhopNotificationFacility OBJECT-TYPE
       SYNTAX
                  INTEGER {
                       hardware (0),
                       network(1),
                       virtualization(2),
                       operatingsystem(3),
                       application(4),
                       process(5),
                       none(6)
       MAX-ACCESS read-only
       STATUS
                  current
       DESCRIPTION
           "This object determines the facility or layer which
            notifications are sourced. Except for none, all
            facilities are sourced by size - hardware is a bigger
           size than process. This roughly mimics the Unix
            syslog facility. Used with severity, facility
           fully categorizes an alert notification.
       DEFVAL { none }
       ::= { broadhopCommonNotificationsGroup 3 }
broadhopNotificationSeverity OBJECT-TYPE
       SYNTAX
                  INTEGER {
                       emergency(0),
                       alert(1),
                       critical(2),
                       error(3),
                       warning(4),
                       notice(5),
                       info(6),
                       debug(7),
                       none(8),
                       clear(9)
       MAX-ACCESS read-only
       STATUS
                   current
       DESCRIPTION
           "This object determines the severity or level of sourced
```

```
notifications. All severities are facilities are sourced
by size - emergency is a worse than debug. This roughly
mimics the Unix syslog facility. Used with facility,
severity categorizes an alert notification.
"
DEFVAL { none }
::= { broadhopCommonNotificationsGroup 4 }
END
```

BROADHOP-NOTIFICATION-MIB.mib

```
BROADHOP-NOTIFICATION-MIB DEFINITIONS ::=BEGIN
TMPORTS
   MODULE-IDENTITY.
                                    FROM SNMPv2-SMI
   NOTIFICATION-TYPE
   broadhopComponentName,
   broadhopComponentTime,
   broadhopComponentNotificationName,
   broadhopComponentAdditionalInfo,
   broadhopNotificationFacility,
   broadhopNotificationSeverity
                                    FROM BROADHOP-MIB
   {\tt broadhopProductsQNS}
                                   FROM BROADHOP-QNS-MIB;
broadhopProductsQNSNotification MODULE-IDENTITY
    LAST-UPDATED "201202100000Z"
    ORGANIZATION "Broadhop, Inc."
    CONTACT-INFO
        "Technical Support
         Web: www.broadhop.com
        E-mail: support@broadhop.com
    DESCRIPTION "Top Level MIB-II Definitions for BroadHop QNS
                Notifications and Traps
    REVISION "201202100000Z"
    DESCRIPTION "Top Level MIB-II Definitions for BroadHop QNS Product"
    ::= { broadhopProductsQNS 2 }
-- Ensure SMIv1 and SMIv2 convertability with reverse mappability (ie.
broadhopProductQNSNotifications(0))
broadhopProductsQNSNotifications OBJECT IDENTIFIER ::= { broadhopProductsQNS 0 }
broadhopQNSComponentNotification NOTIFICATION-TYPE
       OBJECTS { broadhopComponentName,
                 broadhopComponentTime,
                 broadhopComponentNotificationName,
                 broadhopNotificationFacility,
                 broadhopNotificationSeverity,
                 broadhopComponentAdditionalInfo }
       STATUS current
       DESCRIPTION "
                    Trap from any QNS component - ie. device.
       ::= { broadhopProductsQNSNotifications 1 }
```

broadhopQNSApplicationNotification NOTIFICATION-TYPE

```
OBJECTS { broadhopComponentName, broadhopComponentTime, broadhopComponentTime, broadhopComponentNotificationName, broadhopNotificationFacility, broadhopNotificationSeverity, broadhopComponentAdditionalInfo }

STATUS current

DESCRIPTION "

Notification Trap from any QNS application - ie. runtime.

"
::= { broadhopProductsQNSNotifications 2 }
```

Sample Alert Rule Configuration



Note

The following alert rule configuration is for reference only. You should configure your alert rules as per your requirement.

```
alert rule DISK FULL
expression
                   "(round((node_filesystem_size_bytes{job='node_exporter'}-
node filesystem_avail_bytes{job='node_exporter'})/node_filesystem_size_bytes
{job='node exporter'}*100)) >= 70"
 event-host-label instance
                   "Disk Filesystem/usage is more than 90%"
message
snmp-facility
                 hardware
snmp-severity
                  critical
snmp-clear-message "Disk filesystem/usage is greater than 10%"
alert rule HIGH LOAD
                   "node load5 > 3"
expression
event-host-label instance
                   "load average value for 5 minutes is greater than 3 current value is
message
{{ $value }}"
snmp-facility
                 hardware
snmp-severity
                 major
snmp-clear-message "load average value for 5 minutes is lower than 3"
alert rule LOW MEMORY
                "round((node memory MemAvailable bytes/node memory MemTotal bytes)*100)
expression
< 20"
event-host-label instance
message
                   "Available RAM is less than 80% current value is {{ $value }}"
snmp-facility
                   hardware
snmp-severity
                   critical
snmp-clear-message "Available RAM is more than 80%"
alert rule PROCESS STATE
expression "docker_service_up==3"
event-host-label container name
                  "{{ $labels.service_name }} instance {{ $labels.module_instance }} of
module {{ $labels.module }} is in Aborted state"
snmp-facility
                 application
```

```
snmp-severity
                   critical
 snmp-clear-message "{{ $labels.service_name }} instance {{ $labels.module_instance }} of
module {{ $labels.module }} is moved from Aborted state"
alert rule LINK STATE
                   "link state == 0"
expression
 event-host-label instance
                   "{{ $labels.interface }} is down on {{ $labels.instance }}"
message
snmp-facility
                  hardware
snmp-severity
                   critical
 snmp-clear-message "{{ $labels.interface }} is up on {{ $labels.instance }}"
alert rule HIGH CPU USAGE
                    "rate(node cpu seconds total{mode=\"system\"} [10s])*100 >threshold>
expression
40"
event-host-label instance
                   "CPU usage in last 10 sec is more than 30% current value {{ $value }}"
message
snmp-facility
                  hardware
snmp-severity
                  critical
snmp-clear-message "CPU usage in last 10 sec is lower than 30%"
alert rule IP NOT REACHABLE
expression
                   "probe icmp target==0"
event-host-label instance
                   "VM/VIP IP {{$labels.instance }} is not reachable."
message
 snmp-facility
                   networking
snmp-severity
                   critical
snmp-clear-message "VM/VIP IP {{$labels.instance }} is reachable"
!
alert rule DIAMETER PEER DOWN
                   "peer_status==0"
expression
event-host-label remote peer
message
                   "Diameter peer is down."
snmp-facility
                  application
 snmp-severity
                   error
snmp-clear-message "VM/Diameter peer is up."
alert rule DRA PROCESS UNHEALTHY
                   "docker service up!=2"
 expression
 event-host-label
                   container name
                   "{{    $labels.service_name }} instance {{    $labels.module_instance }} of
message
module {{ $labels.module }} is not healthy"
snmp-facility
                  application
 snmp-severity
                   critical
snmp-clear-message "{{ $labels.service name }} instance {{ $labels.module instance }} of
module {{ $labels.module }} is healthy"
# REPEAT for each shard - replace shard-1 with the shard that is configured
alert rule DB SHARD DOWN
 expression
                   "absent(mongodb mongod replset member state{shard name="shard-1"}) ==1"
 event-host-label shard name
message
                   "All DB Members of a replica set {{ $labels.shard name }} are down"
 snmp-facility
                  application
snmp-severity
                   critical
snmp-clear-message "All DB Members of a replica set {{ $labels.shard name }} are not down"
# REPEAT for each shard - replace shard-1 with the shard that is configured
```

```
alert rule NO PRIMARY DB
                   "absent (mongodb_mongod_replset_member_health
expression
{shard name="shard-1", state="PRIMARY"})==1"
event-host-label shard name
                   "Primary DB member not found for replica set {{ $labels.shard_name }}"
message
snmp-facility
                   application
snmp-severity
                   critical
snmp-clear-message "Primary DB member found for replica set {{ $labels.shard name }}"
alert rule SECONDARY DB DOWN
                   "(mongodb mongod_replset_member_state != 2) and
expression
((mongodb mongod replset member state==8)) or (mongodb mongod replset member state==6))"
event-host-label shard name
                 "Secondary Member {{ $labels.name }} of replica set {{ $labels.shard_name
message
}} is down"
snmp-facility
                   application
snmp-severity
                   critical
snmp-clear-message "Secondary Member {{ $labels.name }} of replica set {{ $labels.shard name
1
alert rule DOCKER ENGINE DOWN
                   "docker_engine_up!=2"
expression
event-host-label engine id
message
                   "Docker Engine {{ $labels.engine_id }} is down."
                  application
snmp-facility
                   critical
snmp-severity
snmp-clear-message "Docker Engine {{ $labels.engine_id }} is up.
alert rule SVN_BACKUP_ALERT
expression
                   "svn alert==1"
                   "instance"
event-host-label
                   "svn backup in mongo is out of sync, please check svn_audit.log"
message
snmp-severity
                  alert
snmp-clear-message "svn backup in mongo is in sync now"
```