



Control Operations on BLE Devices

- [Non-IP Control \(NIPC\) Open API Definition, on page 1](#)
- [Other Supported API Types, on page 1](#)
- [Connecting to a BLE Device, on page 2](#)
- [Reading from a BLE Device, on page 5](#)
- [Writing to a BLE Device, on page 6](#)
- [Discovering Services from a BLE Device, on page 7](#)
- [Disconnecting from a BLE Device, on page 10](#)

Non-IP Control (NIPC) Open API Definition

API	Description
POST /control/connectivity/connect	This API is used to connect a BLE device to the network.
POST /control/data/read	This API is used to read a value from an attribute in the BLE device.
POST /control/data/write	This API is used to write a value to an attribute in the BLE device.
POST /control/data/discover	This API is used to discover services in a BLE device.
POST /control/connectivity/disconnect	This API is used to disconnect a connected BLE device from the network.

Other Supported API Types

API	Path	Summary
Register Data App	/registration/registerDataApp	Register a data application.
Unregister Data App	/registration/unregisterDataApp	Unregister a data application.

API	Path	Summary
Register Topic	/registration/registerTopic	Register a publish or subscribe topic.
Unregister Topic	/registration/unregisterTopic	Unregister a publish or subscribe topic.
Subscribe Topic	/data/subscribe	Subscribe to the streaming data from an attribute in the device.
Unsubscribe Topic	/data/unsubscribe	Unsubscribe to the streaming data from an attribute in the device.

Connecting to a BLE Device

Connect Request - API Definition

Fields	Description
location 'https://10.195.78.33:8081/control/connectivity/connect'	Connect a BLE device to the network.
header 'x-api-key: 2215dec3718288ad9028d39864f87d4c'	API key
header 'Content-Type: application/json'	Content type is JSON.
data	
technology	BLE
id	Device ID
serviceID	Service ID of the BLE device.
"controlApp": "controlApplication"	Control application address

Connect Response - API Definition

Fields	Description
status	Status message
id	Device ID
requestID	Request ID
serviceID	Service ID
handle	Handle number

Fields	Description
characteristicID	Characteristic ID
descriptorID	Descriptor ID
flags	Flags

API Example – Connect Request and Connect Response

Connect Request:

```
curl -k --location 'https://10.195.78.33:8081/control/connectivity/connect' \
--header 'x-api-key: 2215dec3718288ad9028d39864f87d4c' \
--header 'Content-Type: application/json' \
--data '
{
  "technology": "ble",
  "id": "f837c89a-e1dd-4b90-a446-06016c0d2b75",
  "ble": {
    "services": [
      {
        "serviceID": "1800"
      },
      {
        "serviceID": "2022"
      },
      {
        "serviceID": "1822"
      },
      {
        "serviceID": "180F"
      }
    ],
    "controlApp": "controlApplication"
  }
}
```

Connect Response:

```
{
  "status": "SUCCESS",
  "id": "f837c89a-e1dd-4b90-a446-06016c0d2b75",
  "requestID": "75310f89-79c6-4e7b-93cb-f58a8f18fc57",
  "services": [
    {
      "serviceID": "1800",
      "characteristics": [
        {
          "characteristicID": "3443",
          "descriptors": [
            {
              "descriptorID": "9059"
            }
          ],
          "flags": [
            "read",

```

```

    "write",
    "notify"
  ]
}
],
},
{
  "serviceID": "2022",
  "handle": 1,
  "characteristics": [
    {
      "characteristicID": "8065",
      "descriptors": [
        {
          "descriptorID": "9620"
        }
      ],
      "flags": [
        "read",
        "write",
        "notify"
      ]
    }
  ],
},
{
  "serviceID": "1822",
  "handle": 2,
  "characteristics": [
    {
      "characteristicID": "8912",
      "descriptors": [
        {
          "descriptorID": "1554"
        }
      ],
      "flags": [
        "read",
        "write",
        "notify"
      ]
    }
  ],
},
{
  "serviceID": "180F",
  "handle": 3,
  "characteristics": [
    {
      "characteristicID": "2810",
      "descriptors": [
        {
          "descriptorID": "1517"
        }
      ],
      "flags": [
        "read",
        "write",
        "notify"
      ]
    }
  ],
}
}

```

```

    }
}

```

Reading from a BLE Device

Read Request - API Definition

Fields	Description
location 'https://10.195.78.33:8081/control/data/read'	Read a value from an attribute in the BLE device.
header 'x-api-key: 2215dec3718288ad9028d39864f87d4c'	API key
header 'Content-Type: application/json'	Content type is JSON.
technology	BLE
id	Device ID
serviceID	Service ID of the BLE device.
characteristicID	Characteristic ID of the BLE device.
"controlApp": "controlApplication"	Control application address.

Read Response - API Definition

Fields	Description
status	Status message
id	Device ID
requestID	Request ID
value	Value

API Example – Read Request and Read Response

Read Request:

```

curl -k --location 'https://10.195.78.33:8081/control/data/read' \
--header 'x-api-key: 2215dec3718288ad9028d39864f87d4c' \
--header 'Content-Type: application/json' \
--data '
{
  "technology": "ble",
  "id": "decf0dc6-9e9d-4d39-8c8b-00c541699b6a",

```

```

"ble": {
  "serviceID": "1800",
  "characteristicID": "2A00"
},
"controlApp": "controlApplication"
}

```

Read Response:

```

{
  "status": "SUCCESS",
  "id": " decf0dc6-9e9d-4d39-8c8b-00c541699b6a",
  "requestID": "8ba846aa-6133-4392-b911-9850a90791f2",
  "value": "2342432"
}

```

Writing to a BLE Device

Write Request - API Definition

Fields	Description
location 'https://10.195.78.33:8081/control/data/write'	Write a value to an attribute in the BLE device.
header 'x-api-key: 2215dec3718288ad9028d39864f87d4c'	API key
header 'Content-Type: application/json'	Content type is JSON.
technology	BLE
id	Device ID
value	Value
serviceID	Service ID of the BLE device.
characteristicID	Characteristic ID of the BLE device.
"controlApp": "controlApplication"	Control application address.

Write Response – API Definition

Fields	Description
status	Status message
id	Device ID
requestID	Request ID

Fields	Description
value	Value

Discovering Services from a BLE Device

Service Discovery Request - API Definition

Fields	Description
location 'https://10.195.78.33:8081/control/data/discover'	Discover services in a BLE device.
header 'x-api-key: 2215dec3718288ad9028d39864f87d4c'	API key
header 'Content-Type: application/json'	Content type is JSON.
technology	BLE
id	Device ID
serviceID	Service ID of the BLE device.
"controlApp": "controlApplication"	Control application address

Service Discovery Response - API Definition

Fields	Description
status	Status message
id	Device ID
requestID	Request ID
serviceID	Service ID
handle	Handle
characteristicID	Characteristic ID
descriptorID	Descriptor ID
Flags	Flags: read, write, notify

API Example - Service Discovery Request and Service Discovery Response

Service Discovery Request:

```
curl -k --location 'https://10.195.78.33:8081/control/data/discover' \
--header 'x-api-key: 2215dec3718288ad9028d39864f87d4c' \
--header 'Content-Type: application/json' \
--data '
{
  "technology": "ble",
  "id": "f837c89a-e1dd-4b90-a446-06016c0d2b75",
  "ble": {
    "services": [
      {
        "serviceID": "1800"
      },
      {
        "serviceID": "2022"
      },
      {
        "serviceID": "1822"
      },
      {
        "serviceID": "180F"
      }
    ],
    "controlApp": "controlApplication"
  }
}
```

Service Discovery Response:

```
{
  "status": "SUCCESS",
  "id": "f837c89a-e1dd-4b90-a446-06016c0d2b75",
  "requestID": "d4a225b1-fc62-478e-ad54-928c8973351d",
  "services": [
    {
      "serviceID": "1800",
      "characteristics": [
        {
          "characteristicID": "1797",
          "descriptors": [
            {
              "descriptorID": "7062"
            }
          ],
          "flags": [
            "read",
            "write",
            "notify"
          ]
        }
      ],
      "handle": 1,
      "characteristics": [
```



```

{
  "characteristicID": "4654",
  "descriptors": [
    {
      "descriptorID": "8815"
    }
  ],
  "flags": [
    "read",
    "write",
    "notify"
  ]
}
},
{
  "serviceID": "1822",
  "handle": 2,
  "characteristics": [
    {
      "characteristicID": "7126",
      "descriptors": [
        {
          "descriptorID": "4823"
        }
      ],
      "flags": [
        "read",
        "write",
        "notify"
      ]
    }
  ]
},
{
  "serviceID": "180F",
  "handle": 3,
  "characteristics": [
    {
      "characteristicID": "4675",
      "descriptors": [
        {
          "descriptorID": "9631"
        }
      ],
      "flags": [
        "read",
        "write",
        "notify"
      ]
    }
  ]
}
]
}

```

Disconnecting from a BLE Device

Disconnect Request - API Definition

Fields	Description
location 'https://10.195.78.33:8081/control/connectivity/disconnect'	Disconnect a connected BLE device from the network.
header 'x-api-key: 2215dec3718288ad9028d39864f87d4c'	API key
header 'Content-Type: application/json'	Content type is JSON.
data	
technology	BLE
id	Device ID
"controlApp": "controlApplication"	Control application address

Disconnect Response - API Definition

Fields	Description
status	Status message
id	Device ID
requestID	Request ID

API Example – Disconnect from a BLE Device

Disconnect Request:

```
curl -k --location 'https://10.195.78.33:8081/control/connectivity/disconnect' \
--header 'x-api-key: 2215dec3718288ad9028d39864f87d4c' \
--header 'Content-Type: application/json' \
--data '
{
  "technology": "ble",
  "id" : "decf0dc6-9e9d-4d39-8c8b-00c541699b6a",
  "controlApp" : "controlApplication"
}
```

Disconnect Response:

```
{  
  "status": "SUCCESS",  
  "id": "decf0dc6-9e9d-4d39-8c8b-00c541699b6a",  
  "requestID": "cb838a8d-775b-4e71-874d-1aa22e61f9af"  
}
```

