



## **Release Notes for Cisco Spaces**

**First Published:** 2022-07-06

**Last Modified:** 2025-08-21

### **Americas Headquarters**

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2019–2025 Cisco Systems, Inc. All rights reserved.



# CONTENTS

**Full Cisco Trademarks with Software License ?**

<b>CHAPTER 1</b>	<b>Overview 1</b>
	Overview of Cisco Spaces 1
	Cisco Spaces License Packages 3
	Cisco Spaces - Product Capabilities 3
<b>PART I</b>	<b>2025 7</b>
<b>CHAPTER 2</b>	<b>July 2025 9</b>
	What's New in this Release 9
	What's Changed in this Release 9
	Issues 10
	Open Issues 10
	Resolved Issues 10
<b>CHAPTER 3</b>	<b>June 2025 11</b>
	What's New in this Release 11
	What's Changed in this Release 11
	Issues 12
	Open Issues 12
	Resolved Issues 12
<b>CHAPTER 4</b>	<b>May 2025 13</b>
	What's New in this Release 13
	What's Changed in this Release 14

Issues	14
Open Issues	14
Resolved Issues	14

---

<b>CHAPTER 5</b>	<b>April 2025</b>	<b>15</b>
	What's New in this Release	15
	What's Changed in this Release	15
	Issues	16
	Open Issues	16
	Resolved Issues	16

---

<b>CHAPTER 6</b>	<b>March 2025</b>	<b>17</b>
	What's New in this Release	17
	What's Changed in this Release	17
	Issues	19
	Open Issues	19
	Resolved Issues	19

---

<b>CHAPTER 7</b>	<b>February 2025</b>	<b>21</b>
	What's New in this Release	21
	What's Changed in this Release	21
	Issues	22
	Open Issues	23
	Resolved Issues	23

---

<b>CHAPTER 8</b>	<b>January 2025</b>	<b>25</b>
	What's New in this Release	25
	What's Changed in this Release	25
	Issues	25
	Open Issues	26
	Resolved Issues	26

---

<b>PART II</b>	<b>2024</b>	<b>27</b>
----------------	-------------	-----------

---

<b>CHAPTER 9</b>	<b>December 2024</b>	<b>29</b>
	What's New in this Release	29
	What's Changed in this Release	30
	Issues	31
	Open Issues	31
	Resolved Issues	31

---

<b>CHAPTER 10</b>	<b>November 2024</b>	<b>33</b>
	What's New in this Release	33
	What's Changed in this Release	33
	Issues	33
	Open Issues	34
	Resolved Issues	34

---

<b>CHAPTER 11</b>	<b>October 2024</b>	<b>35</b>
	What's New in this Release	35
	What's Changed in this Release	35
	Issues	36

---

<b>CHAPTER 12</b>	<b>September 2024</b>	<b>37</b>
	What's New in this Release	37
	What's Changed in this Release	38
	Issues	38
	Open Issues	38
	Resolved Issues	38

---

<b>CHAPTER 13</b>	<b>August 2024</b>	<b>39</b>
	What's New in this Release	39
	What's Changed in this Release	39
	Issues	40
	Open Issues	40
	Resolved Issues	40

---

---

<b>CHAPTER 14</b>	<b>July 2024</b>	<b>41</b>
	What's New in this Release	41
	What's Changed in this Release	41
	Issues	42
	Open Issues	42
	Resolved Issues	42

---

<b>CHAPTER 15</b>	<b>June 2024</b>	<b>43</b>
	What's New in this Release	43
	What's Changed in this Release	43
	Issues	44
	Open Issues	44
	Resolved Issues	45

---

<b>CHAPTER 16</b>	<b>May 2024</b>	<b>47</b>
	What's New in this Release	47
	What's Changed in this Release	47
	Issues	47
	Open Issues	47
	Resolved Issues	48

---

<b>CHAPTER 17</b>	<b>April 2024</b>	<b>49</b>
	What's New in this Release	49
	What's Changed in this Release	49
	Issues	49
	Open Issues	50
	Resolved Issues	50

---

<b>CHAPTER 18</b>	<b>March 2024</b>	<b>51</b>
	What's New in this Release	51
	What's Changed in this Release	51
	Issues	52

Open Issues	52
Resolved Issues	52

---

<b>CHAPTER 19</b>	<b>February 2024</b>	<b>55</b>
	What's New in this Release	55
	What's Changed in this Release	55
	Issues	56
	Open Issues	56
	Resolved Issues	57

---

<b>CHAPTER 20</b>	<b>January 2024</b>	<b>59</b>
	What's New in this Release	59
	What's Changed in this Release	60
	Issues	61
	Open Issues	61
	Resolved Issues	61

---

<b>PART III</b>	<b>2023</b>	<b>63</b>
-----------------	-------------	-----------

---

<b>CHAPTER 21</b>	<b>December 2023</b>	<b>65</b>
	What's New in this Release	65
	What's Changed in this Release	66
	Issues	66
	Open Issues	66
	Resolved Issues	67

---

<b>CHAPTER 22</b>	<b>November 2023</b>	<b>69</b>
	What's New in this Release	69
	What's Changed in this Release	70
	Issues	71
	Open Issues	71
	Resolved Issues	71

---

<b>CHAPTER 23</b>	<b>October 2023</b>	<b>73</b>
-------------------	---------------------	-----------

What's New in this Release	73
What's Changed in this Release	73
Issues	74
Open Issues	75
Resolved Issues	75

---

<b>CHAPTER 24</b>	<b>September 2023</b>	<b>77</b>
	What's New in this Release	77
	What's Changed in this Release	78
	Issues	78

---

<b>CHAPTER 25</b>	<b>August 2023</b>	<b>79</b>
	What's New in this Release	79
	What's Changed in this Release	79
	Issues	80
	Open Issues	80
	Resolved Issues	80

---

<b>CHAPTER 26</b>	<b>July 2023</b>	<b>83</b>
	What's New in this Release	83
	What's Changed in this Release	83
	Issues	84
	Open Issues	84
	Resolved Issues	85

---

<b>CHAPTER 27</b>	<b>June 2023</b>	<b>87</b>
	What's New in this Release	87
	What's Changed in this Release	87
	Issues	87
	Open Issues	87
	Resolved Issues	88

---

<b>CHAPTER 28</b>	<b>May 2023</b>	<b>89</b>
-------------------	-----------------	-----------



	What's New in this Release	89
	What's Changed in this Release	90
	Issues	90
	Open Issues	90
	Resolved Issues	90
<b>CHAPTER 29</b>	<b>April 2023</b>	<b>91</b>
	What's New in this Release	91
	What's Changed in this Release	91
	Issues	91
	Open Issues	92
	Resolved Issues	92
<b>CHAPTER 30</b>	<b>March 2023</b>	<b>93</b>
	What's New in this Release	93
	What's Changed in this Release	93
	Issues	95
	Open Issues	95
	Resolved Issues	95
<b>CHAPTER 31</b>	<b>February 2023</b>	<b>97</b>
	What's New in this Release	97
	What's Changed in this Release	97
	Issues	98
	Open Issues	98
	Resolved Issues	98
<b>CHAPTER 32</b>	<b>January 2023</b>	<b>101</b>
	What's New in this Release	101
	What's Changed in this Release	101
	Issues	101
	Open Issues	102
	Resolved Issues	102

---

**PART IV****2022 103**

---

**CHAPTER 33****December 2022 105**

What's New in this Release 105

What's Changed in this Release 105

Issues 106

Open Issues 106

Resolved Issues 106

---

**CHAPTER 34****November 2022 109**

What's New in this Release 109

What's Changed in this Release 109

Issues 110

Resolved Issues 110

---

**CHAPTER 35****October 2022 111**

What's New in this Release 111

What's Changed in this Release 111

Issues 112

Open Issues 112

Resolved Issues 112

---

**CHAPTER 36****September 2022 115**

What's New in this Release 115

What's Changed in this Release 116

Issues 116

Resolved Issues 117

---

**CHAPTER 37****August 2022 119**

What's New in this Release 119

What's Changed in this Release 119

Issues 120

---

<b>CHAPTER 38</b>	<b>July 2022</b>	<b>121</b>
	What's New in this Release	121
	What's Changed in this Release	121
	Issues	122

---

<b>CHAPTER 39</b>	<b>June 2022</b>	<b>123</b>
	What's New in this Release	123
	What's Changed in this Release	123
	Issues	124
	Cisco Bug Search Tool	125
	Open Issues	125
	Resolved Issues	125

---

<b>CHAPTER 40</b>	<b>May 2022</b>	<b>127</b>
	What's New in this Release	127
	What's Changed in this Release	127
	Issues	128
	Cisco Bug Search Tool	128
	Open Issues	128
	Resolved Issues	128

---

<b>CHAPTER 41</b>	<b>April 2022</b>	<b>131</b>
	What's New in this Release	131
	What's Changed in this Release	131
	Issues	132
	Cisco Bug Search Tool	132
	Open Issues	132
	Resolved Issues	133

---

<b>CHAPTER 42</b>	<b>March 2022</b>	<b>135</b>
	What's New in this Release	135
	What's Changed in this Release	135

Issues	135
Cisco Bug Search Tool	136
Open Issues	136
Resolved Issues	136

---

<b>CHAPTER 43</b>	<b>February 2022</b>	<b>137</b>
	What's New in this Release	137
	What's Changed in this Release	137
	Issues	137
	Cisco Bug Search Tool	138
	Open Issues	138
	Resolved Issues	138

---

<b>CHAPTER 44</b>	<b>January 2022</b>	<b>139</b>
	What's New in this Release	139
	What's Changed in this Release	139
	Issues	139
	Cisco Bug Search Tool	140
	Open Issues	140
	Resolved Issues	140

---

<b>PART V</b>	<b>2021 and Earlier Releases</b>	<b>141</b>
---------------	----------------------------------	------------

---

<b>CHAPTER 45</b>	<b>2021 and Earlier Releases</b>	<b>143</b>
	2021 and Earlier Releases	143

---

<b>APPENDIX A</b>	<b>Support Information</b>	<b>145</b>
	Related Documentation	145
	Communications, services, and additional information	146
	Cisco Bug Search Tool	146
	Documentation feedback	146



# CHAPTER 1

## Overview



**Note** For Cisco Spaces Release Notes from 2021 and earlier, see [Release Notes Archive for Cisco Spaces](#).

- [Overview of Cisco Spaces, on page 1](#)
- [Cisco Spaces License Packages, on page 3](#)
- [Cisco Spaces - Product Capabilities, on page 3](#)

## Overview of Cisco Spaces

Cisco Spaces is a powerful location services platform that leverages the existing wireless as well as Internet of Things (IoT) and Bluetooth Low Energy (BLE) infrastructure to provide actionable insights and drive business outcomes through built-in applications in Cisco Spaces.

These insights include:

- **Location Analytics:** Provides the capability to slice and dice location data by time or location and get a deeper visibility into the behavior of users who are connected to your network.
- **Right Now:** Provides a real-time count of the number of visitors (identified by the devices connected to Wi-Fi) within your physical space, and how this number compares with the historical average. Based on the authentication method that is in use, **Right Now** reports can detect multiple devices belonging to a single user and count them as belonging to one visitor. The **Right Now** app also provides reports based on the cameras deployed in customer locations, and whether these cameras are connected to the Cisco Spaces Cloud.
- **Business Insights:** Provides the capability to measure how frequently people visit your physical locations, and how much time they spend at these locations. This data is benchmarked monthly across all the locations. It also provides the capability to compare and benchmark the performance of your locations historically, by group or by industry.
- **Impact Analysis:** Provides the capability to measure the impact of at-location events, campaigns, and layout changes on the behavior of users who are connected to your network. It is easy to create an **Event** using the Cisco Spaces application and measure its impact based on the following:
  - The time spent by a user at a given location
  - The frequency during specific timelines, such as **Before**, **After**, and **During** the occurrence of an event

The Cisco Spaces application includes customer experience management apps such as **Captive Portals**, **Location Personas**, and **Engagements** that allow you to connect with your customers in real time when they are at your physical location. Additional applications include an **Asset Tracking** app, a service manager to manage and configure IoT services (BLE), if any, as well as an open API framework for extracting this data and correlating or integrating it into other enterprise systems.

Cisco Spaces provides a single dashboard interface to avail these multiple services through various location-based technologies and intelligence. Cisco Spaces also enables you to connect and engage with visitors at your physical business locations. It can be used in various industries, such as retail, manufacturing, hospitality, healthcare, education, financial services, and so on. The asset-tracking application in Cisco Spaces provides solutions for monitoring and managing the assets in your premises. Cisco Spaces offers variety of toolkits, apps, and APIs to turn these insights into actions.

Through its partner program, Cisco Spaces offers businesses access to various partner applications across verticals.

Cisco Spaces is compatible across Cisco Catalyst, Cisco AireOS, and Cisco Meraki infrastructure.

In addition to the services specified, the scope of the Cisco Spaces apps is extended to meet the business requirements that have risen due to the COVID-19 pandemic. Extensions are built in existing applications, and newer applications are added to meet specific requirements that have risen because of COVID-19. Extensions to apps, such as **Impact Analytics**, **Location Analytics**, **Behavior Metrics**, and **Right Now**, allow you to analyze the impact of COVID-19 on your business locations and enable you to take appropriate actions. For example, you can now create a rule based on the device density at your location, and be automatically notified if the number of people at your location exceeds a specific count or density (people per area). The **Location Analytics** app also allows you to share executive summary reports with your colleagues within your organization. Additionally, COVID-19-based trend analysis for individual or group locations can now be done using the **Behavior Metrics** app. This enables the comparison of specific business locations with that of the overall organization as well as with your specific industry.

The **Proximity Reporting** app in Cisco Spaces provides a quick way to review the location history as well as device proximity history of an impacted device. Based on the user ID or MAC address, a report for a device location in a building for the last 14 days is generated along with the proximity of other devices. You can export the report and also share the same using the **Share** functionality. For more information about the **Proximity Reporting** app, see the [Cisco Spaces Proximity Reporting App Configuration Guide](#).

Similarly, the **Detect and Locate** app allows you to cluster devices into specific counts to check and report on areas that might be violating social distancing guidelines. For more information about the **Detect and Locate** app, see the [Cisco Spaces Detect and Locate Configuration Guide](#).

Cisco Spaces: **IoT Services** is a platform service within Cisco Spaces that enables you to claim, manage, and monitor IoT devices using Cisco's wireless infrastructure. IoT Services is designed to enable the management of IoT devices across vendors, form factors, and technology protocols. BLE is the first technology available for management using IoT Services. For more information about IoT Services, see the [Cisco Spaces IoT Services Configuration Guide](#).

Cisco Spaces enables you to integrate third-party apps - **Partner Apps** to Cisco Spaces. The third-party apps are listed as partnership apps in the Cisco Spaces dashboard.

For additional information about Cisco Spaces, including setup and configuration, see the [Cisco Spaces Configuration Guide](#).

# Cisco Spaces License Packages

Cisco Spaces is available in different license packages, namely, Cisco Spaces **ACT** license, Cisco Spaces **EXTEND** license and Cisco Spaces **UNLIMITED** license.

The features available for your account depends on the type of Cisco Spaces license package you own.



**Note** Cisco Spaces **ACT** and Cisco Spaces **UNLIMITED** license subscriptions include all Cisco Spaces features.

For information about features included in the Cisco Spaces licenses, see the [Cisco Spaces Data Sheet](#).

## Cisco Smart Licensing

Cisco Smart Licensing is a flexible licensing model that provides you with an easier, faster, and more consistent way to purchase and manage software across the Cisco portfolio and across your organization. And it's secure – you control what users can access. With Smart Licensing you get:

- **Easy Activation:** Smart Licensing establishes a pool of software licenses that can be used across the entire organization—no more PAKs (Product Activation Keys).
- **Unified Management:** My Cisco Entitlements (MCE) provides a complete view into all of your Cisco products and services in an easy-to-use portal, so you always know what you have and what you are using.
- **License Flexibility:** Your software is not node-locked to your hardware, so you can easily use and transfer licenses as needed.



**Note** To use Smart Licensing, you must first set up a Smart Account on [Cisco Software Central](#).

For more information about Cisco Licensing, see [Cisco Software Licensing Guide](#).

# Cisco Spaces - Product Capabilities

Cisco Spaces unified location cloud takes input from multiple sensors and processes, filters and cleanses the data, provides toolkits to act on this data and also makes this data accessible to partners - Independent Software vendors, enterprise software as well as solution partners for delivering business outcomes.

**Table 1: Additional Benefits**

See - Business Insights	Extend - To Partner Services	Act - On Digitization Toolkits
<b>Behavior metrics</b> How are people and assets behaving in my property?	<b>Partner App Center</b> Discover vertically focused, location-based services applications through the Cisco Spaces App Center	<b>Captive portal</b> Acquire and identify visitors and map to enterprise identity

<b>See - Business Insights</b>	<b>Extend - To Partner Services</b>	<b>Act - On Digitization Toolkits</b>
<b>Location analytics</b> What are behavior patterns in specific locations and time periods?	<b>Partner Firehose API</b> Deliver reliable, high quality location, environmental, and visitor data to partners, with strong enforcement of user privacy and data security	<b>Location personas</b> Profile and segment visitors based on behavior
<b>Benchmarks</b> Compare performance with industries and organizations	<b>Partner App monitoring</b> End-to-end monitoring of location data from the premise the partner app Monitoring and support for Partner Apps via the Monitoring and Support dashboard	<b>Engagements</b> Trigger notifications to visitors and employees via multiple channels (SMS, email, app push, API trigger, Webex Teams, etc.)
<b>Location hierarchy</b> Map business taxonomy to network infrastructure	<b>Streaming data export</b> Customizable streaming export optimized to support ingestion into Big Data, Analytics, and Enterprise Applications	<b>Asset Locator</b> Identify and monitor assets, detect anomalies
<b>Detect and Locate (RSSI)</b> Cloud based Detect and Locate and RSSI location compute On-premises Detect and Locate and RSSI location compute using Cisco CMX 10	<b>Enterprise Integrations</b> Integrate with enterprise software to correlate with location data	<b>Detect and Locate (Advanced)</b> 1. Cloud based Detect and Locate and RSSI location compute with device location history 2. Cloud Based Detect and Locate with Hyperlocation support
<b>Right now (without density triggers)</b> Monitor the number of people and devices in your spaces	<b>Specialized RTLS app support</b> Support for specialized partner RTLS applications using cloud and on- premise Firehose APIs	<b>Right now (with density triggers)</b> Monitor the number of people in your spaces and send notifications when density thresholds are reached or exceeded
<b>Impact Analysis</b> Measure the impact of events, campaigns, or layout changes on location behavior	<b>Includes everything in Cisco Spaces See</b>	<b>Proximity reporting</b> Summarize impact of a health incident across zones, floors, buildings, and potential interactions with other people



See - Business Insights	Extend - To Partner Services	Act - On Digitization Toolkits
<b>Cisco Catalyst Center (formerly known as Cisco DNA Center) Integration</b>  Keep floor maps and hierarchy in sync between Cisco Spaces and Catalyst Center and send location data to Catalyst Center for IT use cases		<b>Indoor IoT Services</b>  Deploy IoT devices and applications at scale and at significantly lower TCO. Deploy a broad spectrum of BLE tags, beacons, and other sensors to expand use cases
<b>Camera Metrics</b>  Report counts of footfall and historical trends as a measure of real-time visitor count, with Meraki Video Cameras.		<b>Hyperlocation / FastLocate</b>  Works with Cisco Spaces Connector
<b>OpenRoaming</b>  Secure, seamless guest onboarding onto wired and Wi-Fi networks		<b>Includes everything in Cisco Spaces Extend</b>





## PART I

# 2025

- [July 2025, on page 9](#)
- [June 2025, on page 11](#)
- [May 2025, on page 13](#)
- [April 2025, on page 15](#)
- [March 2025, on page 17](#)
- [February 2025, on page 21](#)
- [January 2025, on page 25](#)





## CHAPTER 2

# July 2025

---

- [What's New in this Release, on page 9](#)
- [What's Changed in this Release, on page 9](#)
- [Issues, on page 10](#)

## What's New in this Release

These new features are introduced in Cisco Spaces:

### **Captive Portals - Access Code Manager (ACM) Feature**

The Cisco Spaces dashboard improves onboarding and management of trusted devices through the Access Code Manager feature. Administrators trust list devices directly from the dashboard, eliminating the need for manual controller configuration or logging into multiple systems. The dashboard supports devices that don't use captive portal browsers, enabling secure onboarding and allowing administrators to set session duration and bandwidth limits with configurable templates.

This release ensures that onboarding templates and authentication profiles created in the dashboard are automatically interpreted and enforced by the Cisco Spaces Radius engine, maintaining consistency across your environment. You can monitor device onboarding status and policy application in real-time, allowing quick validation and troubleshooting when needed

Template management becomes streamlined as administrators create, update, and retire reusable templates, assign them by location or SSID, and maintain device associations with built-in safeguards. You provision or revoke device access as needed, aligning with guest stays or operational policies. Enhanced MAC Address validation and centralized audit features strengthen network security.

These updates make device onboarding and management more efficient and secure, supporting operational needs at scale across your Cisco Spaces deployment.

### **Partner Dashboard - New Event**

The Cisco Spaces - Partner Dashboard ecosystem now supports **Device Association** event type configuration. This event is triggered when a device successfully connects to an SSID (**ASSOCIATE**) or disconnects from an SSID (**DISASSOCIATE**).

## What's Changed in this Release

These enhancements are made in the Cisco Spaces beta UI:

### Activation Requests - Reminder Emails

The Cisco Spaces platform now automatically sends a sequence of reminder emails if you are newly invited and have not yet activated your account. If you do not activate your account with the initial invitation, you will receive additional reminders on day 2, day 4, and day 5, so you have more opportunities to complete activation before the link expires.

Additionally, you can now request a resend of your activation link directly through the Cisco Spaces platform. Your request immediately generates and delivers a new activation email, so you do not need support assistance or manual processing.

These improvements make onboarding easier for you, provide faster responses to activation requests, and reduce support delays. With this enhancement, you receive timely reminders and can easily obtain a new activation link whenever you need, making the activation process simple.

### Partner Dashboard - Cisco Magnetic Design

Cisco Spaces - Partner Dashboard user experience is enhanced by adhering to the Cisco Magnetic Design guidelines for a consistent and intuitive graphical user interface (GUI) across the Cisco Spaces - Partner Dashboard ecosystem.

The enhancements include:

- Faster load times and smoother interactions
- Improved usability and accessibility

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 2: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwq20645</a>	Subscriber reset API not working
<a href="#">CSCwq45099</a>	Service Manager 3.2.3.8 update leads to dropped local firehose updates
<a href="#">CSCwq36587</a>	IPv6 enabling on PRIMARY interface upgrading to Location 3.2.2.4



## CHAPTER 3

### June 2025

---

- [What's New in this Release, on page 11](#)
- [What's Changed in this Release, on page 11](#)
- [Issues, on page 12](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces beta UI:

### Cisco Spaces: Space Utilization App

**Portal Beam and PIR Sensor support:** The Space Utilization App now supports the reporting of occupancy data from various sources such as collaboration devices, portal beams and PIR sensors (such as Thingsee and Moko).

**Space Utilization App UI updates:** The Space Utilization App UI is enhanced to improve user navigation and provide a more intuitive interface.

- **Dynamic Page Title:** The page title and filters now update automatically based on your selected view. You can quickly identify the specific building or floor and see which filter is applied.
- **Location drop-down:** The **Location Selection** drop-down list is now strategically repositioned to the right-hand side of the window. This filter is now available in both building and floor views, enabling you to switch between locations more efficiently.

### Locations & Maps: Catalyst Center Export Option

In **Locations & Maps**, the **Digital Maps** feature (**Setup > Locations & Maps > Digital Maps** now lets you export building maps (published version) to Catalyst Center.

The option to export is available only for buildings with a published map. Click the three dots next to a building and select **Export to Catalyst Center** to process the map. Click **Download** to save the processed digital map (in ZIP format) for the selected building. Follow the instructions in the pop-up window to import the map hierarchy into Catalyst Center.



**Note** The map export feature works only if the APs are placed under the **Setup > Device Placement** option.

### Change Log Feature Enhancements

Use the **View Change Log** feature (**Home > Profile**) to track audit trail activities for **Location & Maps** and **Space Utilization App** in the Cisco Spaces new UI.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

*Table 3: Cisco Spaces Open Issues*

Issue Identifier	Issue Description
<a href="#">CSCwp80116</a>	Space Manager: Auto mapped workspace not removed during manual mapping.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

*Table 4: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwp80174</a>	Space Manager: Unable to map webex workspaces with meeting rooms when hot desk configured or hot desk supported is true.





## CHAPTER 4

### May 2025

---

- [What's New in this Release, on page 13](#)
- [What's Changed in this Release, on page 14](#)
- [Issues, on page 14](#)

## What's New in this Release

The following new features are introduced in Cisco Spaces:

### Cisco Spaces: Partner Firehose

Two new Partner Firehose events called **Space Occupancy** and **Space Occupancy Change** are introduced in Cisco Spaces.

- **Space Occupancy:** This event triggers at 15-minute intervals with occupancy information for a space, which can be a meeting room or a workstation; however, only meeting rooms are supported at this time. The event includes the presence of people, peak count of people (if the associated sensor supports people counting) observed in the space during the 15-minute interval, meeting room booking status, details about the space, along with metadata and hierarchy information.
- **Space Occupancy Change:** This event triggers whenever there is a change in the occupancy of a space, which can be a meeting room or a workstation; however, only meeting rooms are supported at this time. This includes changes in presence or the count of people (if the associated sensor supports people counting) detected in the space. Additionally, the event provides details about the space, meeting room booking status, along with metadata and hierarchy information.

To enable this feature in the backend, contact [Cisco Spaces support team](#) for assistance.

### Subscriber Notification Alerts

Cisco Spaces now provides an email notification feature to keep you updated on critical incidents. This feature is available in the Cisco Spaces Beta GUI under **Configure > Notifications**.

These are the incident categories:

- Scheduled Maintenance Notifications
- Platform/Service Outage Alerts
- Network Connectivity Failure Notifications
- Incoming Data Alerts

- Onboarding Failure Notifications (Captive Portal/OpenRoaming/SDK)

## What's Changed in this Release

The following enhancement is made in the Cisco Spaces beta UI:

In **Location Hierarchy**, you can now view the count of the Security Appliance devices.

Navigate to the **Network Devices** tab (**Network Devices** > **Security Appliances**) to view the detailed list of security appliance devices for the respective locations.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

### Open Issues

There are no open issues in this release of Cisco Spaces.

### Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 5: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwo98182</a>	Cisco Spaces - "Right Now" App SSID Categorization issue



## CHAPTER 5

# April 2025

---

- [What's New in this Release, on page 15](#)
- [What's Changed in this Release, on page 15](#)
- [Issues, on page 16](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard beta UI:

### Cisco Spaces: Space Utilization App

- **Location-specific Role-Based Access Control (RBAC):** Location-specific role-based access control is introduced for the Space Utilization App in the Cisco Spaces dashboard.

By default, Cisco Spaces dashboard administrators have access to the app and can assign read-write or read-only access for specific locations. These permissions can be assigned for specific locations while inviting a user or can modify later using the **User Management** section.

- **Split License:** The Space Utilization App is enhanced to support Split Licensing. With this license change, you'll gain access to experience higher-tier license features in the Space Utilization App.



---

**Note** The Split License feature is available only for accounts registered with the Cisco Smart Software Manager (CSSM) system and integrated with Cisco Spaces account by registering the Smart Licensing token with the Cisco Spaces dashboard. If your account is not registered with CSSM, we recommend reaching out to your account administrator.

---

The following enhancement is made in the Cisco Spaces dashboard:

### Cisco Spaces: Connector

With this release, the support to create a new Cisco Spaces connector using Connector 2.x version is deprecated.

The **Create Connector** pop up window no longer permits the selection of Connector 2.x, as the radio button option is disabled. You can now create connectors exclusively using the Connector 3.x options.

# Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 6: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwo98182</a>	Cisco Spaces - "Right Now" App SSID Categorization issue.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 7: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwo47496</a>	Location Hierarchy and Maps Not Visible in IoT Explorer for App Users.
<a href="#">CSCwo46286</a>	IO Spaces dashboard displaying data for Space Utilization in Beta mode for Generic vertical tenant.



## CHAPTER 6

### March 2025

---

- [What's New in this Release, on page 17](#)
- [What's Changed in this Release, on page 17](#)
- [Issues, on page 19](#)

## What's New in this Release

The following new feature is introduced in Cisco Spaces Beta UI:

### Cisco Spaces: Space Utilization App Deployment Status View

The **Deployment Status** feature in the Cisco Spaces: Space Utilization App provides insights into the status of your deployment. Users often encounter gaps in key metrics within the app, which typically result from incomplete deployments. For instance, the Daily Utilization Chart requires both capacity (configuration) and occupancy data, while the Density Chart needs area specifications (configuration) in addition to occupancy data.

Similarly, to effectively track room utilization, digital maps must be available, and sensors need to be attached to the rooms defined in these maps. By visiting the Deployment Status section, you can pinpoint any missing elements and take the necessary actions to fill these gaps and to ensure that charts and reports are accurately generated as expected.



---

**Note** Users with **ACT** or **UNLIMITED** licenses can access this view.

---

The following backend change is introduced in Cisco Spaces Beta UI:

### Partner Firehose: BLE RSSI Event Support for Meraki Networks

The Firehose BLE RSSI Update event is now available for Cisco Meraki networks using Cisco Spaces, similar to Catalyst. Customers and partners can enable and access BLE RSSI events through the Firehose API for their Cisco Meraki networks. Contact the [Cisco Spaces support team](#) for backend configuration assistance.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

- **Cisco Meraki Direct RADSEC support:** Cisco Spaces now supports **Cisco Meraki Direct RADSEC**, and it is available for **Early Field Trials** in production environments. This feature is supported on Cisco Meraki AP firmware versions 31.1.6 and later.

Previously, OpenRoaming integrations with Cisco Spaces routed RADSEC packets through the Cisco Meraki cloud proxy, which affected performance on earlier firmware versions. With the introduction of Direct RADSEC from Access Points these additional hops are eliminated, resulting in a more stable and reliable integration model.

To enable this feature on your account, please contact the [Cisco Spaces support team](#).

- **OpenRoaming Wireless Broadband Alliance (WBA) Root Certificate Authority (CA) support in Cisco IDP Server:** The Cisco Spaces cloud IDP server now supports the new root of trust from the WBA.

As part of the OpenRoaming Federation update, the WBA transitions to issuing certificates under a new Root CA. To ensure seamless authentication and continued compatibility, the Cisco Spaces cloud IDP server now supports this new root CA, along with the existing chain of trust.

This support now extends to OpenRoaming authentication via Cisco Meraki.

- **Captive portal updates:** Cisco Spaces: Captive Portal app is enhanced to include a field called **Page Title**.

You can now modify the captive portal page title directly from the Cisco Spaces dashboard by navigating to **Header/Branding > Page Title**. The updated **Page Title** is displayed in your Cisco Spaces: Captive Portal app.





---

**Note**

- The page title for existing portals defaults to **Cisco Spaces**. For all new portals created, the account name serves as the default page title. You can edit the page title.
  - This feature is only available in the Cisco Spaces beta UI.
-

Figure 1: Cisco Spaces: Captive Portal



# Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

Table 8: Cisco Spaces Open Issues

Issue Identifier	Issue Description
<a href="#">CSCwo46286</a>	IO Spaces dashboard displaying data for Space Utilization in Beta mode for Generic vertical tenant.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

Table 9: Cisco Spaces Resolved Issues

Issue Identifier	Issue Description
<a href="#">CSCwo27622</a>	Roles - Mapservice app is not listed during create/edit role.







## CHAPTER 7

# February 2025

---

- [What's New in this Release, on page 21](#)
- [What's Changed in this Release, on page 21](#)
- [Issues, on page 22](#)

## What's New in this Release

### OpenRoaming Hotspot Client

The Cisco Spaces Connector **Hotspot** service is updated to support the new root of trust from the Wireless Broadband Alliance (WBA).

As part of the OpenRoaming Federation update, the WBA is transitioned to issuing certificates under a new root CA. To ensure seamless authentication and continued compatibility, the **Hotspot** service on the Cisco Spaces Connector was updated to support this new root CA along with the current chain of trust.

To maintain uninterrupted service for carrier offload and third party IDPs, upgrade the Cisco Spaces Connector **Hotspot** service to the latest version.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

### Cisco Spaces Dashboard Beta UI


Cisco Spaces has introduced a new Beta version of the existing dashboard. The new beta dashboard exclusively offers all new features and enhancements, retaining the functionalities of the current one while providing an improved experience. We encourage you to try the beta version for an enhanced experience and better performance.


To highlight few updates in the new beta version:


- The **Location Hierarchy** feature is available in the previous version of the Cisco Spaces dashboard. In the beta UI, experience the features of **Location Hierarchy 2.0** that includes features to import the locations in the same structure in which you have defined in your wireless network such as Cisco AireOS Wireless Controller, Cisco Catalyst 9800 Series Wireless Controller, or Cisco Meraki.
- Instead of the **Map Service (Set Up > Map Service)** feature available in the previous version, use the **Locations and Maps ( Setup > Locations and Maps)** feature to import, normalize and unify network

hierarchies from various sources such as Cisco Meraki, Catalyst Center, and Cisco Prime Infrastructure into a single business oriented hierarchy.

- The **Room Occupancy Reports** feature is available under the Cisco Spaces: Space Utilization App application.

To access the new beta Cisco Spaces dashboard, click the **Try new version (Beta)** () toggle option that is available on the top-right corner of the Cisco Spaces dashboard window.

To go back to the old version, click **Switch to old version** () . Use the **Feedback** pop-up window to share your feedback and valuable suggestions to improve the user experience.



### Support for Partner Application Activation

To enable AT&T carrier offloading, you must activate the AT&T Partner app, as mandated by AT&T. The **OpenRoaming > Setup** section is enhanced to simplify the AT&T Partner app activation process, ensuring a seamless experience when you enable AT&T carrier offload.



**Note** Currently, this feature is supported only in the Cisco Spaces dashboard beta UI.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 10: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwo47496</a>	Unable to see LH or Maps in IoT explorer for the users invited as Read only access.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 11: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwo13295</a>	Meraki Integration - Valid Access Token and Refresh token got overridden with old values.
<a href="#">CSCwn92373</a>	Location Analytics dropdown disabled for all locations, if account has integrated with the meraki integration and its license type “Extend_Meraki”.





## CHAPTER 8

# January 2025

---

- [What's New in this Release, on page 25](#)
- [What's Changed in this Release, on page 25](#)
- [Issues, on page 25](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

### Partner Firehose API Enhancements

The Firehose API is updated to optimize the app activation workflow by sending only the delta changes in the `LOCATION_CHANGE` event.

The updates include:

- **ChangeType: REMOVE:** Sent to all previously activated locations that are no longer part of the current activation.
- **ChangeType: ADD:** Sent to all newly activated locations that were not part of the previous activation.

Additionally, both the **App Activation** event and the **Health API** are enhanced to include the following new parameters:

- **appId:** The identifier for the app.
- **region:** The region associated with the app.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 12: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwn94369</a>	Noticed 431 status code for all /api/v1 calls when returned from detect & locate to home page.
<a href="#">CSCwn92373</a>	Location Analytics dropdown disabled for all locations, if an account license type is “EXTEND_MERAKI.”



## PART II

# 2024

- [December 2024, on page 29](#)
- [November 2024, on page 33](#)
- [October 2024, on page 35](#)
- [September 2024, on page 37](#)
- [August 2024, on page 39](#)
- [July 2024, on page 41](#)
- [June 2024, on page 43](#)
- [May 2024, on page 47](#)
- [April 2024, on page 49](#)
- [March 2024, on page 51](#)
- [February 2024, on page 55](#)
- [January 2024, on page 59](#)







## CHAPTER 9

# December 2024

---

- [What's New in this Release, on page 29](#)
- [What's Changed in this Release, on page 30](#)
- [Issues, on page 31](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following new feature is introduced in the Cisco Spaces dashboard:

Cisco Spaces now introduces **Split License** support for the Engagements, Location Personas, Space Manager, and Space Experience applications. With this license change, you'll gain access to experience higher-tier license features in these apps.



**Note** The Split License feature is available only for accounts registered with the Cisco Smart Software Manager (CSSM) system and integrated with Cisco Spaces account by registering the Smart Licensing token with the Cisco Spaces dashboard. If your account is not registered with CSSM, we recommend reaching out to your account administrator.

---

### Cisco Smart Workspaces App: Signage Release 1.2

The following new features are introduced in the **Cisco Smart Workspaces** app:

- **Select all Space Types/Point of Interests (POIs):** Tap on any room to display the room name and recenter it on the map.
- **Search for all Spaces** (without Collaboration devices): Search and locate rooms and other POIs effortlessly.
- **Edit Space Names:** Modify space names in the Digital Maps editor (**Setup > Locations & Maps > Digital Maps editor**) for better search results. For example, to differentiate between various POI types such as cafeteria, restrooms, stairs, and so on.

**Feature Flag for Wayfinding Locations** (Early Feature Testing/Limited Availability)

- **Select all Space Types/POIs:** Navigate or get directions by selecting any space type or POIs on the map.

- **Pathfinding to all Space Types/POIs:** Draw a path from the **Where Am I?** orientation to a space on the same floor, and now even to rooms without collaboration devices.
- **Wayfinding to all Space Types/POIs:** Paired with pathfinding, scan QR codes on all spaces on all floors to get multi-floor turn-by-turn directions and blue-dot wayfinding.
- **Where Am I?** Orientation updates: Includes optimal path angles and zoom option to improve orientation and visibility.

#### For Smart Rooms (Early Feature Testing)

Use the **Smart Room Marker and Label** feature to effortlessly discover, select, and navigate to a smart room using the Smart Room Marker available on the map for the Kiosk or Signage version 1.2.

## What's Changed in this Release

### Digital Maps: User Experience Enhancements

The following enhancements are made in the Cisco Spaces dashboard:

- **Map Processing Status Reporting with Estimated Time and Email Notifications:** Map Processing feature is enhanced to address the issues reported with time-intensive map generation. With this enhancement, after you successfully submit the map, the window is displayed with an estimated processing time. You can also view the processing status, including a tentative ETA or error details, by hovering over the status message for each building in the Digital Maps list view. Additionally, the submitter receives email notifications regarding any changes in the map status.
- **Re-Processing Maps/Re-submission of CAD Files:** The map re-processing experience is enhanced to include a feature that allows you to specify the exact changes needed. This helps to reduce the turnaround time. You can select from a list of common reasons and provide additional comments, along with any supporting documents or images as evidence for the re-processing request.

**STANDARD Maps (BETA):** The beta version of STANDARD Digital Maps (with a beta watermark) has been introduced in Cisco Spaces. The STANDARD maps get generated more quickly compared to the PRO version but with fewer features, thus supporting a limited range of use cases.

You might notice that the orientation and positioning of STANDARD maps may not always align perfectly with the actual building position on the earth map. We recommend that you adjust the position and orientation of STANDARD maps using the tools available in the **Standard Map** preview.



#### Note

- The PRO maps are exclusively available to locations with ACT or UNLIMITED licenses, while STANDARD maps are accessible for locations with SEE or Extend licenses.
- You can use the STANDARD version of the map for device placement. For locations with ACT or UNLIMITED licenses, use the STANDARD map until the PRO version is fully generated.

### Cisco Smart Workspaces App: Signage Release 1.2

The following enhancements are made in the **Cisco Smart Workspaces** app:

- **Idle Timeout Behavior:** The map re-centers automatically after four minutes of inactivity, improving the user experience for the next user
- **New Room Markers:** Enhances the room discoverability and legibility.
- **Where Am I?** Orientation updates: Enhanced feature to navigate to the Kiosk location on the map from any floor.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 13: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwn19510</a>	Locations are not listed for review in Locations & Maps section when Webex token is reconnected.
<a href="#">CSCwn42673</a>	IoT Explorer: Unable to save accurate data for Temperature Rise





## CHAPTER 10

# November 2024

---

- [What's New in this Release, on page 33](#)
- [What's Changed in this Release, on page 33](#)
- [Issues, on page 33](#)

## What's New in this Release

The following new feature is introduced in the Cisco Spaces dashboard:

A new app called **Space Utilization** is now introduced in Cisco Spaces.

The **Space Utilization** app offers historical insights into the usage of your physical spaces, helping in their effective optimization. The app allows you to view occupancy and utilization metrics for spaces such as floors and rooms within a campus or building, using various charts. This information includes data on people count, floor utilization (ratio of people present to actual capacity), density, time spent by people, and room utilization, analyzed across different dimensions. These insights are derived from data collected through sensors integrated into your network and Wi-Fi infrastructure.

For Cisco Spaces accounts in the Workspace and Education verticals, both Floor Occupancy and Room Occupancy metrics are available. By default, accounts in all other verticals show only Room Occupancy metrics.

For more information, see [Cisco Spaces: Space Utilization App Guide](#).



---

**Note** The **Space Utilization** app is available to users with **Cisco Spaces ACT** and **Cisco Spaces Unlimited** licenses.

---

## What's Changed in this Release

There are no enhancements in this release of Cisco Spaces.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 14: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwn19510</a>	Locations are not listed for review in Locations & Maps section when webex token is reconnected

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 15: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwm88230</a>	When connectors are in HA VIP pairing, post systemupgrade, the High Availability state becomes "STOP"
<a href="#">CSCwn27737</a>	Environmental Analytics data was not loading for the ACT customer with a split license enabled.



# CHAPTER 11

## October 2024

---

- [What's New in this Release, on page 35](#)
- [What's Changed in this Release, on page 35](#)
- [Issues, on page 36](#)

## What's New in this Release

The following new feature is introduced in the Cisco Spaces dashboard:

Cisco Spaces now introduces **Split License** support for the Captive Portal, IoT Explorer, and Environmental Analytics applications. With this license change, you'll gain access to experience higher-tier license features in these apps.



### Note

The Split License feature is only available for accounts registered with the Cisco Smart Software Manager (CSSM) system and integrated with Cisco Spaces account by registering the Smart Licensing token with the Cisco Spaces dashboard. If your account is not registered with CSSM, we recommend reaching out to your account administrator.


## What's Changed in this Release

The following enhancements are made in Cisco Spaces:

### Cisco Spaces Support Process

The process for requesting support for Cisco Spaces is enhanced. To contact Cisco Spaces support, you now need to raise a case using the Support Case Manager (SCM).

Follow these steps to raise a support case.

1. Log in to Cisco Spaces.
2. In the Cisco Spaces Dashboard, click the  (**Support**) icon displayed at the top-right.
3. Click **Support**. The **Support** slide-in pane displays.
4. Click **Open a Case** to raise a case using SCM.

There are two different SCM links for **Paid** accounts.

- **General Support:** Use this link to report break-fix issues.
- **Configuration & Deployment Support:** Use this link to request Cisco Spaces onboarding or use case deployment assistance.

For **Non-Paid** accounts, use the **General Support** link to raise both general support and onboarding/use case deployment assistance cases.




---

**Note** All the support contact email addresses are decommissioned.

---

### Cisco Spaces Software Development Kit

Following Google's deprecation of API key-based functionality, a new method using Firebase JSON through Google Cloud Messaging (GCM) is introduced in the Cisco Spaces Software Development Kit (SDK) (**Cisco Spaces Dashboard > Configure > Cisco Spaces SDK**).

Before this release, in Cisco Spaces Dashboard, you had to configure the API Key, but now it has changed to Firebase JSON.

Cisco Spaces utilizes this to trigger push notifications on Android devices using the SDK.

### Locations & Maps: Digital Map Workflow Enhancements

The following enhancements are available in **Locations & Maps**:

#### Select Floor Window

The floor selection window is redesigned to minimize user effort. The new design reduces the number of entries required from users, enabling a quicker and more efficient process by automatically generating the floor level number and short name for each floor.

#### File Upload Window

The upload process is enhanced to improve efficiency. You can now upload files for multiple floors simultaneously, with each being processed in parallel. The full-page loader that previously displayed during single floor uploads is replaced by individual loader indicators for each floor, allowing clear visibility into the status of each upload.

If any floor file requires additional time, you have the option to cancel that specific upload without affecting the progress of others. This enables better management of successful uploads and more effective time allocation.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

There are no open or resolved issues in this release of Cisco Spaces.





## CHAPTER 12

# September 2024

---

- [What's New in this Release, on page 37](#)
- [What's Changed in this Release, on page 38](#)
- [Issues, on page 38](#)

## What's New in this Release

The following new features are introduced in Cisco Spaces:

### Cisco Spaces License Package Update

The Cisco Spaces License package is enhanced to support the new license: **SMART\_OPERATIONS\_BASE**, along with the existing licenses **SEE**, **ACT**, **EXTEND**, **SMART\_OPERATIONS**, **SMART VENUES** and **UNLIMITED**.

The **SMART\_OPERATIONS\_BASE** license functions in a similar manner to the current **SMART\_OPERATIONS** license, excluding some entitlements and the following apps:

- IoT Explorer,
- Asset Locator, and
- IoT Services.

### Cisco Meraki Integration Workflow

The feature enables you to onboard Cisco Spaces through the Cisco Meraki Dashboard. The new seamless integration flow eliminates the need for multiple manual steps in establishing a mapping between the Cisco Meraki Dashboard and Cisco Spaces. This eliminates the need to manually copy and paste the API key and post URLs from one platform to the other. With the new integration, you can easily initiate the integration from the Meraki dashboard with just a few clicks.

For more information, see [Seamless Meraki Integration with Cisco Spaces](#).

For setup instructions, see [Cisco Meraki Integration with Cisco Spaces](#).

### Cisco Spaces: Connector 3 Service Manager Release 3.1.4.11

The following new release is introduced in Cisco Spaces:

- Added a new common CLI to manage SSHD service algorithms
- Addressed the Service download latency issue

# What's Changed in this Release

The following enhancement is made in the Cisco Spaces dashboard:

As part of the enhancement to Mapservice, you can now import or synchronize multiple campuses with the same name under different sites into Cisco Spaces Location Hierarchy from Cisco Catalyst Center. This enhancement also supports the ability to move campuses between sites within Cisco Catalyst Center and allows to seamlessly import and synchronize these changes into the Cisco Spaces Location Hierarchy.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 16: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk97830</a>	Hotspot 3.1 - The DNS configuration for Hotspot 3.1 is being removed when updating the OpenRoaming profile

This section lists the issues that have been resolved in the new release of Cisco Spaces: Connector 3 Service Manager Release 3.1.4.11.

**Table 17: Cisco Spaces: Connector 3 Service Manager Release 3.1.4.11 Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk38085</a>	Download of image fails when inline upgrade is triggered from Cisco Spaces dashboard UI or CLI
<a href="#">CSCwk53840</a>	Changing docker Service network on connector CLI does not reflect the change on the Cisco Spaces: Connector UI
<a href="#">CSCwm13219</a>	<code>Connectorctl show cert</code> command doesn't display the created or imported certificates



## August 2024

---

- [What's New in this Release, on page 39](#)
- [What's Changed in this Release, on page 39](#)
- [Issues, on page 40](#)

### What's New in this Release

The following new release is introduced in Cisco Spaces:

#### **Location Service Release 3.1.0.156**

The new features introduced are:

- Support for UWB AP to AP ranging for Cisco Catalyst 9800 Series Wireless Controller, Cisco IOS XE 17.15.1
- Enhancements to the Cisco Spaces: Connector connectivity test to include Netconf connection
- Addressed the following issues:
  - Data drop issue caused by duplicate connection and a corner case when there is large volumes of traffic
  - Local Firehose data drop issue caused by the publisher
  - Security issue where Cisco Catalyst 9800 Series Wireless Controller credentials are printed in the Cisco Spaces: Connector logs
  - Air pressure data collection issue for AP AnyLocate feature

### What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

This release enhances the performance of Cisco Spaces by optimising backend operations, thereby improving reliability and efficiency. It also includes upgrades to platform libraries to address issue fixes.

The performance enhancements include optimization of:

- Mapservice Integration APIs

- Map import process
- Digitization Stats

# Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 18: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk97830</a>	Hotspot 3.1 - The DNS configuration for Hotspot 3.1 is being removed when updating the OpenRoaming profile.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 19: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwj71573</a>	Controller status shows as "Degraded" under Connector, but "Active" under Controller



# CHAPTER 14

## July 2024

---

- [What's New in this Release, on page 41](#)
- [What's Changed in this Release, on page 41](#)
- [Issues, on page 42](#)

## What's New in this Release

The following new release is introduced in Cisco Spaces:

### **Cisco Spaces: Connector 3 Service Manager Release 3.1.3.45**

- Added Docker subnet mask validation for Service Network configuration
- Added retry attempts for Services download
- Enhanced the CLI output of **Userauth password** command

For more information, see [Release Notes for Cisco Spaces: Connector](#).

## What's Changed in this Release

Support for Bluetooth Low Energy (BLE) devices are now available on the Cisco Meraki network, in addition to the existing support on the Cisco Catalyst Wireless network.

This enhancement allows the Cisco Spaces platform to seamlessly integrate with BLE devices using Cisco Meraki. With this enhancement, Cisco Meraki BLE devices can now be accessed in various Cisco Spaces applications, including Firehose IoT Telemetry events, IoT Explorer, Signage, and RightNow.



### **Note**

For this feature to work, you must perform specific configurations on the Cisco Meraki network to enable the data transmission to Cisco Spaces. We recommend that you contact [Cisco Spaces support team](#) for further assistance.

# Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 20: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwj71573</a>	Controller status shows as "Degraded" under Connector, but "Active" under Controller

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 21: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk30773</a>	Newly created Location Analytics reports are not appearing on list page until the page is refreshed
<a href="#">CSCwk12061</a>	Captive Portal Runtime - Loading wrong default country on DC page



## CHAPTER 15

### June 2024

---

- [What's New in this Release, on page 43](#)
- [What's Changed in this Release, on page 43](#)
- [Issues, on page 44](#)

## What's New in this Release

The following feature is introduced in Cisco Spaces:

### Cisco Spaces Dashboard

In Cisco Spaces, **Split License** feature allows you to upgrade licenses at the location level.

You can upgrade location-level license to higher tiers (ACT or Unlimited), regardless of the account-level license being at a lower tier, for example: SEE, EXTEND, SMART OPS, and SMART VENUES. This flexibility extends to the floor level within the **Location Hierarchy**. Use the **License Level Change** option available in the **Location Hierarchy** (Beta UI) to upgrade the license type.

Cisco Spaces now introduces split license support for the **Location Analytics** and the **RightNow** application.

This upgrade allows you to experience higher-tier license features in **Location Analytics** app and also in the Density Rule feature in **RightNow** application.



#### Note

The **Split License** feature is supported only if the account is registered with the **Cisco Smart Software Manager** (CSSM) system. We recommend that you contact the account administrator if your account is not registered with CSSM.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

### Improved OTP Generation for Mobile Number-Based Authentication

In Cisco Spaces: Captive Portal, the One Time Passcode (OTP) generation for mobile number-based authentication is updated to accommodate lengths ranging from four to nine digits, replacing the previous fixed 4-digit length.

We recommend that you contact the [Cisco Spaces support team](#) to configure the preferred OTP length.

### Room Occupancy Reports

Cisco Spaces: Space Manager is enhanced to include sensor types such as Passive Infra-Red (PIR) sensors (wired or wireless) and Portal Beam sensors, in addition to the existing Webex sensor type.

If you want to include PIR or Portal Beam sensors details in the occupancy reports, you must associate the respective sensor as the default sensor device.



**Note** In the Cisco Spaces: Space Manager app, under **Space Management > Occupancy** area, from the **Select Sensor** drop-down list, choose the PIR or Portal Beam sensors to set the default sensor device.

### OpenRoaming Hotspot Client Enhancement

The Network Configuration Protocol (NETCONF) support is available from Hotspot client version v2.2.95. However, the Cisco Catalyst 9800 Series Wireless Controllers require a minimum version of 17.12 to utilize NETCONF. We recommend that you upgrade to Cisco Catalyst 9800 Series Wireless Controllers version 17.12 to take advantage of NETCONF features.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 22: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk30773</a>	Newly created Location Analytics reports are not appearing on list page until the page is refreshed



## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 23: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwk21570</a>	Clients not passing traffic if a rate limiting AVP is missing for FlexConnect clients on 9800
<a href="#">CSCwk35878</a>	Creating Asset tracking use case returns internal server error
<a href="#">CSCwk12061</a>	Captive Portal Runtime - Loading wrong default country on DC page





## May 2024

---

- [What's New in this Release, on page 47](#)
- [What's Changed in this Release, on page 47](#)
- [Issues, on page 47](#)

### What's New in this Release

There are no new features in this release of Cisco Spaces.

### What's Changed in this Release

This release enhances the performance of Cisco Spaces by optimising backend operations, thereby improving reliability and efficiency. It also includes upgrades to platform libraries to address vulnerabilities and ensure security.

The performance enhancements include:

- Cisco Webex devices synchronization operation
- Cisco Spaces Partner App activation
- Cisco Catalyst Center floor map updates

### Issues

Issues describe unexpected behavior in the Cisco Spaces application.

### Open Issues

This section lists the open issues in this release of Cisco Spaces.

*Table 24: Cisco Spaces Open Issues*

Issue Identifier	Issue Description
<a href="#">CSCwk12061</a>	Captive Portal Runtime - Loading wrong default country on DC page

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

*Table 25: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwk12081</a>	Open Roaming Stats - Not showing 'Data Consumed per user' chart for same date
<a href="#">CSCwj07789</a>	IoT Explorer - View/Edit option leads to create duplicate Assets



## April 2024

---

- [What's New in this Release, on page 49](#)
- [What's Changed in this Release, on page 49](#)
- [Issues, on page 49](#)

## What's New in this Release

The following feature is introduced in Cisco Spaces:

### Digital Maps

Cisco Spaces introduces **Digital Maps**, an upgraded version of Rich Maps. Two variations of Digital Maps available are:

- **STANDARD** Maps: Shows 2D flat maps without support for meeting rooms or integration with **Cisco Smart Workspaces**.
- **PRO** Maps: Shows 3D visualizations and include all the available features of **Cisco Smart Workspaces**, similar to Rich Maps.



#### Note

Locations with ACT/UNLIMITED licenses have exclusive access to the PRO variant, while the STANDARD variant remains accessible to other license types, including SEE, EXTEND, and SMART\_OPERATIONS.

## What's Changed in this Release

There are no enhancements in this release of Cisco Spaces.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 26: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwj66876</a>	App Activation - We see that the app activation calls are being duplicated for each activation event



## CHAPTER 18

### March 2024


---

- [What's New in this Release, on page 51](#)
- [What's Changed in this Release, on page 51](#)
- [Issues, on page 52](#)

## What's New in this Release

The following features are introduced in Cisco Spaces:

### Cisco Spaces Dashboard

**Calendar GUI Integrations:** The Microsoft 365 calendar integration feature is introduced in Cisco Spaces. Use this feature to connect your Microsoft 365 calendar account with the Cisco Spaces application and view the integrated calendar details in the Cisco Spaces dashboard **Menu**  **> Integrations**.

The imported calendars are displayed in the Cisco Spaces: Space Manager application.

### Connector2 Docker Version 2.0.670

- Cisco Spaces: Connector intermittent data drop issue is fixed. When there is a high volume of traffic entering the system and the Connector must expand its data channels, intermittent data losses are noticed at the Connector.
- The device (for example Wireless Controller) credentials are printed as part of the failure process when you add a device. This issue is fixed and the device details are not displayed in failure conditions.
- Access Point count synchronization to cloud issue is fixed. This is a unique scenario in which the Netconf response from the wireless controller contains special characters.

## What's Changed in this Release

The following enhancements are made in Cisco Spaces:

### Cisco Spaces Dashboard

**Locations & Maps Support:** The **Locations & Maps** feature is enhanced to allow you to merge the locations from Cisco Prime Infrastructure with Cisco Catalyst Center locations and vice versa under a single business hierarchy.

Before this enhancement, the merging of locations from Cisco Prime Infrastructure to Catalyst Center locations and vice versa was not supported.

### Cisco Spaces: Space Manager: Room Occupancy Reports

In Cisco Spaces: Space Manager app, the Occupancy Reports section is enhanced with the following features:

- In the **Report Parameter** window, the **Rooms** report level option is enabled to select the rooms directly while creating or editing reports.
- You can download the Occupancy Reports in XLSX format instead of CSV.
- You can now delete the reports. Click the ellipsis icon (...) and click **Delete** to remove the Occupancy Report.

### Cisco Spaces: IoT Explorer: Smart Variable

In the Cisco Spaces: IoT Explorer app, the **Rules** section is enhanced to include a new smart variable: **DeviceName**. Use this smart variable to include the device name along with other variables such as **Location Name**, **MAC Address** and **URL** in the message when triggering email, text message (SMS) and Cisco Webex notifications.

### Cisco Spaces: Captive Portal: Access Code Manager

In Cisco Spaces: Captive Portal app, the **Settings > Access Code Templates** tab is enhanced to include the **Enable Access Code Template** check box.

Check the **Enable Access Code Template** check box and click **Create Template** to create predefined templates for selected locations. When this option is enabled, first select the template (available for the location) and then create single use access codes in the Cisco Spaces: Captive Portal app **Access Code** section.




---

**Note** There's no change in the current access code creation process if the **Enable Access Code Template** check box is disabled in Cisco Spaces: Captive Portal app **Settings > Access Code Templates** tab.

---

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.



*Table 27: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwi76073</a>	Unable to delete the location even after removing its associated signages.
<a href="#">CSCwi11258</a>	Failed to delete Building from Map Services





## CHAPTER 19

### February 2024

---

- [What's New in this Release, on page 55](#)
- [What's Changed in this Release, on page 55](#)
- [Issues, on page 56](#)

## What's New in this Release

The following new release is introduced in Cisco Spaces:

### Local Firehose Service Release 3.1.0.65

The new features introduced are:

- Local Firehose Service opens up local firehose channel (gRPC) in Cisco Spaces: Connector 3 and sends out location updates for Aer Scout Location/ BLE tags.
- Use the Cisco Spaces Partner app to consume location Received Signal Strength Indicator (RSSI) and Internet of Things (IoT) Bluetooth Low Energy (BLE) RSSI measurements over gRPC (Remote Procedure Call) channel.
- The Stanley Aer Scout Location Engine is successfully integrated with Cisco Spaces: Connector 3.x. Refer to the *Securitas Document KB1100* article for more information.



---

**Note** For more information, see [Cisco Spaces: Connector 3 Configuration Guide](#).

---

## What's Changed in this Release

The following enhancements are made in Cisco Spaces:

### Right Now App

The wired visitor count in the **Right Now** app is enhanced to automatically reset the visitor count to zero daily at 3 a.m., ensuring synchronization with the Location Hierarchy timezone settings.

### Cisco Spaces: Location Services Release 3.1.0.127

The docker release focuses on the **AP AnyLocate** feature enhancements:

- The AP air pressure data issue in the Cisco Catalyst 9800 Series Wireless Controllers Cisco IOS XE 17.13.1 release is resolved. This enhancement improves the autoclustering of APs when placing them using the **AP AnyLocate** feature.
- Currently, the issue is addressed in Cisco IOS XE 17.12.3 release.
- Addressed the issue regarding unreliable AP FTM ranging measurement for 6-GHz radio with **AFC Standard Power mode** configuration enabled in the following Catalyst 9800 controller releases:
  - Cisco IOS XE Dublin 17.12.1
  - Cisco IOS XE Dublin 17.12.2
  - Cisco IOS XE 17.13.1

**Note**

- [CSCwh98522](#) tracks the Catalyst 9800 controller issue.
- This issue does not impact upgrade from Catalyst 9800 controller Cisco IOS XE Dublin 17.12.1 or 17.12.2 to Cisco IOS XE Dublin 17.12.3.

**Cisco Spaces: Connector 3 Service Manager Release 3.1.2.45**

The following enhancements are made in **Service Manager**:

- New **connectoretl dockersubnet** command to support docker network change. For more information, see [Cisco Spaces: Connector3 Command Reference Guide](#).
- Added NTP service monitoring and auto recovery services to check if the service is down.
- Enhanced keepalive event notifications and handlers for High Availability
- Enhanced privacy settings to exclude blank values for **MAC Username Salt**
- Addressed the Audit log permission issue during password reset.
- Enhancement is made in the AMI connector instance for Amazon Web Service (AWS) to share public IP address along with services.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

*Table 28: Cisco Spaces Open Issues*

Issue Identifier	Issue Description
<a href="#">CSCwi11258</a>	Failed to delete Building from Map Services

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

*Table 29: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwj13626</a>	Occupancy Report - In some case list page is not loading when user edits the locations in the report
<a href="#">CSCwj13870</a>	User getting 'Invalid OTP' error when entering correct OTP
<a href="#">CSCwi92266</a>	No response from RADIUS server. AAA timeout is being received at controller end





## CHAPTER 20

### January 2024

---

- [What's New in this Release, on page 59](#)
- [What's Changed in this Release, on page 60](#)
- [Issues, on page 61](#)

## What's New in this Release

The following feature is introduced in Cisco Spaces:

Cisco Spaces: Connector Release 3 Update

Cisco Spaces now offers the capability to migrate Hotspot service configurations. When you migrate, Hotspot is enabled as a service in Cisco Spaces: Connector 3.x if not enabled explicitly.

In the **Add Controller** window, check the **Migrate hotspot configurations from the selected connector** check box to migrate all the required configuration from 2.x to 3.x connectors.

For more information, see [Migrate from Connector 2.x to Connector 3](#).



#### Note

- The **Migrate hotspot configurations from the selected connector** check box is displayed only if you:
  - Choose the **Choose controllers from another connector** option to add a controller with connector configurations
  - Select a connector with hotspot configurations enabled from the **Choose Connector** drop-down list
- When migrating from Cisco Spaces: Connector 2.x to Cisco Spaces: Connector 3.x:
  - Migrate the controller configurations to point to the new Cisco Spaces: Connector 3.x instance instead of the previous Cisco Spaces: Connector 2.x instance.
  - Cisco Spaces automatically enables and configures the same working connector 2.x hotspot configurations to the new 3.x connector.
  - Cisco Spaces won't automatically disable the hotspot/openroaming configuration on the current working 2.x connector.

## What's Changed in this Release

There are no enhancements in this release of Cisco Spaces.



# Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 30: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwi11258</a>	Failed to delete Building from Map Services

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.





## PART III

### 2023

- [December 2023, on page 65](#)
- [November 2023, on page 69](#)
- [October 2023, on page 73](#)
- [September 2023, on page 77](#)
- [August 2023, on page 79](#)
- [July 2023, on page 83](#)
- [June 2023, on page 87](#)
- [May 2023, on page 89](#)
- [April 2023, on page 91](#)
- [March 2023, on page 93](#)
- [February 2023, on page 97](#)
- [January 2023, on page 101](#)





## CHAPTER 21

### December 2023

---

- [What's New in this Release, on page 65](#)
- [What's Changed in this Release, on page 66](#)
- [Issues, on page 66](#)

## What's New in this Release


The following feature is introduced in Cisco Spaces:

### **Cisco Spaces: Environmental Analytics App**

The Cisco Spaces Environmental Analytics app enables you to optimize the performance of buildings by leveraging indoor environment insights and metrics. These insights are derived from sensors integrated into the networking and collaboration infrastructure throughout your buildings within your network.

Use the Environmental Analytics app to measure and evaluate critical environmental metrics such as carbon dioxide levels, total volatile organic compounds (TVOCs), ambient noise, temperature, and relative humidity. Leverage this valuable data to take necessary corrective actions to ensure optimal indoor conditions and enhance the overall environmental quality within your facilities.

For more information, see the [Cisco Spaces: Environmental Analytics App Configuration Guide](#).




## What's Changed in this Release

The following enhancements are made in Cisco Spaces:

### Cisco Spaces: IoT Explorer App

- **Event Export Functionality:** The **Event Export** feature is enhanced to allow the export of a complete set of events. Before this enhancement, the event export was limited to 1,000 events.
- **Battery Information Filter Option:** In the **Assests** and **Sensors** tab, the **Battery Information** filter option is enhanced to include more filtering options based on battery percentage range.



## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

*Table 31: Cisco Spaces Open Issues*

Issue Identifier	Issue Description
<a href="#">CSCwi11258</a>	Failed to delete Building from Map Services

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.







## CHAPTER 22

# November 2023

---

- [What's New in this Release, on page 69](#)
- [What's Changed in this Release, on page 70](#)
- [Issues, on page 71](#)

## What's New in this Release

The following features are introduced in the Cisco Spaces dashboard:

### Cisco Spaces: Space Manager App

**Room Occupancy Reports** is a new feature that is introduced in the Cisco Spaces: Space Manager App. You can now generate an occupancy report with the data including the number of people present in the room that is aggregated in a window of every 15 minutes. This feature provides the flexibility to download and categorize the people count data based on their preferred reporting time intervals, such as 15, 30, or 60 minutes.

### Admin Management

Role-based Access Control (RBAC) support for Cisco Spaces - Partner Dashboard is now introduced in Cisco Spaces. In **Admin Management**, under the **Roles** tab, a new app option **Partner Dashboard** is added with the permission options: **Read/Write** and **Read Only**. Use this role to provide Cisco Spaces - Partner Dashboard access to the tenants directly from the Cisco Spaces dashboard.



---

**Note** Before this release, RBAC for Cisco Spaces - Partner Dashboard was only supported through the **User Management** section in the Cisco Spaces - Partner Dashboard.

---

Create New Role

☐ Engagements
 Read only

☐ Location Personas
 Read only

☐ OpenRoaming
 Read only

☐ IoT Explorer
 Read only

☐ Space Manager
 Read only


☐ Space Experience
 Read only

☐ Partner Dashboard
 Read only

☐ Restrict this role to specific locations

Create

Cancel




## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

### Cisco Webex Synchronization Status

In **Setup > Webex**, enhancement is made to display the **WEBEX\_SETUP SYNC** status for all logged in users. The Cisco Webex synchronization status is displayed as **Active** for all active users in a specific tenant (account) if at least one user successfully connected their Cisco Spaces account with the Cisco Webex account while importing the Cisco Webex networks into **Location Hierarchy**.

**Figure 2: Cisco Webex Synchronization Status****Cisco Spaces: IoT Explorer App**

In the IoT Explorer app, support is added for processing and displaying random MAC Bluetooth Low Energy (BLE) devices with profiles associated to it in the **Temperature Monitoring** and **Asset Tracking** use cases.



**Note** Before this release, the IoT Explorer app did not support processing the random MAC BLE devices.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 32: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwi11258</a>	Failed to delete Building from Map Services

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 33: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwi40989</a>	User data details are not sent as part of device association events
<a href="#">CSCwi24984</a>	AppCenter_During AppActivation, Next button isn't visible when location hierarchies are more to select
<a href="#">CSCwi45279</a>	Digital signage - The Richmap is not loaded in Webex device once the token has expired.



## CHAPTER 23

### October 2023

---

- [What's New in this Release, on page 73](#)
- [What's Changed in this Release, on page 73](#)
- [Issues, on page 74](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces.

### Cisco Spaces Dashboard

**User Account Country Information Update:** During the login process, a pop-up window is displayed for Cisco Spaces users who were on board before April 2022 to update their country information. You can either provide the required information or click **Skip & Continue** to skip and proceed to the Cisco Spaces dashboard. Once you provide the information, the pop-up window is not prompted again during subsequent logins.

**Authentication Support for Camera Message Queuing Telemetry Transport (MQTT) Brokers:** Cisco Spaces cloud is updated to support password-based authentication for receiving MQTT updates from Cisco Meraki cameras. The background network synchronization process will automatically update the authentication details to the Cisco Meraki dashboard.

### Cisco Spaces: IoT Explorer App

The IoT Explorer app is enhanced to include stabilization fixes in the following areas:

- **Device List:** All use cases are now enhanced to show devices that do not have a **Last Heard** status during the Location Hierarchy import process.
- **Asset Location History:** The Asset Tracking use case is now enhanced to track assets at the zone level. You can view this change in the **Asset Details** window.
- **Rule Events:** In the Asset Tracking use case, assets that are tracked under the **Asset not heard** rule are assigned an end timestamp of **N/A** until they are heard. If you delete this rule, the events under this rule still retain the end timestamp of **N/A**. With this enhancement, these events are now removed from the events list.



**Note** As part of the stabilization process, minor fixes are implemented throughout the Cisco IoT Explorer application.

### Cisco Spaces Partner Dashboard

The **Webex Telemetry** event type is available under the **Events** tab. The **Webex Telemetry** event is an enhanced version of the **Telepresence** event type. Partners can use this event type during app creation and is triggered when there is a telemetry update from a Cisco Webex device at a particular location.

**Figure 3: Events Tab**

The screenshot shows the 'Events' tab in the Cisco Spaces Partner Dashboard. The 'Events' tab is selected, and the following event types are listed:

- ☐ IoT User Action  
This event is sent when an user action is performed in IoT Devices
- ☐ Device Count  
This event is sent when there is a change in the count of the devices at the location
- ☐ Camera Count  
This event is sent when there is a change in the aggregated count of people (computed via the Meraki Video Camera) at the location.
- ☐ Raw Camera Count  
This event is sent when there is a change in individual camera count (computed via the Meraki Video Camera) at the location.
- ☐ Network Telemetry  
This event is sent on a periodical interval with health and performance telemetries at the location
- ☐ Location Anchor Update  
This event is sent when there is new location anchor added/updated/removed in IoT Services
- ☐ Network Status Update  
This event is sent to represent Connector and Controller Status
- ☐ Webex Telemetry  
This event is sent when there is a telemetry from WEBEX device at the location

**Important Note:** This event can only be utilized by customers with an active Cisco Spaces ACT license



**Note** The **Webex Telemetry** event type is available only for an active Cisco Spaces **ACT** license.

The **Telepresence** event type under the **Events** tab is getting deprecated and is not available for new Partner App users.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 34: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwh84725</a>	Unable to view floor map on <b>Cisco Detect and Locate</b>







## September 2023

---


- [What's New in this Release, on page 77](#)
- [What's Changed in this Release, on page 78](#)
- [Issues, on page 78](#)

## What's New in this Release

### Cisco Spaces

The following features are introduced in the Cisco Spaces:

#### Cisco Meraki Network: Create Zone Location Support

In Location Hierarchy 2.0 (Beta UI), you can now create polygon zones for the floor locations under the Cisco Meraki network. To create polygon zones on the floor map, use the **Polygon tool** (  ) that is available in the floor map view under the **Map** tab. The new polygon zones created are displayed under both Location Hierarchy and Location Hierarchy 2.0.

For more information, see [Create a Zone for a Floor Location](#).

Before this release, the polygon zone creation was supported only for **Cisco CMX** locations.

#### Cisco Spaces: IoT Explorer App

In the IoT Explorer app, support is added for processing and displaying the associated random MAC Wi-Fi devices in the **Asset Tracking Use Case**.

#### Cisco Spaces: Connector Services Manager

The following features are introduced in the Cisco Spaces: Connector Services Manager:

- **High Availability:** Enhancements with respect to handling failover optimization during high CPU/memory usage of Docker containers. For more information, see [High Availability](#).
- **Technical Support:** Log download options for troubleshooting from Cisco Spaces: Connector local GUI.
- **Commands:** New commands are introduced for proxy certificate validation.

## What's Changed in this Release

There are no enhancements in this release of Cisco Spaces.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application.

There are no Resolved Issues or Open Issues in this release.



## CHAPTER 25

### August 2023

---

- [What's New in this Release, on page 79](#)
- [What's Changed in this Release, on page 79](#)
- [Issues, on page 80](#)

## What's New in this Release

The following feature is introduced in Cisco Spaces.

### Access Point Auto Location

The Access Point Auto Location solution helps to effectively self-locate APs in a global coordinate by combining various ranging technologies and algorithms. The AP Auto Location solution automatically locates your APs on a digital map in Cisco Spaces. This solution delivers accurate, automated, up-to-date AP location leveraging Fine Timing Measurement (FTM) and Global Navigation Satellite System (GNSS) when available.

For more information, see the "Set Up Access Point Auto Location" section in the chapter "Setup" in the [Cisco Spaces Configuration Guide](#).

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

### Cisco Spaces dashboard

The Cisco Spaces GUI is enhanced to embrace the Magnetic design implementation. Magnetic design follows a persistent header and collapsible left navigation pane.

The Cisco Spaces dashboard window is enhanced to include the **Dashboard** drop-down list (in the left navigation pane) which allows you to search and view the available apps associated with your Cisco Spaces license. Use the **Dashboard** drop-down list to choose and navigate to any selected app. To navigate back to the **Cisco Spaces Home** window, choose **Dashboard** option from the drop-down list.

**Table 35: Changes in the GUI before and after August 2023**

Before	After
The option to search for apps was available on the top-right corner.	This app search option is available in the left navigation pane in the <b>Dashboard</b> drop-down list.
The information related to <i>License Units Consumed</i> (Active APs) count was displayed on the top-right corner.	The license information is available under <b>My Account &gt; License Information &gt; License Units Consumed</b> .

### Cisco Spaces: IoT Explorer App

The **IoT Explorer** app is enhanced to filter only those devices that comply with the MAC Organisationally Unique Identifier (OUI) standards and the devices which continue to send updates after 24 hours from the initial appearance.

### Partner Dashboard

The Cisco Spaces - Partner Dashboard GUI is enhanced to support the Magnetic design implementations. The GUI changes are implemented in the top header panel and the left navigation pane.

The **Pull Channels** options under the **Integration Details** tab are enhanced to support the *WEB\_SOCKET* endpoint.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 36: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwf47895</a>	Search doesn't work using the IP address of the controllers under the Connector

## Resolved Issues

This section lists the resolved issues in this release of Cisco Spaces.

**Table 37: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwfl6696</a>	Asset Tracking - Number of assets shown to import into use case is greater than the available assets
<a href="#">CSCwf28503</a>	Slowness when navigating to building list by clicking on Campus Name

Issue Identifier	Issue Description
<a href="#">CSCwh02942</a>	Map Service sending map events without inclusion region impacting D&L devices location to be off
<a href="#">CSCwd41670</a>	Required support for large Map file synchronization between Catalyst Center and Cisco Spaces





## CHAPTER 26

### July 2023

---

- [What's New in this Release, on page 83](#)
- [What's Changed in this Release, on page 83](#)
- [Issues, on page 84](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following features are introduced in the Cisco Spaces dashboard:

To support **Cisco Smart Workspaces**, two new apps are added under the **ACT** license:

- **Space Manager**: Use this app to configure various devices, sensors, and workspaces and to provide access to real-time occupancy data and environment telemetry (heat map, indoor air quality, temperature, humidity, and noise levels) rendered on rich maps for a specific building, floor, or meeting room. In the **Devices** section, you can view the configured devices and their telemetry details on rich maps. The **Workspace Management** section displays the configured meeting room or workspace and allows you to view, add, or remove devices and sensors to and from the selected workspace.
- **Space Experience**: Use the **Space Experience** app to do the following:
  - Create and manage signage for **Cisco Smart Workspaces**
  - Onboard new signage for a Cisco Webex device or a non-Webex device.
  - Configure the telemetry parameters and publish the signage.

The configuration updates are auto-notified to the corresponding signage devices.

## What's Changed in this Release

The following enhancements are made in the Cisco Spaces dashboard:

### Cisco Spaces License Package

The Cisco Spaces License package is enhanced to support the following three licenses, along with the existing licenses (**SEE**, **EXTEND**, and **ACT**).

- **SMART\_OPERATIONS**: This license works in the same way as the existing **SEE** license with some additional entitlements. The **SMART\_OPERATIONS** license includes all the access privileges under the **SEE** license along with access to the following apps:
  - Operational Insights
  - IoT Explorer
- **SMART\_VENUES**: This license works in the same way as the existing **SEE** license with some additional entitlements. The **SMART\_VENUES** license includes all the access privileges under the **SEE** license along with access to the following apps:
  - Captive Portal
  - Engagements
  - Profile Rules
- **SPACES UNLIMITED**: Cisco Spaces accounts with **UNLIMITED** license include all the entitlements similar to an existing **ACT** license.

For a **Cisco Smart License**-enabled account with **UNLIMITED** license package, the license count is based on the total square foot area of all the floor locations calculated based on the maps uploaded to the Cisco Spaces platform.




---

**Note** Cisco Spaces users can now choose any of these licenses for a location using the **Split License** feature.

---

#### Cisco Spaces Dashboard Tile Enhancements

To support the **Cisco Spaces License Package** enhancement, the following GUI changes are made in the Cisco Spaces apps:

- Asset Locator and IoT Explorer apps are available under the **SMART\_OPERATIONS** license.
- Captive Portals, Engagements, Location Personas apps are available under the **SMART\_VENUES** license.




---

**Note** The **UNLIMITED** and **ACT** licenses include access to all Cisco Spaces apps (including the apps available under **SMART\_OPERATIONS** and **SMART\_VENUES** license).

---

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.



**Table 38: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd41670</a>	Required support for large Map file synchronization between Catalyst Center and Cisco Spaces
<a href="#">CSCwfl6696</a>	Asset Tracking - Number of assets shown to import into use case is greater than the available assets

## Resolved Issues

This section lists the resolved issues in this release of Cisco Spaces.

**Table 39: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwh18418</a>	Inconsistency between data collected via Cisco Spaces Firehose API and Cisco CMX API.
<a href="#">CSCwh20943</a>	If the legacy CMX node is present in the hierarchy, imported locations are being added under CMX.





## CHAPTER 27

### June 2023

---

- [What's New in this Release, on page 87](#)
- [What's Changed in this Release, on page 87](#)
- [Issues, on page 87](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

### Captive Portal Reports

In the **Captive Portal** app, for the **Device Onboarding** report, the **Promos & Offers Performance** section is enhanced to include the promo view count. This feature enables you to track the number of views for a specific promotion along with the number of clicks.

### Locations and Maps

The Locations and Maps feature is now enabled for all Cisco Spaces accounts. Before this release, support was only available for **Cisco Smart Workspaces** accounts.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

*Table 40: Cisco Spaces Open Issues*

Issue Identifier	Issue Description
<a href="#">CSCwd41670</a>	Required support for large Map file synchronization between Catalyst Center and Cisco Spaces

## Resolved Issues

This section lists the resolved issues in this release of Cisco Spaces.

*Table 41: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwf61446</a>	Map synchronization process encountered an error when attempting to synchronize from Cisco CMX



## CHAPTER 28

### May 2023

---

- [What's New in this Release, on page 89](#)
- [What's Changed in this Release, on page 90](#)
- [Issues, on page 90](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following features are introduced in the Cisco Spaces dashboard:

#### Locations and Maps

The Locations and Maps feature enables you to normalize and unify network hierarchies from various sources—Catalyst Center, Cisco Prime Infrastructure, and Cisco Meraki into a single business-orientated location hierarchy.

You can create a business-centric hierarchy in Cisco Spaces by uploading a Microsoft Excel (.xlsx) file containing location details. Moreover, the import from a Microsoft Excel (.xlsx) file allows you to add or update location metadata information for multiple locations at once.



---

**Note** Currently, this feature is only enabled for **Cisco Smart Workspaces** users.

---

#### Rich Maps

**Rich Maps** transforms flat floor plans into dynamic, interactive, and highly intuitive 3D maps. The **Rich Maps** feature in Cisco Spaces helps to logically deconstruct the Computer-Aided design (CAD) files and extract data such as meeting room details, workplace desk information, amenities, and so on. You can attach them to the location hierarchy to discover additional use cases.

#### Cisco Spaces: Connector 3 - Support for High Availability-Pair

Cisco Spaces Connector 3, May 2023 release supports **Dual Interface** and **High Availability** features. The dual interface model enables you to control traffic going into Cisco Spaces: Connector. This model supports two interfaces—**Primary** and **Secondary**.

The **Primary** interface is the default interface for all egress traffic and all the input ports are blocked. The **Secondary** interface allows you to configure networks or IP address endpoints from which ingress is allowed.

With **High Availability** support, at any given time, only one Cisco Spaces: Connector is active and the **Secondary** instance is always on standby mode. A virtual IP address is shared between these two instances. Thus, any device connecting to the Cisco Spaces: Connector uses the same IP address regardless of which system is active.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancement is made in the Cisco Spaces dashboard:

#### Map Service

When you import or synchronize maps from various sources—Catalyst Center, Cisco Prime Infrastructure or Cisco Meraki, support is extended to normalize and unify network hierarchies into a single business-orientated hierarchy.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

### Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 42: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwf16696</a>	Asset Tracking - Number of assets shown to import into use case is greater than the available assets
<a href="#">CSCwd41670</a>	Required support for large Map file synchronization between Catalyst Center and Cisco Spaces

### Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 43: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwf47913</a>	IoT Explorer - Asset Entry rule is not triggered when a device exits and then enters the same location
<a href="#">CSCwe72447</a>	Catalyst Center hierarchical change does not reflect in Cisco Spaces Location Hierarchy



## CHAPTER 29

### April 2023

---

- [What's New in this Release, on page 91](#)
- [What's Changed in this Release, on page 91](#)
- [Issues, on page 91](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

### Performance Optimization

This release includes performance improvements to the Cisco Spaces application. The backend performance of the application is optimized to improve the data-processing pipeline and reduce system overheads.

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

#### IoT Explorer

The **IoT Explorer** app is now enhanced with the ability to report the X and Y coordinates from AP sensor devices.

### Cisco Spaces: Connector 3

By default **Location Service** is enabled when a new **Cisco Spaces: Connector 3** instance is added.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Open Issues and Resolved Issues sections list the issues in this release.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 44: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwf16696</a>	Asset Tracking - Number of assets shown to import into use case is greater than the available assets
<a href="#">CSCwd41670</a>	Support for large Map file synchronization between the Catalyst Center and Cisco Spaces

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 45: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwe86258</a>	Location Analytics - In Custom Reports, unable to change the SSID from the Edit window page
<a href="#">CSCwd00980</a>	OpenRoaming - Under Network Configuration section, the no. of controllers deployed shows incorrect count
<a href="#">CSCwe89680</a>	Meraki APs on floor map are not positioned correctly in Cisco Detect & Locate
<a href="#">CSCwe29576</a>	Location Services is not automatically added to Cisco Spaces: Connector 3





## CHAPTER 30

### March 2023

---

- [What's New in this Release, on page 93](#)
- [What's Changed in this Release, on page 93](#)
- [Issues, on page 95](#)

## What's New in this Release

### New Software Releases

**Cisco Spaces: Connector 3** Amazon Machine Images (AMI) version is published to Amazon Web Services (AWS) Marketplace. For more information, see the [Cisco Spaces: Connector3 Configuration Guide](#).

### Cisco Spaces: Connector 3

By default, a location is added when a new **Cisco Spaces: Connector3** instance is added.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

### Location Analytics

The **Location Analytics** app GUI is revamped for an enhanced user experience. The revamp is centered around improving user experience and enhancing the value that users can generate from Location Analytics data.

This revamp does not impact the metrics computations or numbers.

The key benefits of this revamp include:

- Ability to compare two sets of locations, SSIDs, and time periods
- Ability to customize the report view by rearranging tiles and charts
- Ability to create custom reports using templates




---

**Note** The revamped custom reports do not have backward compatibility with the existing custom reports (the custom reports created prior to this release will not show up in the Cisco Spaces dashboard).

---

### Global RBAC in Location Hierarchy 2.0

Location Hierarchy 2.0 is now enhanced to display only those locations that a Cisco Spaces user can access. Accessibility to these locations are defined when you create or edit roles, or invite or edit the Cisco Spaces user in **Admin Management**.




---

**Note**

- This Global Role-based Access Control (GRBAC) feature is supported in Location Hierarchy 1.0.
- The GRBAC feature is currently not supported for **Cisco Spaces: Detect and Locate** app users (**Cisco Spaces: Detect and Locate** > **User Management** > **App Users**).

---

### Location Integration for Switches in Cisco Spaces Dashboard

In Cisco Spaces dashboard, when you add or edit a switch in **Wired Network**, click the **Add locations** option to choose a location and associate with the switch.

#### Test Connectivity

The **Test Connectivity** feature in Cisco Spaces is enhanced to support **Cisco Spaces: Connector3**. When you add a controller, use the **Test Connectivity** feature to verify the new controller's status.




---

**Note** The **Test Connectivity** feature is supported in **Cisco Spaces: Connector 2.x**.

---

### Import Controller Features

The Cisco Spaces dashboard now supports the task of moving a controller or a Cisco switch to a different connector within the same account.

You can move a controller or a Cisco switch between:

- Cisco Spaces: Connector 2.x to Cisco Spaces: Connector 2.x
- Cisco Spaces: Connector 2.x to Cisco Spaces: Connector3
- Cisco Spaces: Connector3 to Cisco Spaces: Connector3
- Cisco Spaces: Connector3 to Cisco Spaces: Connector 2.x

### Software Release Enhancements

**Cisco Spaces: Connector3** Location Service Version 3.0.1.272 released.

**Cisco Network Services Manager** Version 3.0.4.13 released.

# Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 46: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd41670</a>	Support for large Map file synchronization between the Catalyst Center and Cisco Spaces
<a href="#">CSCwe86258</a>	Location Analytics - In Custom Reports, unable to change the SSID from the edit window page

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 47: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwe84200</a>	IoT Explorer - Asset name getting overridden by the MAC address of the device
<a href="#">CSCwe15039</a>	Floor map image is not shown in the mapservice UI section
<a href="#">CSCwe45698</a>	In firehose events, expected to send mapid information in zone-level updates





## CHAPTER 31

### February 2023

---

- [What's New in this Release, on page 97](#)
- [What's Changed in this Release, on page 97](#)
- [Issues, on page 98](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following features are introduced in the Cisco Spaces dashboard:

#### OpenRoaming support for Cisco Spaces: Connector3

**OpenRoaming** support is enabled now for **Connector3**. From the Cisco Spaces dashboard, use **Connector3** to:

- Add or remove hotspot as a service
- Add or remove controller for hotspot
- Enable debug logs and upload them to cloud

#### Location Hierarchy

A new version of the **Cisco Webex** workspace mapping algorithm that automatically maps the workspaces to the meeting rooms is deployed.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancement is made in the Cisco Spaces dashboard:

As part of **Cisco Webex** integration, Cisco Spaces now supports integration with persistent web app for **Cisco Webex** navigators. When a customer activates the control hub integration with Cisco Spaces, the necessary configuration supporting this integration is updated in the **Cisco Webex** control hub.



**Note** Currently, this integration is only available for **Cisco Smart Workspaces** users.

### Cisco Spaces Partner Dashboard

The following enhancement is made in the Cisco Spaces Partner dashboard:

**Disallow app deletion if the app has activations:** The Cisco Spaces Partner dashboard does not support the deletion of an app if the app has activations. You must first delete the activations for the respective app and then delete the app.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 48: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd41670</a>	Support for large Map file synchronization between the Cisco Catalyst Center and Cisco Spaces
<a href="#">CSCwe45698</a>	In firehose events, mapid information is required to be sent in zone level updates

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 49: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwe48569</a>	IoT Explorer - On deleting BLE Tags from the Asset tracking use case, the tag got added again in the next update
<a href="#">CSCwe34833</a>	SMS Apiserver not making bind with two SMPP gateway for same tenant

Issue Identifier	Issue Description
<a href="#">CSCwe14756</a>	Partner app activation failed due to incorrect content type being passed to partner site
<a href="#">CSCwe37381</a>	App configuration gets corrupted when a partner app with an app activation is deleted
<a href="#">CSCwd13553</a>	In Cisco Partner dashboard, unable to navigate to the Home page once an app is open
<a href="#">CSCwe20037</a>	Unable to see a client on Cisco Catalyst Center Floor in Network Hierarchy after Cisco Spaces Prod integration
<a href="#">CSCwe01529</a>	Clients not shown on Cisco Catalyst Center due to subscription failure
<a href="#">CSCwe29685</a>	App User with Read-Only Access in OpenRoaming App, page is not loading
<a href="#">CSCwd79229</a>	Functional SJC Alpha Cisco Spaces Connector 3.0 'Test Connectivity' Fail while adding WLCs
<a href="#">CSCwe38494</a>	Engagement rule is not matched as per frequency if configured as once in a day







## CHAPTER 32

### January 2023

---

- [What's New in this Release, on page 101](#)
- [What's Changed in this Release, on page 101](#)
- [Issues, on page 101](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following feature is introduced in the Cisco Spaces dashboard:

#### Location Hierarchy: Auto-import support for Cisco Meraki networks tagged with Cisco Spaces

Cisco Meraki networks with **CiscoSpaces** tags are automatically imported into Cisco Spaces **Location Hierarchy** during the background synchronization process. The Meraki organization must be present in **Location Hierarchy** to support the auto import of these tagged networks.



---

**Note** **CiscoSpaces** should be the tag name added in Cisco Meraki network.

---

## What's Changed in this Release

There are no enhancements in this release of Cisco Spaces.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- Identifier: Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation,

such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.

- **Description:** A description of what is observed when the issue occurs.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 50: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwe14553</a>	Shared report would be unviewable for Cisco Spaces users, who have not logged in to the dashboard



## PART IV

### 2022

- [December 2022, on page 105](#)
- [November 2022, on page 109](#)
- [October 2022, on page 111](#)
- [September 2022, on page 115](#)
- [August 2022, on page 119](#)
- [July 2022, on page 121](#)
- [June 2022, on page 123](#)
- [May 2022, on page 127](#)
- [April 2022, on page 131](#)
- [March 2022, on page 135](#)
- [February 2022, on page 137](#)
- [January 2022, on page 139](#)





## December 2022

- [What's New in this Release, on page 105](#)
- [What's Changed in this Release, on page 105](#)
- [Issues, on page 106](#)

### What's New in this Release

There are no new features in this release of Cisco Spaces.

### What's Changed in this Release

#### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

#### IoT Explorer

- **Import User Workflow:** The **IoT Explorer** app is now enhanced to import new or existing users to a specific use case. Use the **Import Users** option to either import users from other use cases or add multiple users at once by uploading a Microsoft Excel (.xlsx) file containing user details.

Choose **IoT Explorer** > **Use Case** > **Users/Roles** > **Import Users** to import users.

- **Occupancy History:** The **Occupancy History** tab displays user presence with the timeline for occupancy detected and not detected. You can view this in the timeline for the last 24 hours, 7 days, or 30 days. Choose **Presence Detection** > **Sensor** > **Asset Name** > **Occupancy History** to view the occupancy history details.



- Cisco Webex and Trigger API Support: In addition to SMS and email, support is added to send Sensor notifications using Cisco Webex and Trigger API. Choose **IoT Explorer > Use Case > Rules > Add Rule > Actions** sections to configure notifications.
- Location History: For the **Asset Tracking** use case, the location history of the device is recorded and depicted on the map with **X** and **Y** coordinates. You can view this in the timeline for the last 24 hours, 7 days, or 30 days.

### My Account

- Cisco Spaces dashboard is enhanced to include the **Enable Support Access** option. A Cisco Spaces customer can use the **Enable Support Access** option to enable or disable access to their account to the Cisco Spaces support team. Enabling this option helps the Cisco Spaces support team to detect and debug issues under exceptional situations.
- This option is available in the **My Account > Preferences** section. When access is enabled, the Cisco Spaces support team gets access to the customer's Cisco Spaces account.



**Note** By default, the **Enable Support Access** option is enabled.

### Location Hierarchy

**Location Hierarchy 2.0** is now enhanced to show rich maps, if they are available for a particular floor. The option to upload rich maps is currently managed by the Cisco Spaces support team.

Click the **3D** toggle button to switch between 2D and 3D floor maps.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- Identifier: Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- Description: A description of what is observed when the issue occurs.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the bugs that have been resolved in this release of Cisco Spaces.

*Table 51: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwd66507</a>	Duplicate campuses shown in the Mapservice UI







## CHAPTER 34

### November 2022

---

- [What's New in this Release, on page 109](#)
- [What's Changed in this Release, on page 109](#)
- [Issues, on page 110](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following feature is introduced in the Cisco Spaces dashboard:

The **Data Export** feature now supports new destinations. In addition to **SFTP**, you can create data exports for the following destinations:


- Amazon S3
- Microsoft Azure Blob Storage
- Google Cloud Storage
- Box

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

#### Spaces Connector 3.0 - Wired Support

Cisco Spaces: Connector 3.0 is now available under the **Menu** (  ) > **Setup** > **Wired Network** section. You can create both 2.x and 3.0 connectors under the **Wired Network**.

Connector 3.0 capabilities such as service association, instance tracking, and metrics visualizations are available in the **Wired Network** section.

#### Cisco Spaces Dashboard GUI Enhancements

The following sections are enhanced in accordance with the Cisco Spaces branding changes:

- Login Section
- Home Page – Top Banner (Cisco Spaces Logo)

### Location Hierarchy

The support for auto importing access points with model names starting with **CW** to **Location Hierarchy** (newly introduced by Cisco Meraki) is added. Prior to this release, support was only available for **MR** and **MX** access point models.

### Cisco Spaces Partner Dashboard

The following enhancements are made in the Cisco Spaces Partner dashboard:

#### Singapore Region Support

Cisco Spaces Partner dashboard is enhanced to support Singapore region. Partners can now create and publish apps for the Singapore region.

#### Partner Dashboard GUI Enhancements

The following sections are enhanced in accordance with the Cisco Spaces branding changes:

- Login Section
- Home Page – Top Banner (Cisco Spaces Logo)

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- Identifier: Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- Description: A description of what is observed when the issue occurs.

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 52: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd09396</a>	Page loading forever in Impact Analysis



## CHAPTER 35

# October 2022

---

- [What's New in this Release, on page 111](#)
- [What's Changed in this Release, on page 111](#)
- [Issues, on page 112](#)

## What's New in this Release

### Cisco Spaces Dashboard

The following new feature is introduced in the Cisco Spaces dashboard:

Cisco Spaces dashboard now supports **Split Licensing**.

The accounts that are registered with Smart Licensing include an option to upgrade or downgrade the license type at each location level. Use the **License Level Change** option available in the **Location Hierarchy** window.



---

**Note** To use **Split Licensing**, accounts must be registered with Smart Licensing.

---

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard.

#### Location-Based RBAC

Role-based Access Control (RBAC) is now enhanced to support specific locations. Use the **Restrict this role to specific locations** option to support specific locations while creating a role (**Admin Management > Roles > Create Role**) and inviting user flows (**Admin Management > Invite Admin**).

#### Profile

The **User Profile** feature is enhanced to include the **View Change Log** option. Click **View Change Log** to open the **Change Log** tab that displays the activity details of all the users in a particular account.

### Firehose

The IoT Telemetry event in Firehose is enhanced to include the following three additional fields for Bluetooth Low Energy (BLE) devices:

- **Vendor:** The vendor ID when the device is claimed.
- **DeviceModel:** The model of the BLE device.
- **UniqueId:** The unique ID of the device.

These fields carry specific values after the beacons are claimed.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.

## Open Issues

This section lists the open issues in this release of Cisco Spaces.

**Table 53: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd09396</a>	Page loading forever in Impact Analysis.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 54: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd33465</a>	On clicking get app menu does not redirect to landing page on desktop/laptop
<a href="#">CSCwd42802</a>	Access code session duration value does not pass to controller in radius response
<a href="#">CSCwd23458</a>	HotspotClient - Hotspot failing to load when certificate has expired
<a href="#">CSCwd31231</a>	Delete user preferences and device preferences functionality is not working

Issue Identifier	Issue Description
<a href="#">CSCwd19227</a>	Meraki OpenRoaming - Certificate renewal process is picking invalid APIKey





## CHAPTER 36

# September 2022

---

- [What's New in this Release, on page 115](#)
- [What's Changed in this Release, on page 116](#)
- [Issues, on page 116](#)

## What's New in this Release

### Location Hierarchy

The following new features are introduced in **Location Hierarchy**.

**Location Hierarchy** now supports Meraki MT. The configurations required for receiving the data from the MT sensors are updated using Cisco Spaces and Meraki integration. The MT sensors are automatically imported to **Location Hierarchy**.

**Location Hierarchy 2.0** is the enhanced beta release of **Location Hierarchy** with a revamped user interface and performance improvement along with the existing **Location Hierarchy** features.

The new features include:

- Interactive global map for updating geolocation
- Option to create and edit polygon zones and AP markers on floor maps
- Uncategorised AP groups



#### Note

In Cisco Spaces, click **Menu** (☰) and choose **Location Hierarchy > Beta UI** to enable Location Hierarchy 2.0. Use the **Beta UI** toggle button to switch between Location Hierarchy 2.0 and the Location Hierarchy GUI.

### Cisco Spaces Dashboard

The following new feature is introduced in the Cisco Spaces dashboard:

### Cisco pxGrid Cloud

The Cisco Spaces dashboard now supports Cisco pxGrid Cloud implementation. Cisco pxGrid Cloud allows you to share contextual information between Cisco Identity Services Engine (Cisco ISE) and other cloud-based solutions.

To configure Cisco pxGrid Cloud in the Cisco Spaces dashboard, you require a token from [Cisco DNA - Cloud](#). This token must be validated at pxGrid Cloud. After successful validation, the app is activated in the pxGrid Cloud, thereby allowing the services to be used in the Cisco Spaces dashboard.




---

**Note** Currently, only Cisco pxGrid Cloud GUI support is available in Cisco Spaces. Backend changes are expected to be included in the future.

---

### Firehose

A new event called WEBEX Telemetry is added in Firehose. This event is initiated when telemetry data is received from the Cisco Webex devices from the location.




---

**Note** Currently, GUI support for enabling this event in Cisco Spaces **Partner Dashboard** is not available. Contact [Cisco Spaces support](#) to enable this new event from the backend.

---

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces dashboard:

- **Camera Zone Support for Meraki Networks:** In **Location Hierarchy**, for the newly added networks with camera zones in Meraki, zones are added to **Location Hierarchy** along with the networks.

For existing networks, the camera zones that are added, modified, or removed in Meraki are synchronized with the **Location Hierarchy** during the background synchronization process.




---

**Note** Currently, GUI support to display the camera zones in the Cisco Spaces dashboard is not available.

---

- **IoT Explorer:** Cisco Spaces dashboard now supports the import of MT Sensor devices in the **Temperature Monitoring** section of the **IoT Explorer** app.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:



- Identifier: Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- Description: A description of what is observed when the issue occurs.

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

**Table 55: Cisco Spaces Resolved Issues**

Issue Identifier	Issue Description
<a href="#">CSCwd19341</a>	Dashboard view is not showing up in the Detect and Locate App
<a href="#">CSCwc46949</a>	Custom widgets in location analytics keep loading when user selects multiple locations
<a href="#">CSCwc91835</a>	On clicking report button from 503 error page is showing invalid email address
<a href="#">CSCwc93338</a>	Meraki APs not positioned correctly in Detect and Locate
<a href="#">CSCwd02169</a>	Floor map images are not rendered, and clients are not visible in Detect and Locate





## August 2022

---

- [What's New in this Release, on page 119](#)
- [What's Changed in this Release, on page 119](#)
- [Issues, on page 120](#)

## What's New in this Release

### Location Hierarchy

The following new features are introduced in **Location Hierarchy** to support the Cisco Smart workspaces use cases.

**Location Hierarchy** background synchronization now supports:

- Synchronization of the Meraki MT sensor devices in the Meraki networks or floor locations.
- Synchronization of Cisco Webex devices with meeting rooms and desks.

## What's Changed in this Release

### Cisco Spaces Partner Dashboard

The following enhancement is made in the Cisco Spaces Partner dashboard:

A new event called NETWORK\_STATUS\_UPDATE is added in the **Events** section. This event provides network information such as status, last heard, type, connector name, IP address and so on.

### Cisco Spaces Dashboard

The following enhancement is made in the Cisco Spaces dashboard:

### OpenRoaming SDK Profile

Cisco Spaces now supports configuration of OpenRoaming Wi-Fi profile using the **Menu** (☰) **Integrations** > **Cisco Spaces SDK** > **Configure Profile** window. You can create a customer specific profile for a particular tenant based on the values you provide in the **Configure Profile** window.

Prior to this enhancement, the profile used to be updated manually in the backend.

### Data Export

Data export configuration now supports the following additional data export types:

- Captive portal - Customer Acquisition
- Right Now - People Count (Camera)



**Note** For Cisco Spaces dashboard SEE license customer accounts, data export types such as Captive portal, and Engagement and Location Personas are not available for export. For ACT license customer accounts, all data types are available for export.

### Location Hierarchy

During the background synchronization process, the Meraki Scanning API Notification URL for configuration template networks are updated automatically.

### Firehose API

A new field, **openRoamingUserId**, is added for the Wi-Fi events in the Firehose API. This field carries the identity of the OpenRoaming users who are onboarded by the SDK. In other cases, the value of this field is nil.

### Map Service

Map Service API performance is enhanced to get the import history and status.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.



## July 2022

---

- [What's New in this Release, on page 121](#)
- [What's Changed in this Release, on page 121](#)
- [Issues, on page 122](#)

## What's New in this Release

### Cisco Spaces dashboard

The following feature is introduced in the Cisco Spaces dashboard:

Secure File Transfer Protocol (SFTP) data export configuration is now available in the Cisco Spaces dashboard.

In the Cisco Spaces dashboard, click the **Menu** icon (  ) and choose **Setup > Data Export**. Use this option to configure the automatic export of raw data as CSV files to SFTP servers.

The following are the different types of data available for export:

- Visits
- Right Now - People Count (Wi-Fi)
- Engagement - Rule Activity
- Location Personas - Rule Activity
- Open Roaming - User Data

For more information about routing the SFTP connection over VPN, contact [Cisco Spaces support](#).

## What's Changed in this Release

### Map Service

The following enhancements are made in Map Service:

- **Support for Map Hierarchy Migration from Cisco Prime Infrastructure to Cisco Catalyst Center:** Cisco Spaces Location Hierarchy now supports import of migration data with nested sites from Cisco Prime Infrastructure to Cisco Catalyst Center.

- **Support for Cisco Catalyst Center Nested Site Hierarchy:** You can now import or synchronize new sites from Cisco Catalyst Center to Cisco Spaces on top of the existing site hierarchy.
- **Support for Planned Access Point (AP) Import:** You can now import planned APs into Map Service.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.



## CHAPTER 39

### June 2022

---

- [What's New in this Release, on page 123](#)
- [What's Changed in this Release, on page 123](#)
- [Issues, on page 124](#)

## What's New in this Release

### Cisco Spaces dashboard

The following feature is introduced in the Cisco Spaces dashboard:

#### IoT Explorer Application

Internet of Things (IoT) Explorer application is the 3rd generation enhanced version of Operational Insights and Cisco Asset Locator applications. The **IoT Explorer** application is designed to bring in quick value to users exploring device driven IoT use cases in Cisco Spaces and to add value to IoT services at the ACT licensing level.

This application accomplishes the three use cases listed below:

- Asset Tracking
- Space Occupancy/Presence Detection
- Temperature Monitoring

Within each of these use cases, you can create rules/alerts, view data logs, view the real time location and status of the device or sensor. The **IoT Explorer** application UI is designed to set up the use case in a simplified way.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancement is made in the Cisco Spaces dashboard:

#### Cisco Spaces: Connector 3.0

Cisco Spaces: Connector 3.0 (referred to as Connector in all subsequent references in this document) is a fully redesigned version of the Connector with the capability to efficiently manage multiple services that connect to different network devices such as Cisco Wireless controller and switches for data. The Connector platform makes it easy to add/remove new services from the cloud. It enables enhanced troubleshooting with debugging, log upload, and restart functionalities from the cloud. Connector also provides detailed metrics for each service with CPU, Memory, Connectivity and Up/Down status.

Connector is the next generation connector of Cisco Spaces that provides an enhanced user experience, architecture to support multiple services, simplicity, modularity, seamless upgrade and High Availability. Connector supports an active-active High Availability setup. Unlike the earlier releases of Connector 2.x, you can specifically configure and monitor the High Availability pair. All services and device configurations are managed at the Connector level to make it easy to pair with High Availability.

The Connector and device status is also aggregated at the Connector level from each instance for easy monitoring. Connector provides full visibility to each instance of a High Availability pair. You can view how the services are running on each instance, their upgrade status and so on. You can also perform actions on a particular instance, such as restarting of services.

### Right Now

The following enhancement is made in the Right Now app:

The **Right Now** app is enhanced to address issues with counts when there are any changes in the **Location Hierarchy**.

Prior to this enhancement, changes in **Location Hierarchy** such as adding new locations, removing existing locations or updating vital parameters such as **TimeZone** introduced stale or incorrect counts for Wi-Fi.




---

**Note** With this enhancement, the **Presence** chart count gets reset (removes all existing numbers until the current time) for the present day because the counts are invalid after the **Location Hierarchy** changes.

---

### Map Service

The following enhancement is made in Map Service:

When you delete a zone location from the **Map Service** UI, the same is deleted from **Location Hierarchy** as well.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.



## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.





## CHAPTER 40

# May 2022

---

- [What's New in this Release, on page 127](#)
- [What's Changed in this Release, on page 127](#)
- [Issues, on page 128](#)

## What's New in this Release

### Cisco Spaces dashboard

The following features are introduced in the Cisco Spaces dashboard:

### Cisco Webex Integration

Cisco Webex is now integrated with Cisco Spaces. This integration enables Cisco Webex devices in the **Webex Control Hub** account to perform a cloud-to-cloud integration between **Webex Control Hub** and Cisco Spaces.

This integration supports:

- Synchronization of Cisco Webex entities such as Cisco Webex workspaces, devices, workspace locations, and floor details from the **Webex Control Hub**. The synchronization process is scheduled in the backend every three hours after the token is configured in the Cisco Spaces dashboard. Choose **Setup > Webex** to configure the tokens.
- Cisco Webex devices to send device data such as temperature, air quality, occupancy, and so on, which is then used in **Cisco Smart Workspaces**



---

**Note** Currently, this integration is only intended for **Cisco Smart Workspaces** users.

---

## What's Changed in this Release

### Cisco Spaces dashboard

The following enhancements are made in the Cisco Spaces Dashboard:

### Single Use Access Code in Cisco Spaces

Cisco Spaces is enhanced to support the creation of a single-use access code. Choose **Captive Portal > Access Code > Create Access Code** to create a new single-use access code. The generated access code is for one-time use only. You can choose either the **Numeric** or the **Alphanumeric** option while creating the access code.

The status of the new access code is shown as **Available** in the **View Access Codes** window. After the access code is used, the status changes to **Used**.

### Captive Portal

The following enhancement is made in the Cisco Spaces Captive Portal:

#### Single Use Access Code Support in Captive Portal Runtime

The Cisco Spaces Captive Portal is enhanced to support single-use access codes. The generated access code is for one-time use only. If the access code is already used once, the following error message is displayed:

```
invalid access code.
```

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

*Table 56: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwb99689</a>	Clients are not showing up in the Detect and Locate app due to null ancestor IDs in the map floor API response.





# CHAPTER 41

## April 2022

---

- [What's New in this Release, on page 131](#)
- [What's Changed in this Release, on page 131](#)
- [Issues, on page 132](#)

## What's New in this Release

There are no new features in this release.

## What's Changed in this Release

### Cisco Spaces Dashboard

The following enhancements are made in the Cisco Spaces Dashboard:

#### Cisco Customer Identity Integration with Cisco Spaces

Cisco Spaces is now integrated with the Cisco Customer Identity (CCI) application for the login workflow. Cisco Spaces users are now redirected to the CCI application window for login authentication and then proceed to log in to the Cisco Spaces Dashboard.

The new workflow is applicable for the following users:

- Cisco domain users
- Customer domain non-SSO users

With the introduction of CCI integration, you can now use the **Switch Users** option to switch between different email addresses in the Cisco Spaces login window.



---

**Note** Customer domain SSO users can continue to use the existing login workflow.

---

### Location Analytics

Location Analytics now shows the hierarchy path of the filtered location. The filtered location path is displayed in the widgets available in the home page and the **Custom Reports** section except for the **Path** widget.

### Cisco Spaces Partner Dashboard

The following enhancement is made in the Cisco Spaces Partner Dashboard:

#### CCI Integration with Partner Dashboard

The Cisco Spaces Partner Dashboard is now integrated with the CCI application for login workflow. This feature is similar to Cisco Spaces the Cisco Spaces Dashboard.

The Cisco Spaces Partner Dashboard users can switch between different email addresses using the **Switch Users** option available in the Cisco Spaces Partner Dashboard login window.

### Map Service

The following enhancements are made in the Cisco Spaces **Map Service**:

#### GPS Markers Warning Message

The GPS markers warning message that is displayed in the **Import History** section shows only the floor name if an imported location has invalid GPS markers. With this enhancement, the message shows the entire hierarchy in the **Import History** section for the floor with invalid GPS markers.

#### Cisco Catalyst Wireless 9164I Wi-Fi 6E Series Access Points (AP) Support

- The Cisco Catalyst Wireless 9164I Wi-Fi 6E Series AP support is added in the **Map Service**.
- You can now import the Cisco Catalyst Wireless 9164I Wi-Fi 6E Series APs into Cisco Spaces using the **Map Service**.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- Identifier: Each caveat is assigned a unique identifier (ID) with a pattern of CSCxxNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific caveat.
- Description: A description of what is observed when the issue occurs.

This section contains the following topics:

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

There are no open issues in this release of Cisco Spaces.



## Resolved Issues

This section lists the issues that have been resolved in this release of Cisco Spaces.

*Table 57: Cisco Spaces Resolved Issues*

Issue Identifier	Issue Description
<a href="#">CSCwb33270</a>	Internal failure error while doing Cisco Spaces sync manually.





## CHAPTER 42

### March 2022

---

- [What's New in this Release, on page 135](#)
- [What's Changed in this Release, on page 135](#)
- [Issues, on page 135](#)

## What's New in this Release

### Partner Dashboard

The following features have been introduced in the Cisco Spaces Partner Dashboard:

### Trace Firehose

A new feature called **Trace Firehose** is introduced in the Cisco Spaces Partner Dashboard. This feature is available under **Your Apps > App Tile > More > Trace Firehose**. This feature provides the following two options to view the firehose data from the Cisco Spaces Partner Dashboard:

- **Download historical data:** Use this option to download hourly data for the last 24 hours. Choose a required time slot to download a text file with firehose events triggered within the selected time slot.
- **Download present data:** Use this option to view the live stream of firehose events in the Cisco Spaces Partner Dashboard UI for a period of five minutes.

## What's Changed in this Release

### Mapservice

The following enhancement is made in the Cisco Spaces **Mapservice**:

Import of planned Access Points into **Mapservice** and **Location Hierarchy** is not supported.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- Identifier: Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- Description: A description of what is observed when the issue occurs.

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

This section lists the open issues in this release of Cisco Spaces. An issue that was open for a prior release and is still unresolved applies to all future releases until it is fixed.

**Table 58: Cisco Spaces Open Issues**

Issue Identifier	Issue Description
<a href="#">CSCwb30644</a>	OpenRoaming stats are not shown when integrated with Meraki.

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.



## CHAPTER 43

### February 2022

---

- [What's New in this Release, on page 137](#)
- [What's Changed in this Release, on page 137](#)
- [Issues, on page 137](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

### Partner Dashboard

The following enhancement is made in the Cisco Spaces Partner Dashboard:

For the Multi-Tenant Cloud applications, under the **Integration Details** tab, the API keys for a **Live** app are now displayed as follows:

- You can only renew and copy the production API keys if the app is in **Live** state.
- To renew and copy the sandbox and pre-production API keys of an app in **Live** state, partner needs to create a new version of the app and copy and renew the keys in the **Draft** version of app.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.



## CHAPTER 44

### January 2022

---

- [What's New in this Release, on page 139](#)
- [What's Changed in this Release, on page 139](#)
- [Issues, on page 139](#)

## What's New in this Release

There are no new features in this release of Cisco Spaces.

## What's Changed in this Release

### Dashboard

The following enhancement is made in the Cisco Spaces Dashboard:

### Behavior Metrics

The Behavior Metrics is enhanced to show **Sub Vertical** level benchmark metrics. This is applicable for category average metrics and accounts where a sub vertical is defined.

If a sub vertical is not defined, category average metrics are computed based on the vertical level benchmark.

## Issues

Issues describe unexpected behavior in the Cisco Spaces application. The Resolved Issues and Open Issues sections list the issues in this release.

The following information is provided for each issue:

- **Identifier:** Each issue is assigned a unique identifier (ID) with a pattern of CSCxxNNNNN, where *x* is any letter (a-z) and *N* is any number (0-9). These IDs are frequently referenced in Cisco documentation, such as Security Advisories, Field Notices, and other Cisco support documents. Cisco Technical Assistance Center (TAC) engineers or other Cisco staff can also provide you with the ID for a specific issue.
- **Description:** A description of what is observed when the issue occurs.

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Open Issues

There are no open issues in this release of Cisco Spaces.

## Resolved Issues

There are no resolved issues in this release of Cisco Spaces.





## PART **V**

# 2021 and Earlier Releases

- [2021 and Earlier Releases, on page 143](#)





## CHAPTER 45

# 2021 and Earlier Releases

---

- [2021 and Earlier Releases](#), on page 143

## 2021 and Earlier Releases

For Cisco Spaces Release Notes from 2021 and earlier, see [Release Notes Archive for Cisco Spaces](#).





# APPENDIX A

## Support Information

---

- [Related Documentation](#), on page 145
- [Communications, services, and additional information](#), on page 146

## Related Documentation

- All user documentation for Cisco Spaces is available at <https://www.cisco.com/c/en/us/support/wireless/dna-spaces/series.html>.
  - [Cisco Spaces Data Sheet](#)
  - [Cisco Spaces Configuration Guide](#)
  - [Release Notes for Cisco Spaces: Connector](#)
  - [Guide to Migrating Location Services to Cisco Spaces](#)
  - [Cisco Spaces compatibility with other Cisco products](#)
  - [Cisco Wireless Solutions Software Compatibility Matrix](#)
- For information on Cisco Spaces feature compatibility depending on type of connection, see *Table 3 Feature compatibility depending on type of connection* in the [Cisco Spaces Data Sheet](#).
- For information on features included in the Cisco Spaces See, Extend, and Act licenses, see *Table 5 Features included in Cisco Spaces See, Extend, and Act* at:  
<https://www.cisco.com/c/en/us/products/collateral/wireless/dna-spaces/datasheet-c78-741786.html#PlatformArchitectureandfeatures>
- For information on migrating Location Services to Cisco Spaces, see <https://www.cisco.com/c/en/us/solutions/collateral/enterprise-networks/dna-spaces/guide-c07-744932.html>.
- For information on the integration of Cisco Spaces with Catalyst Center, see the Chapter "Cisco Catalyst Center Integration" in the *Cisco Spaces Configuration Guide* at:  
[https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/Mobility/DNA-Spaces/cisco-dna-spaces-config/dnaspaces-configuration-guide/m\\_dnac.html](https://www.cisco.com/c/en/us/td/docs/solutions/Enterprise/Mobility/DNA-Spaces/cisco-dna-spaces-config/dnaspaces-configuration-guide/m_dnac.html)
- For more information on Cisco Prime Infrastructure to Catalyst Center data migration, see [Cisco Digital Network Architecture Center Data Migration Guide](#) or [Migrate Data from Cisco Prime Infrastructure to Catalyst Center](#).

- All user documentation for Cisco Prime Infrastructure is available at:  
<https://www.cisco.com/c/en/us/support/cloud-systems-management/prime-infrastructure/series.html>
- All user documentation for Catalyst Center is available at:  
<https://www.cisco.com/c/en/us/support/cloud-systems-management/dna-center/series.html>
- For Cisco Spaces support information, see [Support](#) or contact [Cisco Spaces support team](#).

## Communications, services, and additional information

- To receive timely, relevant information from Cisco, sign up at [Cisco Profile Manager](#).
- To get the business impact you're looking for with the technologies that matter, visit [Cisco Services](#).
- To submit a service request, visit [Cisco Support](#).
- To discover and browse secure, validated enterprise-class apps, products, solutions, and services, visit [Cisco DevNet](#).
- To obtain general networking, training, and certification titles, visit [Cisco Press](#).
- To find warranty information for a specific product or product family, access [Cisco Warranty Finder](#).

## Cisco Bug Search Tool

[Cisco Bug Search Tool](#) (BST) is a gateway to the Cisco bug-tracking system, which maintains a comprehensive list of defects and vulnerabilities in Cisco products and software. The BST provides you with detailed defect information about your products and software.

## Documentation feedback

To provide feedback about Cisco technical documentation, use the feedback form available in the right pane of every online document.