



Release Notes for UCC 5G AMF, Release 2026.01.1

Contents

Ultra Cloud Core - Access and Mobility Management Function, Release 2026.01.1	3
New software features	3
Changes in behavior	3
Resolved issues	3
Open issues	4
Compatibility	4
Supported software packages	4
Related resources	6
Legal information	7

Ultra Cloud Core - Access and Mobility Management Function, Release 2026.01.1

This Release Notes identifies changes and issues related to the software release of Access and Mobility Management Function (AMF).

For more information on the AMF software, see the [Related resources](#) section.

Release Lifecycle Milestones

This table provides EoL milestones for Cisco Ultra Cloud Core - Access and Mobility Management Function software:

Table 1. EoL milestone information for UCC AMF, Release 2026.01.1

Milestone	Date
First Customer Ship (FCS)	30-Jan-2026
End of Life (EoL)	30-Jan-2026
End of Software Maintenance (EoSM)	31-July-2027
End of Vulnerability and Security Support (EoVSS)	31-July-2027
Last Date of Support (LDoS)	31-July-2028

These milestones and the intervals between them are defined in the [Cisco Ultra Cloud Core \(UCC\) Software Release Lifecycle Product Bulletin](#) available on cisco.com.

New software features

There are no new features introduced in this release.

Changes in behavior

There are no behavior changes in this release.

Resolved issues

This table lists the resolved issues in this specific software release.

Note: This software release may contain bug fixes first identified in other releases. To see additional information, click the bug ID to access the [Cisco Bug Search Tool](#). To search for a documented Cisco product issue, type in the browser: <bug_number> site:cisco.com

Table 2. Resolved issues for UCC AMF, Release 2026.01.1

Bug ID	Description
CSCws61370	AMF doesn't support some SCTP parameter
CSCws94146	AMF should handle Service Req from gnb even when AMF has UE State as connected

Bug ID	Description
CSCws94534	lwkEpsInd is getting changed to false from true during UDM->RestEP->AMF Service commute
CSCwt02978	"Payload Protocol Identifier" value as "unknown" for NGAP/SCTP
CSCwt03427	"GNB-ID" to display in "show peer" command output
CSCwt28859	AMF NED 2026.01.0 does not support CDL/ETCD config

Open issues

This table lists the open issues in this specific software release.

Note: This software release may contain open bugs first identified in other releases. To see additional information, click the bug ID to access the [Cisco Bug Search Tool](#).

Table 3. Open issues for Ultra Cloud Core - Access and Mobility Management Function, Release 2026.01.1s

Bug ID	Description
CSCwt02824	minor service pod memory leak observed during longevity run

Compatibility

This section lists compatibility information of the Cisco UCC software products that are verified to work with this version of the UCC AMF software.

Table 4. Compatibility information for UCC AMF, Release 2026.01.1

Product	Supported Release
Ultra Cloud Core SMI	2026.01.1.08
Ultra Cloud CDL	2.1.0

Supported software packages

This section provides information about the release packages associated with UCC AMF software.

Table 5. Software packages for UCC AMF, Release 2026.01.1

Software Package	Version
amf.2026.01.1.SPA.tgz	2026.01.1
cdl-2.1.0.i0-amf-2026.01.1.SPA.tgz	2.1.0
NED package	ncs-6.4.8.2-amf-nc-1.1.2026.01.1
NSO	6.4.8.2

Cloud native product version numbering system

The show helm list command displays detailed information about the version of the cloud native product currently deployed.

Versioning: Format & Field Description

YYYY.RN.MN[.TTN] [.dN] [.MR][.iBN]

Where,

<p>YYYY → 4 Digit year.</p> <ul style="list-style-type: none"> • Mandatory Field. • Starts with 2020. • Incremented after the last planned release of year. <p>RN → Major Release Number.</p> <ul style="list-style-type: none"> • Mandatory Field. • Starts with 1. • Support preceding 0. • Reset to 1 after the last planned release of a year(YYYY). <p>MN → Maintenance Number.</p> <ul style="list-style-type: none"> • Mandatory Field. • Starts with 0. • Does not support preceding 0. • Reset to 0 at the beginning of every major release for that release. • Incremented for every maintenance release. • Preceded by "m" for bulbs from main branch. 	<p>TTN → Throttle of Throttle Number.</p> <ul style="list-style-type: none"> • Optional Field, Starts with 1. • Precedes with "t" which represents the word "throttle or throttle". • Applicable only in "Throttle of Throttle" cases. • Reset to 1 at the beginning of every major release for that release. <p>DN → Dev branch Number</p> <ul style="list-style-type: none"> • Same as TTN except Used for DEV branches. • Precedes with "d" which represents "dev branch". <p>MR → Major Release for TOT and DEV branches</p> <ul style="list-style-type: none"> • Only applicable for TOT and DEV Branches. • Starts with 0 for every new TOT and DEV branch. <p>BN → Build Number</p> <ul style="list-style-type: none"> • Optional Field, Starts with 1. • Precedes with "t" which represents the word "interim". • Does not support preceding 0. • Reset at the beginning of every major release for that release. • Reset of every throttle of throttle.
---	---

Figure 1. Cloud native product versioning format and description


The appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format facilitates identifying the changes between releases when using Bug Search Tool to research software releases.

Software Integrity Version

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Image checksum information is available through **Cisco.com Software Download Details**. To find the checksum, hover the mouse pointer over the software image you have downloaded.

Figure 2. Sample of AMF software image Software Download



At the bottom you find the SHA512 checksum, if you do not see the whole checksum you can expand it by pressing the "..." at the end.

To validate the information, calculate a SHA512 checksum using the information in the following table and verify that it matches the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop, see this table.

Table 6. SHA512 checksum calculation commands by operating system

Operating System	SHA512 checksum calculation command examples
Microsoft Windows	Open a command line window and type the following command: > certutil.exe -hashfile <filename.extension> SHA512
Apple MAC	Open a terminal window and type the following command: \$ shasum -a 512 <filename.extension>
Linux	Open a terminal window and type the following command: \$ sha512sum <filename.extension> OR \$ shasum -a 512 <filename.extension>
<filename> is the name of the file. <extension> is the file type extension (for example, .zip or .tgz).	

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image or the image has not been corrupted during download.

If the SHA512 checksum does not match, we advise you not to attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

Certificate Validation

AMF software images are signed via x509 certificates. Please view the .README file packaged with the software for information and instructions on how to validate the certificates.

Related resources

The following table provides key resources and links to the essential documentation and support information for the Ultra Cloud Core AMF and Subscriber Microservices Infrastructure (SMI).

Table 7. Related resources and additional information

Resource	Link
AMF documentation	Access and Mobility Management Function
SMI documentation	Subscriber Microservices Infrastructure
Service Request and Additional information	Cisco Support

Legal information

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL:

<https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2026 Cisco Systems, Inc. All rights reserved.