



GMDviaMBMSbyMB2

API for Group Message Delivery via MBMS by MB2.

- [OpenAPI, on page 1](#)
- [info, on page 1](#)
- [externalDocs, on page 1](#)
- [security, on page 1](#)
- [servers, on page 2](#)
- [paths, on page 2](#)
- [components, on page 16](#)

OpenAPI

OpenAPI Version: 3.0.0

info

Title: GMDviaMBMSbyMB2

Description: API for Group Message Delivery via MBMS by MB2

Version: "1.0.0"

externalDocs

Description: 3GPP TS 29.122 V15.2.0 T8 reference point for Northbound APIs

URL: 'http://www.3gpp.org/ftp/Specs/archive/29_series/29.122/'

security

- {}
- oAuth2ClientCredentials: []

servers

URL: '{apiRoot}/3gpp-group-message-delivery-mb2/v1'

Variables:

API Root:

Default: https://example.com

Description: apiRoot as defined in subclause 5.2.4 of 3GPP TS 29.122.

paths

scsAsId tmgi allocation

get:

Summary: read all TMGI Allocation resource for a given SCS/AS

Tags:

- TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of TMGI Allocation resource)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TMGIAAllocation'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Method: Post

Summary: creates a new TMGI Allocation resource for a given SCS/AS

Tags:

- TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the TMGI Allocation to be created in the SCEF

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TMGIAAllocation'

Responses:

'201' successful creation of an TMGI Allocation

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TMGIAAllocation'

Headers:

Location:

Description: 'Contains the URI of the newly created resource'

Required/Optional: true

Schema:

Type: string

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'
 '401': Reference 'TS29122_CommonData.yaml#/components/responses/401'
 '403': Reference 'TS29122_CommonData.yaml#/components/responses/403'
 '404': Reference 'TS29122_CommonData.yaml#/components/responses/404'
 '411': Reference 'TS29122_CommonData.yaml#/components/responses/411'
 '413': Reference 'TS29122_CommonData.yaml#/components/responses/413'
 '415': Reference 'TS29122_CommonData.yaml#/components/responses/415'
 '429': Reference 'TS29122_CommonData.yaml#/components/responses/429'
 '500': Reference 'TS29122_CommonData.yaml#/components/responses/500'
 '503': Reference 'TS29122_CommonData.yaml#/components/responses/503'
default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId tmgi allocation tmgi

get:

Summary: read a TMGI Allocation resource for a given SCS/AS and a TMGI

Tags:

- Individual TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of TMGI Allocation resource)

Content:

Application/JSON:

Schema:**Reference:** '#/components/schemas/TMGIAAllocation'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'**put:****Summary:** Updates an existing TMGI Allocation resource for a given SCS/AS and a TMGI**Tags:**

- Individual TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path**Description:** Identifier of SCS/AS**Required/Optional:** true**Schema:****Type:** string

- name: tmgi

In: path**Description:** TMGI**Required/Optional:** true**Schema:****Type:** string**Request Body:****Description:** representation of the TMGI Allocation to be updated in the SCEF**Required/Optional:** true**Content:****Application/JSON:****Schema:**

Reference: '#/components/schemas/TMGIAAllocation'

Responses:

'200': successful creation of an TMGI Allocation

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TMGIAAllocation'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

patch:

Summary: Updates an existing TMGI Allocation resource for a given SCS/AS and a TMGI

Tags:

- Individual TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the TMGI Allocation to be updated in the SCEF

Required/Optional: true

Content:

application/merge-patch+json:

Schema:

Reference: '#/components/schemas/TMGIAAllocationPatch'

Responses:

'200' successful creation of an TMGI Allocation

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/TMGIAAllocation'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

delete:

Summary: deletes an existing TMGI Allocation resource for a given SCS/AS and a TMGI

Tags:

- Individual TMGI Allocatin Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:**Type:** string

- name: tmgi

In: path**Description:** TMGI**Required/Optional:** true**Schema:****Type:** string**Responses:****'204'** No Content, successful deletion of an TMGI Allocation**'400'**: Reference 'TS29122_CommonData.yaml#/components/responses/400'**'401'**: Reference 'TS29122_CommonData.yaml#/components/responses/401'**'403'**: Reference 'TS29122_CommonData.yaml#/components/responses/403'**'404'**: Reference 'TS29122_CommonData.yaml#/components/responses/404'**'429'**: Reference 'TS29122_CommonData.yaml#/components/responses/429'**'500'**: Reference 'TS29122_CommonData.yaml#/components/responses/500'**'503'**: Reference 'TS29122_CommonData.yaml#/components/responses/503'**default**: Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId tmgi-allocation tmgi delivery via mbms

get:**Summary:** read all group message delivery via MBMS resource for a given SCS/AS and a TMGI**Tags:**

- Delivery via MBMS Operation

Parameters:

- name: scsAsId

In: path**Description:** Identifier of SCS/AS**Required/Optional:** true**Schema:****Type:** string

- name: tmgi

In: path**Description:** TMGI

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of Delivery via MBMS resource)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Method: Post

Summary: Creates a new delivery via MBMS for a given SCS/AS and a TMGI

Tags:

- Delivery via MBMS Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the GMD via MBMS by MB2 resource to be Created in the SCEF

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

Callbacks:

gMDByMb2Notification:

'\${request.body#/notificationDestination}':

Method: Post

Request Body: # contents of the callback message

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDByMb2Notification'

Responses:

'200' OK (The successful acknowledgement of the notification with a body)

Content:

Application/JSON:

Schema:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Acknowledgement'

'204' successful notification

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Responses:

'201' successful creation of an GMD via MBMS by MB2 resource

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

Headers:

Location:

Description: 'Contains the URI of the newly created resource'

Required/Optional: true

Schema:

Type: string

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId tmgi allocation tmgi delivery via mbms transactionId

get:

Summary: read all group message delivery via MBMS resource for a given SCS/AS and a TMGI

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Responses:

'200': OK (successful query of an Delivery via MBMS resource)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

put:

Summary: Updates a existing delivery via MBMS for a given SCS/AS, a TMGI and transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the GMD via MBMS by MB2 resource to be updated in the SCEF

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

Responses:

'200' successful update of an individual GMD via MBMS by MB2 resource

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

patch:

Summary: Updates a existing delivery via MBMS for a given SCS/AS, a TMGI and transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the GMD via MBMS by MB2 resource to be updated in the SCEF

Required/Optional: true

Content:

application/merge-patch+json:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2Patch'

Responses:

'200': successful update of an individual GMD via MBMS by MB2 resource

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByMb2'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

delete:

Summary: deletes a delivery via MBMS resource for a given SCS/AS, a TMGI and a transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: tmgi

In: path

Description: TMGI

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Responses:

'204': No Content, successful deletion of an resource of deliery via MBMS

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

components

securitySchemes

oAuth2ClientCredentials

Type: oauth2

Flows:

clientCredentials:

tokenUrl: '{tokenUrl}'

scopes: {}

schemas

TMGIAAllocation

Type: object

Properties:

self:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

supportedFeatures:

Reference: 'TS29571_CommonData.yaml#/components/schemas/SupportedFeatures'

externalGroupId:

Reference: 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'

mbmsLocArea:

Reference: '#/components/schemas/MbmsLocArea'

tmgiExpiration:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTimeRo'

GMDViaMBMSByMb2

Type: object

Properties:

self:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

notificationDestination:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

requestTestNotification:

Type: boolean

Description: Set to true by the SCS/AS to request the SCEF to send a test notification as defined in subclause 5.2.5.3. Set to false or omitted otherwise.

websocketNotifConfig:

Reference: 'TS29122_CommonData.yaml#/components/schemas/WebsocketNotifConfig'

externalGroupId:

Reference: 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'

mbmsLocArea:

Reference: '#/components/schemas/MbmsLocArea'

messageDeliveryStartTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

groupMessagePayload:**Reference:** 'TS29122_CommonData.yaml#/components/schemas/Bytes'**scefMessageDeliveryIPv4:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/Ipv4AddrRo'**scefMessageDeliveryIPv6:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/Ipv6AddrRo'**scefMessageDeliveryPort:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/PortRo'**Required:**

- notificationDestination

GMDByMb2Notification

Type: object**Properties:****transaction:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/Link'**deliveryTriggerStatus:****Type:** boolean**Description:** Indicates whether delivery of group message payload corresponding to the TMGI was successful (TRUE) or not (FALSE)**Required:**

- transaction
- deliveryTriggerStatus

TMGIAAllocationPatch

Type: object**Properties:****externalGroupId:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'**mbmsLocArea:****Reference:** '#/components/schemas/MbmsLocArea'

GMDViaMBMSByMb2Patch

Type: object**Properties:****externalGroupId:**

Reference: 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'

mbmsLocArea:

Reference: '#/components/schemas/MbmsLocArea'

messageDeliveryStartTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

groupMessagePayload:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Bytes'

MbmsLocArea

Type: object

Properties:

cellId:

Type: array

Items:

Type: string

minItems: 1

Description: Indicates a Cell Global Identification of the user which identifies the cell the UE is registered.

eNodeBId:

Type: array

Items:

Type: string

minItems: 1

Description: Indicates an eNodeB in which the UE is currently located.

geographicArea:

Type: array

Items:

Reference: 'TS29572_Nlmf_Location.yaml#/components/schemas/GeographicArea'

minItems: 1

Description: Identifies a geographic area of the user where the UE is located.

mbmsServiceAreaId:

Type: array

Items:

Type: string

minItems: 1

Description: Identifies an MBMS Service Area Identity of the user where the UE is located.

civicAddress:

Type: array

Items:

Reference: 'TS29572_Nlmf_Location.yaml#/components/schemas/CivicAddress'

minItems: 1

Description: Identifies a civic address of the user where the UE is located.