



GMDviaMBMSbyxMB API

GMDviaMBMSbyxMB APIs is RESTful API that allow the SCS/AS to deliver the group message to the SCEF. It defines a set of data models, resources and the related procedures for the creation and management of the group message delivery.

- [OpenAPI, on page 1](#)
- [info, on page 1](#)
- [externalDocs, on page 1](#)
- [security, on page 1](#)
- [servers, on page 2](#)
- [paths, on page 2](#)
- [components, on page 14](#)

OpenAPI

OpenAPI Version: 3.0.0

info

Title: GMDviaMBMSbyxMB

Description: API for Group Message Delivery via MBMS by xMB

Version: "1.0.0"

externalDocs

Description: 3GPP TS 29.122 V15.2.0 T8 reference point for Northbound APIs

URL: 'http://www.3gpp.org/ftp/Specs/archive/29_series/29.122/'

security

- {}

- oAuth2ClientCredentials: []

servers

URL: '{apiRoot}/3gpp-group-message-delivery-xmb/v1'

Variables:

API Root:

Default: https://example.com

Description: apiRoot as defined in subclause 5.2.4 of 3GPP TS 29.122.

paths

scsAsId services

get:

Summary: read all service resources for a given SCS/AS

Tags:

- Service Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of service creation resource)

Content:

Application/JSON:

Schema:

Type: array

items:

Reference: '#/components/schemas/ServiceCreation'

minItems: 0

Description: The service resource for the SCS/AS in the request URI is returned.

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'
'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'
'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'
'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'
'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'
'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'
'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'
'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'
default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

Method: Post

Summary: creates a new service creation resource for a given SCS/AS

Tags:

- Service Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the service to be created in the SCEF

Required/Optional: true

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/ServiceCreation'

Responses:

'201' successful creation of a service

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/ServiceCreation'

Headers:

Location:

Description: 'Contains the URI of the newly created resource'

Required/Optional: true

Schema:

Type: string

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId services serviceld

get:

Summary: read a service resource for a given SCS/AS and a Service Id

Tags:

- Individual Service Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: serviceld

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of service resource)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/ServiceCreation'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

delete:

Summary: deletes an existing service resource for a given SCS/AS and a service id

Tags:

- Individual service Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: serviceId

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

Responses:

'204': No Content, successful deletion of a service resource
 '400': Reference 'TS29122_CommonData.yaml#/components/responses/400'
 '401': Reference 'TS29122_CommonData.yaml#/components/responses/401'
 '403': Reference 'TS29122_CommonData.yaml#/components/responses/403'
 '404': Reference 'TS29122_CommonData.yaml#/components/responses/404'
 '429': Reference 'TS29122_CommonData.yaml#/components/responses/429'
 '500': Reference 'TS29122_CommonData.yaml#/components/responses/500'
 '503': Reference 'TS29122_CommonData.yaml#/components/responses/503'
default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId services serviceld delivery via mbms

get:

Summary: read all group message delivery via MBMS resource for a given SCS/AS and a service id

Tags:

- Delivery via MBMS Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: serviceld

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

Responses:

'200' OK (successful query of Delivery via MBMS resource)

Content:

Application/JSON:

Schema:

Type: array

items:**Reference:** '#/components/schemas/GMDViaMBMSByxMB'**minItems:** 0

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'**Method:** Post**Summary:** Creates a new delivery via MBMS for a given SCS/AS and a service Id**Tags:**

- Delivery via MBMS Operation

Parameters:

- name: scsAsId

In: path**Description:** Identifier of SCS/AS**Required/Optional:** true**Schema:****Type:** string

- name: serviceId

In: path**Description:** Service Id**Required/Optional:** true**Schema:****Type:** string**Request Body:****Description:** representation of the GMD via MBMS by xMB resource to be Created in the SCEF**Required/Optional:** true**Content:****Application/JSON:**

Schema:**Reference:** '#/components/schemas/GMDViaMBMSByxMB'**Callbacks:****gMDByxMBNotification:**

'\${request.body#/notificationDestination}':

Method: Post**Request Body:** # contents of the callback message**Required/Optional:** true**Content:****Application/JSON:****Schema:****Reference:** '#/components/schemas/GMDByxMBNotification'**Responses:**

'200' OK (The successful acknowledgement of the notification with a body)

Content:**Application/JSON:****Schema:****Reference:** 'TS29122_CommonData.yaml#/components/schemas/Acknowledgement'

'204' successful notification

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'**Responses:**

'201' successful creation of an GMD via MBMS by xMB resource

Content:**Application/JSON:**

Schema:**Reference:** '#/components/schemas/GMDViaMBMSByxMB'**Headers:****Location:****Description:** 'Contains the URI of the newly created resource'**Required/Optional:** true**Schema:****Type:** string**'400':** Reference 'TS29122_CommonData.yaml#/components/responses/400'**'401':** Reference 'TS29122_CommonData.yaml#/components/responses/401'**'403':** Reference 'TS29122_CommonData.yaml#/components/responses/403'**'404':** Reference 'TS29122_CommonData.yaml#/components/responses/404'**'411':** Reference 'TS29122_CommonData.yaml#/components/responses/411'**'413':** Reference 'TS29122_CommonData.yaml#/components/responses/413'**'415':** Reference 'TS29122_CommonData.yaml#/components/responses/415'**'429':** Reference 'TS29122_CommonData.yaml#/components/responses/429'**'500':** Reference 'TS29122_CommonData.yaml#/components/responses/500'**'503':** Reference 'TS29122_CommonData.yaml#/components/responses/503'**default:** Reference 'TS29122_CommonData.yaml#/components/responses/default'

scsAsId services serviceld delivery via mbms transactionId

get:**Summary:** read all group message delivery via MBMS resource for a given SCS/AS and a service Id**Tags:**

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path**Description:** Identifier of SCS/AS**Required/Optional:** true**Schema:****Type:** string

- name: serviceld

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Responses:

'200': OK (successful query of an Delivery via MBMS resource)

Content:

Application/JSON:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByxMB'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'406': Reference 'TS29122_CommonData.yaml#/components/responses/406'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

put:

Summary: Updates an existing delivery via MBMS for a given SCS/AS, a service Id and transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:**Type:** string

- name: serviceId

In: path**Description:** Service Id**Required/Optional:** true**Schema:****Type:** string

- name: transactionId

In: path**Description:** Identifier of transaction**Required/Optional:** true**Schema:****Type:** string**Request Body:****Description:** representation of the GMD via MBMS by xMB resource to be updated in the SCEF**Required/Optional:** true**Content:****Application/JSON:****Schema:****Reference:** '#/components/schemas/GMDViaMBMSByxMB'**Responses:**

'200': successful update of an individual GMD via MBMS by xMB resource

Content:**Application/JSON:****Schema:****Reference:** '#/components/schemas/GMDViaMBMSByxMB'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

patch:

Summary: Updates an existing delivery via MBMS for a given SCS/AS, a service Id and transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: serviceId

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Request Body:

Description: representation of the GMD via MBMS by xMB resource to be updated in the SCEF

Required/Optional: true

Content:

application/merge-patch+json:

Schema:

Reference: '#/components/schemas/GMDViaMBMSByxMBPatch'

Responses:

'200': successful update of an individual GMD via MBMS by xMB resource

Content:**Application/JSON:****Schema:**

Reference: '#/components/schemas/GMDViaMBMSByxMB'

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'411': Reference 'TS29122_CommonData.yaml#/components/responses/411'

'413': Reference 'TS29122_CommonData.yaml#/components/responses/413'

'415': Reference 'TS29122_CommonData.yaml#/components/responses/415'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

delete:

Summary: deletes a delivery via MBMS resource for a given SCS/AS, a service Id and a transaction Id.

Tags:

- Individual Delivery via MBMS resource Operation

Parameters:

- name: scsAsId

In: path

Description: Identifier of SCS/AS

Required/Optional: true

Schema:

Type: string

- name: serviceId

In: path

Description: Service Id

Required/Optional: true

Schema:

Type: string

- name: transactionId

In: path

Description: Identifier of transaction

Required/Optional: true

Schema:

Type: string

Responses:

'204': No Content, successful deletion of an resource of deliery via MBMS

'400': Reference 'TS29122_CommonData.yaml#/components/responses/400'

'401': Reference 'TS29122_CommonData.yaml#/components/responses/401'

'403': Reference 'TS29122_CommonData.yaml#/components/responses/403'

'404': Reference 'TS29122_CommonData.yaml#/components/responses/404'

'429': Reference 'TS29122_CommonData.yaml#/components/responses/429'

'500': Reference 'TS29122_CommonData.yaml#/components/responses/500'

'503': Reference 'TS29122_CommonData.yaml#/components/responses/503'

default: Reference 'TS29122_CommonData.yaml#/components/responses/default'

components

securitySchemes

oAuth2ClientCredentials

Type: oauth2

Flows:

clientCredentials:

tokenUrl: '{tokenUrl}'

scopes: {}

schemas

ServiceCreation

Type: object

Properties:

self:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

supportedFeatures:

Reference: 'TS29571_CommonData.yaml#/components/schemas/SupportedFeatures'

externalGroupId:

Reference: 'TS29122_CommonData.yaml#/components/schemas/ExternalGroupId'

userServiceId:

Type: string

Description: Identifies the MBMS User Service supplied by the SCEF.

readOnly: true

serviceClass:

Type: string

Description: The service class that service belongs to supplied by the SCEF.

readOnly: true

serviceLanguages:

Type: array

Items:

Type: string

minItems: 1

Description: List of language of the service content supplied by the SCEF.

readOnly: true

serviceNames:

Type: array

Items:

Type: string

minItems: 1

Description: List of Service Names supplied by the SCEF.

readOnly: true

receiveOnlyMode:

Type: boolean

Description: When set to 'true', the Content Provider indicates that the service is a Receive Only Mode service. This parameter is supplied by the SCEF.

readOnly: true

serviceAnnouncementMode:

Reference: '#/components/schemas/ServiceAnnouncementMode'

GMDViaMBMSByxMB

Type: object

Properties:

self:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

notificationDestination:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

requestTestNotification:

Type: boolean

Description: Set to true by the SCS/AS to request the SCEF to send a test notification as defined in subclause 5.2.5.3. Set to false or omitted otherwise.

websockNotifConfig:

Reference: 'TS29122_CommonData.yaml#/components/schemas/WebsockNotifConfig'

mbmsLocArea:

Reference: '#/components/schemas/MbmsLocArea'

messageDeliveryStartTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

messageDeliveryStopTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

groupMessagePayload:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Bytes'

scefMessageDeliveryIPv4:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Ipv4AddrRo'

scefMessageDeliveryIPv6:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Ipv6AddrRo'

scefMessageDeliveryPort:

Reference: 'TS29122_CommonData.yaml#/components/schemas/PortRo'

Required:

- scsAsId

- notificationDestination

GMDByxMBNotification

Type: object

Properties:

transaction:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Link'

deliveryTriggerStatus:

Type: boolean

Description: Indicates whether delivery of group message payload was successful(TRUE) or not (FALSE)

Required:

- transaction
- deliveryTriggerStatus

GMDViaMBMSByxMBPatch

Type: object

Properties:

mbmsLocArea:

Reference: '#/components/schemas/MbmsLocArea'

messageDeliveryStartTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

messageDeliveryStopTime:

Reference: 'TS29122_CommonData.yaml#/components/schemas/DateTime'

groupMessagePayload:

Reference: 'TS29122_CommonData.yaml#/components/schemas/Bytes'

MbmsLocArea

Type: object

Properties:

cellId:

Type: array

Items:

Type: string

minItems: 1

Description: Indicates a Cell Global Identification of the user which identifies the cell the UE is registered.

eNodeBId:

Type: array

Items:

Type: string

minItems: 1

Description: Indicates an eNodeB in which the UE is currently located.

geographicArea:**Type:** array**Items:****Reference:** 'TS29572_Nlmf_Location.yaml#/components/schemas/GeographicArea'**minItems:** 1**Description:** Identifies a geographic area of the user where the UE is located.**mbmsServiceAreaId:****Type:** array**Items:****Type:** string**minItems:** 1**Description:** Identifies an MBMS Service Area Identity of the user where the UE is located.**civicAddress:****Type:** array**Items:****Reference:** 'TS29572_Nlmf_Location.yaml#/components/schemas/CivicAddress'**minItems:** 1**Description:** Identifies a civic address of the user where the UE is located.

ServiceAnnouncementMode

anyOf:

- type: string

This string provides forward-compatibility with future extensions to the enumeration but is not used to encode content defined in the present version of this API.

Possible values are

- SACH: BM-SC performs the service announcement for the current service using the SACH channel.
- CONTENT_PROVIDER: BM-SC provides the necessary service access information used by the Content Provider to create the service announcement information.

readOnly: true