Guide

Cisco public

CISCO
The bridge to possible

Benefits of Upgrading to Cisco Wi-Fi 6/6E Access Points

Contents

Why upgrade to Cisco Catalyst 9100 Access Points?

3



Why upgrade to Cisco Catalyst 9100 Access Points?

Today's focus is on access and making sure that the network can offer an experience that's truly unplugged and uninterrupted. Every year more devices are connected, more data is transmitted, and more cloud-driven apps are being used; the network needs to be fast and secure and never waver. Moving to a Wi-Fi 6 (802.11ax) network is a must because only this standard can support how your network needs to run.

The Wi-Fi 6 standard offers:

- · Higher capacity: Up to four times more than the previous standard
- · Reduced latency: Deterministic and uplink resource scheduling
- Power efficiency: Up to one third the power consumption on end devices
- Greater IoT coverage: IoT devices no longer have to be right next to your access points
- Improved interference mitigation: Get a better quality of experience

And upgrading to a Wi-Fi 6E network is a must because it means never having to wait for your data.

With a Wi-Fi 6E device, your customers are going to get their data faster than ever.

But how does it work? At its base, Wi-Fi 6E is simply an extension of Wi-Fi 6 into the 6-GHz spectrum. Since the spectrum is new and accepts only Wi-Fi 6E devices, it doesn't have any of the old issues that are clogging up current networks. It offers better:

- Capacity
- Network reliability
- Security with mandatory WPA3

The Cisco Catalyst 9100 Access Points are perfect for this foray into Wi-Fi 6/6E. The Catalyst 9100 family has access points that meet the needs of any sized network. They come equipped with up to four client-serving radios and Orthogonal Frequency-Division Multiple Access (OFDMA) and multiuser Multiple-Input Multiple-Output (MU-MIMO) support, and will lead the charge into the next generation of wireless. With Al/ML and advanced analytics baselining the network performance, Cisco wireless products are equipped to provide intelligent root-cause analysis and the ability to delve deeper into the network for greater visibility.

The Cisco Catalyst 9136 Series Access Points come with two 4x4 radios and one 8x8 radio. These access points have many of the same features as the Wi-Fi 6 Catalyst 9100 APs, but also come equipped with built-in environmental sensors, Smart AP, Band Steering and more.

The Cisco Catalyst 9166, 9164 and 9162 combines the power of Catalyst with the simplicity of Meraki giving customers the deployment flexibility of deploying their network on-premises or in the cloud. This choice of deployment ensures network investment protection while unlocking the power of flexible hybrid work.

The Cisco Catalyst 9100 Access Points:

- Scale to growing demands of mobile users, IoT, and cloud applications and deliver end-to-end policy, automation, and analytics across all domains, allowing for seamless and secure connection from anywhere to anyone at any time
- Will get a boost as Wi-Fi 6/6E allows support for new and emerging applications while providing a higher grade of service to older applications
- While recognizing that no network is guaranteed to be 100% safe, have policies in place that are one step ahead of attackers by enabling a network that has deep visibility into traffic patterns and the latest intelligence to protect and defend businesses
- The Catalyst 9136 Series supports the latest in network security and enforces denial of all network access by default—in other words zero-trust security. With WPA3 security now mandatory, the network is even more secure.
- Provide the agility of operational mode choice—on-premises or cloud (Catalyst 9166, 9164 and 9162 only).

The Cisco Catalyst 9100 Access Points can handle the network demands of any sized organization:

- Cisco Catalyst 9105, 9115 and 9162 Series Access Points for small to medium-sized organizations
- Cisco Catalyst 9120 and 9164 Series Access Points for medium-sized to large organizations
- Cisco Catalyst 9130 and 9166 Series Access Points for large, mission-critical organizations.
- Cisco Catalyst 9136 Series Access Points for large enterprise organizations.

 Table 1.
 Comparison of features and benefits of Aironet and Catalyst access points

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points | Wi-Fi 5 Cisco Aironet Access Points | Wi-Fi 6/6E Cisco Catalyst Access Points | Benefits |
|--|--------------------------------------|--|---|--|--|---|
| 3 | | 1600/2600/36 00 Series | 1700/2700/3700 Series | 1800/2800/3800/ 4800 Series | 9100 family | |
| Insights and | Maximum data rate | 450 Mbps (3600 Series) | 1.3 Gbps (2700 and 3700 Series) | 5.2 Gbps (2800, 3800, and 4800 Series) | Up to 9.6 Gbps (Wi-Fi 6) Up to 10.2 Gbps (Wi-Fi 6E) | Users will gain a better experience through a better- performing network |
| experiences | Built-in environmental sensors | No | No | No | Wi-Fi 6E (9136 and 9166 APs only) | Feature added to certain Wi-Fi 6E access points to measure temperature, air quality, and humidity |
| | Wi-Fi 6E Band steering | No | No | No | Wi-Fi 6E only | Helps clients that are 6-GHz capable to leave the 5-GHz radio and connect to the 6-GHz one |
| | Smart AP | No | No | No | Wi-Fi 6E only | The access point will change its power consumption to reflect the load it currently has. If there is a small enough number of clients, the access point will automatically reduce the radio stream count, saving power. |
| | Clean Air | Yes | Yes | Yes | Yes (CleanAir Pro for Wi-Fi 6E, see below) | CleanAir provides spectrum management and RF visibility. As a spectrum intelligence solution it is designed to proactively manage the challenges of a shared wireless spectrum. |
| | Cisco Clean Air Pro | No | No | No | Wi-Fi 6E only | Zero-wait DFS support on Catalyst Wi-Fi 6E |

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points | Wi-Fi 5 Cisco Aironet Access Points | Wi-Fi 6/6E Cisco Catalyst Access Points | Benefits |
|--|---|--|---|---|---|---|
| | | 1600/2600/36 00 Series | 1700/2700/3700 Series | 1800/2800/3800/ 4800 Series | 9100 family | |
| | | | | | | Access Points, updated for the 6GHz spectrum. No more one-minute channel available checks are needed as Al/ML-driven scanning radio Channel Availability Check DFS channels for radar activity. If no radar is found, the channel is added to a list so that the AP can change to that channel and operate on it immediately. |
| | Artificial Intelligence/ Machine Learning (AI/ML) | No | No | | | Unfolding AI/ML over your wireless deployment, Cisco DNA Center provides your next step in terms of increased performance, better efficiency and greater cost savings This allows for considerable network improvements in visibility, troubleshooting and even cybersecurity. AI/ML literally turns data into intuition, resulting in time savings and greater efficiency. |
| | Cisco Spaces | ✓ | ✓ | √ (Supports Cisco Spaces BLE feature) | √ (Supports Cisco Spaces BLE feature) | Analyze visitor behavior, make guest Wi-Fi access easier, track assets quickly and accurately, and provide visitors with a better experience |

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points 1700/2700/3700 Series | Wi-Fi 5 Cisco Aironet Access Points 1800/2800/3800/ 4800 Series | Wi-Fi 6/6E Cisco Catalyst Access Points 9100 family | Benefits |
|--|---|--|---|---|--|---|
| organization | | 1600/2600/36 00 Series | | | | |
| | | | | | | Cisco Spaces expands its location cloud platform beyond Wi-Fi to BLE tags, beacons and other IoT sensors. With gateway-enabled Cisco Wi-Fi 6 access points, it can easily scale advanced use cases while lowering TCO. (Available second half of calendar year 2020.) |
| | Cisco Application Visibility and Control (AVC) | No | ✓ | ✓ | ✓ | Visibility into 1000+ applications for capacity planning and prioritization |
| | Future-ready technology | 3600 Series only | 3700 Series only | 3800 Series only | ✓ | Prepare for next- generation technology today |
| | OEAP | ✓ | ✓ | ✓ | ✓ | Any Cisco Aironet or Catalyst access point can function as an OfficeExtend Access Point (OEAP). With an OEAP, an employee at home or in a temporary micro-office will have access to the corporate SSID and the corporate network without the need to set up a VPN or have any advanced technical know-how. |
| | OFDMA | No | No | No | ✓ | Allows scheduling which splits the bandwidth into smaller chunks called Resource Units (RU). These |

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points | Wi-Fi 5 Cisco Aironet Access Points | Wi-Fi 6/6E Cisco Catalyst Access Points | Benefits |
|--|---------------------------------|--|---|---|---|---|
| | | 1600/2600/36 00 Series | 1700/2700/3700 Series | 1800/2800/3800/ 4800 Series | 9100 family | |
| | | | | | | RUs can be allocated to individual clients only in the downlink direction to reduce overhead and 50% less latency resulting in faster working apps |
| | Target Wake Time | No | No | No | 9130 (9115 and 9120 future) | A power savings mode called this lets users determine prescheduled times to exchange data with the AP. This allows for significant energy savings for battery-operated devices, up to 3-4x versus prior 802.11n and 802.11ax |
| | Multi gigabit uplink support | No | No | 3800 and 4800 only | | Supports up to 5Gbps with NBase-T and IEEE 802.3bz Ethernet compatibility to seamlessly offload network traffic without bottlenecks. Existing Cat 5e or Cat 6 cabling to achieve speeds up to 5 Gbps which provides higher throughputs and saves money by conserving existing cabling |
| | Intelligent Capture | No | No | ✓ | ✓ | Probes the network and provides the Cisco DNA Center with deep data analysis |

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points | Wi-Fi 5 Cisco Aironet Access Points | Wi-Fi 6/6E Cisco Catalyst Access Points | |
|--|--|--|---|--|---|--|
| 3 | | 1600/2600/36 00 Series | 1700/2700/3700 Series | 1800/2800/3800/ 4800 Series | 9100 family | |
| ** | Flexible, software- defined, dual radios, 5 GHz | No | No | 2800 and 3800 Series only (4800 has four radios) | 9120 and 9130 Series only | Automated support for client surges with dual 5-GHz radios |
| Automation and Assurance | Apple FastLane | No | ✓ | ✓ | ✓ | Enables iOS devices to intelligently communicate and fast-track a connection to the best-suited access point, quickly and efficiently, all while saving battery power |
| | FastLane+ | No | No | No | ✓ | In collaboration with Apple, FastLane+ builds on the current FastLane QoS capability by adding advanced scheduling intelligence to optimize the application experience. |
| | Cisco DNA Center | No | ✓ | ✓ | ✓ | Simplifies network management by reducing risk and allowing for automating device deployment. Not only that but it lowers costs too |
| | Samsung and Intel Analytics | No | ✓ | ✓ | ✓ | Allows Samsung and Intel clients to send alerts and error codes to DNA Center for increased insight into the health and user experience of clients on the network. |

| Network requirement s for the digital organization | Feature | Wi-Fi 3 Cisco Aironet Access Points | Wi-Fi 4 Cisco Aironet Access Points | Wi-Fi 5 Cisco Aironet Access Points | Wi-Fi 6/6E Cisco Catalyst Access Points | Benefits |
|--|--|--|---|---|---|---|
| | | 1600/2600/36 00 Series | 1700/2700/3700 Series | 1800/2800/3800/ 4800 Series | 9100 family | |
| Security and compliance | Cisco Identity Services Engine (ISE) | ✓ | ✓ | ✓ | √ | A next-generation identity and access control policy platform that enforces compliance, enhances infrastructure security, and streamlines service operations |
| | NetFlow | No | ✓ | ✓ | ✓ | Provides a key set of services for IP applications, including network traffic accounting, usage-based network billing, network planning security, denial-of-service monitoring capabilities, and network monitoring |
| | Cisco Secure Network Analytics (formerly Stealthwatch) | No | ✓ | ✓ | ✓ | Enables advanced network visibility, analytics, and protection by showing everything that happens across your network and data center |

Learn more at https://www.cisco.com/go/wireless.

See more on controllers

The following table will assist you in finding models for the transition to next-generation wireless with end-to-end intent-based networking.

Table 2. Upgrade path to Wi-Fi 6

| Aironet 11ac Wave 2 | Catalyst 9100 Wi-Fi 6 series | Applications |
|---------------------|------------------------------|------------------------------------|
| AIR1815 | C9105 and C9162 | Small and medium-sized deployment |
| AIR 1830/1840/1850 | C9115 and C9164 | Small and medium-sized deployment |
| AIR2800 | C9120 and C9166 | Medium-sized to large deployment |
| AIR3800 | C9130 and C9136 | Large deployment, mission-critical |
| AIR4800 | C9136 | Large deployment, enterprise |
| AIR1560 | C9124 | Outdoor deployment |

Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore **Europe Headquarters**Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at https://www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA C96-738164-17 09/22