

Frame Relay Traffic Shaping – Token Bucket Flowchart

Document ID: 7412

Contents

Introduction

Prerequisites

- Requirements

- Components Used

- Conventions

Token Bucket Flowchart

Related Information

Introduction

This document provides an illustration of the packet flow in Frame Relay Traffic Shaping with the use of a token bucket filter.

Prerequisites

Requirements

Readers of this document should be knowledgeable of Frame Relay Traffic Shaping.

Components Used

This document is not restricted to specific software and hardware versions.

Conventions


Refer to Cisco Technical Tips Conventions for more information on document conventions.

Token Bucket Flowchart

This flowchart illustrates packet flow when you implement Frame Relay traffic shaping with the use of a token bucket filter.

See the Related Information section for more information on Frame Relay traffic shaping.

Refer to Policing and Shaping Overview of Cisco IOS® Software Releases 12.0 Mainline for more information on token bucket filters.



The terms in this flowchart have these definitions:

- Tc Committed Time Interval
- FIFO first-in-first-out
- CQ custom queuing
- PQ priority queuing

Related Information

- [More Frame Relay Traffic Shaping Information](#)
- [Frame Relay Traffic Shaping Flowchart](#)
- [Configuring and Troubleshooting Frame Relay](#)
- [Frame Relay Technical Support](#)
- [Technical Support & Documentation – Cisco Systems](#)

[Contacts & Feedback](#) | [Help](#) | [Site Map](#)

© 2014 – 2015 Cisco Systems, Inc. All rights reserved. [Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)

Updated: Nov 17, 2007

Document ID: 7412
