

Solución de problemas del servidor alternativo de autenticación

Contenido

[Introducción](#)

[prerrequisitos](#)

[Requisitos](#)

[Componentes Utilizados](#)

[Convenciones](#)

[comandos debug y clear](#)

[Comando show ip access-lists - Salida](#)

[Depuraciones](#)

[Depuración correcta del router - TACACS - Saliente](#)

[Depuración correcta del router - RADIUS - Saliente](#)

[Problemas posibles](#)

[Servidor RADIUS inalcanzable](#)

[El servidor TACACS es inalcanzable](#)

[El usuario de RADIUS ingresa el nombre de usuario o la contraseña incorrectos](#)

[El usuario TACACS ingresa el nombre de usuario o la contraseña erróneos](#)

[El usuario de TACACS ingresa el nombre de usuario y la contraseña correctos pero falla la autorización](#)

[El usuario de RADIUS ingresa el nombre de usuario y la contraseña correctos pero la ACL tiene un formato no válido](#)

[El usuario de TACACS ingresa el nombre de usuario y la contraseña correctos pero la ACL tiene un formato no válido](#)

[El usuario de RADIUS ingresa un nombre de usuario y una contraseña correctos pero no se presenta Priv-lvl 15](#)

[El usuario TACACS ingresa el nombre de usuario y la contraseña correctos pero no se devuelve Priv-lvl 15](#)

[Información Relacionada](#)

[Introducción](#)

Este documento define y demuestra los mecanismos que resuelven problemas disponibles dentro del ^{® del} Cisco IOS para resolver problemas los problemas relacionados del Proxy de autenticación (Auténtico-proxy). Este documento define los **comandos debug and show** y después ilustra los ejemplos de estos debugs y comandos.

[prerrequisitos](#)

Requisitos

No hay requisitos específicos para este documento.

Componentes Utilizados

Este documento no tiene restricciones específicas en cuanto a versiones de software y de hardware.

Convenciones

Para obtener más información sobre las convenciones del documento, consulte las [Convenciones de Consejos Técnicos de Cisco](#).

comandos debug y clear

[Antes de intentar la ejecución de alguno de los comandos de depuración, consulte la sección Información importante sobre comandos de depuración.](#)

- **haga el debug de los tacacs | radio** - Información de las visualizaciones asociada al TACACS o al RADIUS.
- **autenticación aaa del debug** - Visualiza la información sobre la autenticación AAA/TACACS+. Utilizado para ver se están utilizando qué métodos de autenticación y cuáles son los resultados de estos métodos.
- **debug aaa authorization** - Visualiza la información sobre la autorización AAA/TACACS+. Utilizado para ver se están utilizando qué métodos de autorización y cuáles son los resultados de estos métodos.

En caso necesario, utilice estos comandos:

- **debug ip auth-proxy {function - trace}** - Visualiza las funciones de proxy de autenticación.
- **debug ip auth-proxy {http}** - Eventos HTTP de las visualizaciones relacionados con el Proxy de autenticación.

Para borrar entre las sesiones, utilice este comando:

- **borre el caché del ip auth-proxy {* | reciba el IP Address}** - borra todas las entradas del Proxy de autenticación, incluyendo los perfiles del usuario y las listas de control de acceso dinámico (ACL). Si se especifica la dirección IP, borra la entrada del Proxy de autenticación para el host especificado.

Comando show ip access-lists - Salida

Antes de que se transmita el comando access-list:

```
sec-3640#show ip access-lists Extended IP access list 116 permit tcp host 10.31.1.47 host 10.31.1.150 eq www deny tcp host 10.31.1.47 any (16 matches) deny udp host 10.31.1.47 any (26 matches) deny icmp host 10.31.1.47 any permit tcp 10.31.1.0 0.0.0.255 any (53 matches) permit udp 10.31.1.0 0.0.0.255 any (74 matches) permit icmp 10.31.1.0 0.0.0.255 any permit icmp 171.68.118.0 0.0.0.255 any permit tcp 171.68.118.0 0.0.0.255 any (242 matches) permit udp 171.68.118.0 0.0.0.255 any
```

Luego de que el comando acces-list ha sido transmitido:

Extended IP access list 116

```
permit udp host 10.31.1.47 any (3 matches) < added by authproxy permit tcp host 10.31.1.47
any < added by authproxy permit icmp host 10.31.1.47 any < added by authproxy permit tcp host
10.31.1.47 host 10.31.1.150 eq www deny tcp host 10.31.1.47 any (18 matches) deny udp host
10.31.1.47 any (26 matches) deny icmp host 10.31.1.47 any permit tcp 10.31.1.0 0.0.0.255 any (53
matches) permit udp 10.31.1.0 0.0.0.255 any (74 matches) permit icmp 10.31.1.0 0.0.0.255 any
permit icmp 171.68.118.0 0.0.0.255 any permit tcp 171.68.118.0 0.0.0.255 any (264 matches)
permit udp 171.68.118.0 0.0.0.255 any
```

Depuraciones

Depuración correcta del router - TACACS - Saliente

```
00:32:30: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:30: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:30: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:30: F ack 1260991237 seq 410073(0)
00:32:30: dst_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521
00:32:30: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:30: AUTH_PROXY: not a SYN packet

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: F ack 1260991237 seq 410073(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH_PROXY: not a SYN packet

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
00:32:32: AUTH-PROXY FUNC: auth_proxy_get_idbsb
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: S seq 410077(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
```

pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
00:32:32: AUTH-PROXY FUNC: auth_proxy_get_idbsb
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
00:32:32: AUTH-PROXY FUNC: auth_proxy_new_connection
00:32:32: AUTH-PROXY FUNC: auth_proxy_add_conn_info
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: ack 2957488078 seq 410078(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: P ack 2957488078 seq 410078(290)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:32: AUTH-PROXY : auth_proxy_find_cache
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
00:32:32: AUTH-PROXY FUNC: auth_proxy_received_get
00:32:32: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:32: AUTH-PROXY : auth_proxy_find_cache
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_save_timestamp
00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:32: ack 2957489275 seq 410368(0)
00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535
00:32:32: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0

00:32:32: AUTH-PROXY FUNC: auth_proxy_fast_path

00:32:32: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:32: AUTH-PROXY FUNC: auth_proxy_process_path

00:32:32: F ack 2957489275 seq 410368(0)

00:32:32: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4535

00:32:32: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:32: clientport 4535 state 0

00:32:36: AUTH-PROXY FUNC: auth_proxy_fast_path

00:32:36: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:36: AUTH-PROXY FUNC: auth_proxy_process_path

00:32:36: F ack 1260991237 seq 410073(0)

00:32:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4521

00:32:36: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:36: clientport 4535 state 0

00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path

00:32:45: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path

00:32:45: S seq 410193(0)

00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542

00:32:45: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:45: clientport 4521 state 0

00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path

00:32:45: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path

00:32:45: AUTH-PROXY auth_proxy_find_conn_info :

find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12

ip-srcaddr 10.31.1.47

pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path

00:32:45: ack 2970312961 seq 410194(0)

00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542

00:32:45: AUTH-PROXY auth_proxy_find_conn_info :

```
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

00:32:45: clientport 4542 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:45: P ack 2970312961 seq 410194(449)
00:32:45: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:45: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:45: clientport 4542 state 0
00:32:45: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:45: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:45: AUTH-PROXY FUNC: auth_proxy_required_reauth
00:32:45: AUTH-PROXY FUNC: auth_proxy_same_timestamp
00:32:45: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
00:32:45: AAA: parse name=a} idb type=-1 tty=-1
00:32:45: AAA/MEMORY: create_user (0x61C23FE4) user='' ruser=''
port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
00:32:45: AAA/AUTHEN/START (3351494599): port='a}' list='default'
action=LOGIN service=LOGIN
00:32:45: AAA/AUTHEN/START (3351494599): found list default
00:32:45: AAA/AUTHEN/START (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/START packet ver=192 id=3351494599
00:32:45: TAC+: Using default tacacs server-group "RTP" list.
00:32:45: TAC+: Opening TCP/IP to 171.68.118.84/49 timeout=5
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: Opened TCP/IP handle 0x61CA39A0 to 171.68.118.84/49
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/START/LOGIN/ASCII queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/START/LOGIN/ASCII processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = GETUSER
00:32:45: AAA/AUTHEN (3351494599): status = GETUSER
00:32:45: AAA/AUTHEN/CONT (3351494599): continue_login (user='(undef)')
00:32:45: AAA/AUTHEN (3351494599): status = GETUSER
00:32:45: AAA/AUTHEN (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/CONT packet id=3351494599
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/CONT queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/CONT processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = GETPASS
00:32:45: AAA/AUTHEN (3351494599): status = GETPASS
00:32:45: AAA/AUTHEN/CONT (3351494599): continue_login (user='proxyonly')
00:32:45: AAA/AUTHEN (3351494599): status = GETPASS
00:32:45: AAA/AUTHEN (3351494599): Method=RTP (tacacs+)
00:32:45: TAC+: send AUTHEN/CONT packet id=3351494599
00:32:45: TAC+: 171.68.118.84 (3351494599) AUTHEN/CONT queued
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: (3351494599) AUTHEN/CONT processed
00:32:45: TAC+: ver=192 id=3351494599 received AUTHEN status = PASS
00:32:45: AAA/AUTHEN (3351494599): status = PASS
00:32:45: TAC+: Closing TCP/IP 0x61CA39A0 connection to 171.68.118.84/49
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): Port='a}' list='default'
service=AUTH-PROXY
00:32:45: AAA/AUTHOR/HTTP: a} (4113551585) user='proxyonly'
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): send AV service=auth-proxy
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): send AV cmd*
```

```
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): found list "default"
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: a} AAA/AUTHOR/HTTP (4113551585): Method=RTP (tacacs+)
00:32:45: AAA/AUTHOR/TAC+: (4113551585): user=proxyonly
00:32:45: AAA/AUTHOR/TAC+: (4113551585): send AV service=auth-proxy
00:32:45: AAA/AUTHOR/TAC+: (4113551585): send AV cmd*
00:32:45: TAC+: using previously set server 171.68.118.84 from group RTP
00:32:45: TAC+: Opening TCP/IP to 171.68.118.84/49 timeout=5
00:32:45: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:45: TAC+: Opened TCP/IP handle 0x61CA3E1C to 171.68.118.84/49
00:32:45: TAC+: Opened 171.68.118.84 index=1
00:32:45: TAC+: 171.68.118.84 (4113551585) AUTHOR/START queued
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: TAC+: (4113551585) AUTHOR/START processed
00:32:46: TAC+: (4113551585): received author response status = PASS_ADD
00:32:46: TAC+: Closing TCP/IP 0x61CA3E1C connection to 171.68.118.84/49
00:32:46: AAA/AUTHOR (4113551585): Post authorization status = PASS_ADD
00:32:46: AUTH-PROXY FUNC: auth_proxy_copy_attrs
00:32:46: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:46: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY FUNC: auth_proxy_find_cache
00:32:46: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_http_accept
00:32:46: AUTH-PROXY FUNC: auth_proxy_proc_profile
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AUTH-PROXY FUNC: auth_proxy_add_acl_item
00:32:46: AAA/MEMORY: free_user (0x61C23FE4) user='proxyonly'
ruser='' port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:46: ack 2970313958 seq 410643(0)
00:32:46: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: clientport 4542 state 2
```

```
00:32:46: AUTH-PROXY FUNC: auth_proxy_process_path
00:32:46: F ack 2970313958 seq 410643(0)
00:32:46: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4542
00:32:46: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:46: clientport 4542 state 2
00:32:49: AUTH-PROXY FUNC: auth_proxy_timers
00:32:49: AUTH-PROXY FUNC: auth_proxy_handle_finwait_timeout
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:51: AUTH-PROXY FUNC: auth_proxy_fast_path
00:32:51: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

00:32:51: AUTH-PROXY FUNC: auth_proxy_set_hit
00:32:54: AUTH-PROXY FUNC: auth_proxy_fast_path
```

[Depuración correcta del router - RADIUS - Saliente](#)

```
01:23:18: AUTH-PROXY FUNC: auth_proxy_destroy_all_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_remove_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_delete_conn_info
01:23:18: AUTH-PROXY FUNC: auth_proxy_remove_all_acl
01:23:21: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:21: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:21: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:21: F ack 3679167246 seq 413771(0)
01:23:21: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4851
01:23:21: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:21: AUTH_PROXY: not a SYN packet

01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
```


01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
01:23:23: AUTH-PROXY FUNC: auth_proxy_get_idbsb
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: S seq 414827(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_if_marked_for_proxy
01:23:23: AUTH-PROXY FUNC: auth_proxy_get_idbsb
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_aprt_of_aprc_by_protocol
01:23:23: AUTH-PROXY FUNC: auth_proxy_new_connection
01:23:23: AUTH-PROXY FUNC: auth_proxy_add_conn_info
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: ack 1713887638 seq 414828(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: P ack 1713887638 seq 414828(290)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:23: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
01:23:23: AUTH-PROXY FUNC: auth_proxy_received_get
01:23:23: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:23: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_save_timestamp
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: ack 1713888835 seq 415118(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:23: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:23: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:23: F ack 1713888835 seq 415118(0)
01:23:23: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4943
01:23:23: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:23: clientport 4943 state 0
01:23:24: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:24: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:24: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:24: F ack 3679167246 seq 413771(0)
01:23:24: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4851
01:23:24: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:24: clientport 4943 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: S seq 414841(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
 find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
 ip-srcaddr 10.31.1.47
 pak-srcaddr 0.0.0.0

01:23:36: clientport 4851 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :

```
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
    ip-srcaddr 10.31.1.47
    pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: ack 1726143121 seq 414842(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: P ack 1726143121 seq 414842(449)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 0
01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_required_reauth
01:23:36: AUTH-PROXY FUNC: auth_proxy_same_timestamp
01:23:36: AUTH-PROXY FUNC: auth_proxy_wait_for_next_pwd
01:23:36: AAA: parse name=a} idb type=-1 TTY=-1
01:23:36: AAA/MEMORY: create_user (0x61C52DD8) user='' ruser='' port='a}'
rem_addr='' authen_type=ASCII service=LOGIN priv=0
01:23:36: AAA/AUTHEN/START (1504053479): port='a}' list='default'
action=LOGIN service=LOGIN
01:23:36: AAA/AUTHEN/START (1504053479): found list default
01:23:36: AAA/AUTHEN/START (1504053479): Method=LOCAL
01:23:36: AAA/AUTHEN (1504053479): status = GETUSER
01:23:36: AAA/AUTHEN/CONT (1504053479): continue_login (user='(undef)')
01:23:36: AAA/AUTHEN (1504053479): status = GETUSER
01:23:36: AAA/AUTHEN/CONT (1504053479): Method=LOCAL
01:23:36: AAA/AUTHEN (1504053479): User not found, emulating local-override
01:23:36: AAA/AUTHEN (1504053479): status = ERROR
01:23:36: AAA/AUTHEN/START (58099628): port='a}' list='' action=LOGIN service=LOGIN
01:23:36: AAA/AUTHEN/START (58099628): Restart
01:23:36: AAA/AUTHEN/START (58099628): Method=RTP (radius)
01:23:36: AAA/AUTHEN (58099628): status = GETPASS
01:23:36: AAA/AUTHEN/CONT (58099628): continue_login (user='proxyonly')
01:23:36: AAA/AUTHEN (58099628): status = GETPASS
01:23:36: AAA/AUTHEN (58099628): Method=RTP (radius)
01:23:36: RADIUS: ustruct sharecount=1
01:23:36: RADIUS: Initial Transmit a} id 2 171.68.118.84:1645,
Access-Request, len 67
01:23:36: Attribute 4 6 0A1F0196
01:23:36: Attribute 61 6 00000000
01:23:36: Attribute 1 11 70726F78
01:23:36: Attribute 2 18 7CC79416
```

```
01:23:36: Attribute 6 6 00000005
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: RADIUS: Received from id 2 171.68.118.84:1645, Access-Accept, Len 207
01:23:36: Attribute 6 6 00000005
01:23:36: Attribute 26 30 0000000901186175
01:23:36: Attribute 26 49 00000009012B6175
01:23:36: Attribute 26 48 00000009012A6175
01:23:36: Attribute 26 48 00000009012A6175
01:23:36: Attribute 8 6 FFFFFFFF
01:23:36: RADIUS: saved authorization data for user 61C52DD8 at 619E0D8C
01:23:36: AAA/AUTHEN (58099628): status = PASS
01:23:36: a} AAA/AUTHOR/HTTP (147390869): Port='a}' list='default'
service=AUTH-PROXY
01:23:36: AAA/AUTHOR/HTTP: a} (147390869) user='proxyonly'
01:23:36: a} AAA/AUTHOR/HTTP (147390869): send AV service=auth-proxy
01:23:36: a} AAA/AUTHOR/HTTP (147390869): send AV cmd*
01:23:36: a} AAA/AUTHOR/HTTP (147390869): found list "default"
01:23:36: a} AAA/AUTHOR/HTTP (147390869): Method=RTP (radius)
01:23:36: RADIUS: cisco AVPair "auth-proxy:priv-lvl=15"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#1=permit icmp any any"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#2=permit tcp any any"
01:23:36: RADIUS: cisco AVPair "auth-proxy:proxyacl#3=permit udp any any"
01:23:36: AAA/AUTHOR (147390869): Post authorization status = PASS_ADD
01:23:36: AUTH-PROXY FUNC: auth_proxy_copy_attrs
01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_find_cache
01:23:36: AUTH-PROXY : auth_proxy_find_cache
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_http_accept
01:23:36: AUTH-PROXY FUNC: auth_proxy_proc_profile
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AUTH-PROXY FUNC: auth_proxy_add_acl_item
01:23:36: AAA/MEMORY: free_user (0x61C52DD8) user='proxyonly'
ruser='' port='a}' rem_addr='' authen_type=ASCII service=LOGIN priv=0
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: ack 1726144118 seq 415291(0)
01:23:36: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
pak-srcaddr 0.0.0.0

01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
ip-srcaddr 10.31.1.47
```

pak-srcaddr 0.0.0.0

```
01:23:36: clientport 4944 state 2
01:23:36: AUTH-PROXY FUNC: auth_proxy_process_path
01:23:36: F ack 1726144118 seq 415291(0)
01:23:36: DST_addr 185273100 src_addr 169804079 DST_port 80 src_port 4944
01:23:36: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:36: clientport 4944 state 2
01:23:39: AUTH-PROXY FUNC: auth_proxy_timers
01:23:39: AUTH-PROXY FUNC: auth_proxy_handle_finwait_timeout
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
01:23:41: AUTH-PROXY FUNC: auth_proxy_fast_path
01:23:41: AUTH-PROXY auth_proxy_find_conn_info :
    find srcaddr - 10.31.1.47, dstaddr - 11.11.11.12
        ip-srcaddr 10.31.1.47
        pak-srcaddr 0.0.0.0

01:23:41: AUTH-PROXY FUNC: auth_proxy_set_hit
```

Problemas posibles

Servidor RADIUS inalcanzable

La depuración muestra:

```
01:30:39: RADIUS: Initial Transmit id 6 171.68.118.115:1645,
Access-Request, Len 67
01:30:39: Attribute 4 6 0A1F0196
01:30:39: Attribute 61 6 00000000
01:30:39: Attribute 1 11 70726F78
01:30:39: Attribute 2 18 E552A3E5
01:30:39: Attribute 6 6 00000005
01:30:44: RADIUS: Retransmit id 6
01:30:49: RADIUS: Retransmit id 6
01:30:59: RADIUS: Marking server 171.68.118.115 dead
01:30:59: RADIUS: Tried all servers.
01:30:59: RADIUS: No valid server found. Trying any viable server
01:30:59: RADIUS: Tried all servers.
```

```
01:30:59: RADIUS: No response for id 6
01:30:59: RADIUS: No response from server
01:30:59: AAA/AUTHEN (1597176845): status = ERROR
```

El usuario eventualmente ve "500 Internal Server Error" (Error de servidor interno 500).

El servidor TACACS es inalcanzable

La depuración muestra:

```
02:13:41: AAA/AUTHEN/START (3727404152): Method=RTP (tacacs+)
02:13:41: TAC+: send AUTHEN/START packet ver=192 id=3727404152
02:13:41: TAC+: Using default tacacs server-group "RTP" list.
02:13:41: TAC+: Opening TCP/IP to 171.68.118.115/49 timeout=5
02:13:41: TAC+: TCP/IP open to 171.68.118.115/49 failed
-- Connection refused by remote host
02:13:41: AAA/AUTHEN (3727404152): status = ERROR
```

El usuario eventualmente ve "500 Internal Server Error" (Error de servidor interno 500).

El usuario de RADIUS ingresa el nombre de usuario o la contraseña incorrectos

La depuración muestra:

```
01:37:42: RADIUS: Received from id 10 171.68.118.115:1645, Access-Reject, Len 20
01:37:42: AAA/AUTHEN (3558550985): status = FAIL
01:37:42: AAA/MEMORY: free_user (0x61C549F0) user='junk' ruser=''
port='' rem_addr='' authen_type=ASCII service=LOGIN priv=0
```

El usuario ve el mensaje "¡Falló la autenticación!"

El usuario TACACS ingresa el nombre de usuario o la contraseña erróneos

La depuración muestra:

```
02:15:03: AAA/AUTHEN/START (1400571814): Method=RTP (tacacs+)
02:15:03: TAC+: send AUTHEN/START packet ver=192 id=1400571814
02:15:03: TAC+: Using default tacacs server-group "RTP" list.
02:15:03: TAC+: Opening TCP/IP to 171.68.118.115/49 timeout=5
02:15:03: TAC+: Opened TCP/IP handle 0x61CAFEA8 to 171.68.118.115/49
02:15:03: TAC+: 171.68.118.115 (1400571814) AUTHEN/START/LOGIN/ASCII queued
02:15:04: TAC+: (1400571814) AUTHEN/START/LOGIN/ASCII processed
02:15:04: TAC+: ver=192 id=1400571814 received AUTHEN status = GETPASS
02:15:04: AAA/AUTHEN (1400571814): status = GETPASS
02:15:04: AAA/AUTHEN/CONT (1400571814): continue_login (user='junkuser')
02:15:04: AAA/AUTHEN (1400571814): status = GETPASS
02:15:04: AAA/AUTHEN (1400571814): Method=RTP (tacacs+)
02:15:04: TAC+: send AUTHEN/CONT packet id=1400571814
02:15:04: TAC+: 171.68.118.115 (1400571814) AUTHEN/CONT queued
02:15:04: TAC+: (1400571814) AUTHEN/CONT processed
02:15:04: TAC+: ver=192 id=1400571814 received AUTHEN status = FAIL
02:15:04: AAA/AUTHEN (1400571814): status = FAIL
```

El usuario ve el mensaje "¡Falló la autenticación!"

El usuario de TACACS ingresa el nombre de usuario y la contraseña correctos pero falla la autorización

La depuración muestra:

```
02:17:01: TAC+: ver=192 id=945629484 received AUTHEN status = PASS
02:17:02: TAC+: (1368282367): received author response status = FAIL
02:17:02: TAC+: Closing TCP/IP 0x61CAFFC8 connection to 171.68.118.115/49
02:17:02: AAA/AUTHOR (1368282367): Post authorization status = FAIL
```

El usuario ve el mensaje “¡Falló la autenticación!”

[El usuario de RADIUS ingresa el nombre de usuario y la contraseña correctos pero la ACL tiene un formato no válido](#)

El debug muestra el ACL que baja pero él no es aplicado y el usuario no puede conseguir con el Firewall.

El usuario ve "Autenticación satisfactoria

[El usuario de TACACS ingresa el nombre de usuario y la contraseña correctos pero la ACL tiene un formato no válido](#)

La depuración no presenta un aspecto diferente al de la autenticación exitosa, pero las ACL no se aplican y el usuario no puede atravesar el firewall.

El usuario ve "Autenticación satisfactoria

[El usuario de RADIUS ingresa un nombre de usuario y una contraseña correctos pero no se presenta Priv-lvl 15](#)

La depuración muestra:

```
02:00:54: RADIUS: saved authorization data for user 61CA670C at 61C5585C
02:00:54: AAA/AUTHEN (706562375): status = PASS
02:00:54: AAA/AUTHOR/HTTP (4224202114): Port='' list='default' service=AUTH-PROXY
02:00:54: AAA/AUTHOR/HTTP: (4224202114) user='baduser'
02:00:54: AAA/AUTHOR/HTTP (4224202114): send AV service=auth-proxy
02:00:54: AAA/AUTHOR/HTTP (4224202114): send AV cmd*
02:00:54: AAA/AUTHOR/HTTP (4224202114): found list "default"
02:00:54: AAA/AUTHOR/HTTP (4224202114): Method=RTP (radius)
02:00:54: RADIUS: cisco AVPair "auth-proxy:priv-lvl=1"
```

El usuario ve “Authentication Failed” a pesar de que el depurador del router indica que no hay nada inusual, excepto por el nivel de privilegio incorrecto. Los ACL no son aplicados.

[El usuario TACACS ingresa el nombre de usuario y la contraseña correctos pero no se devuelve Priv-lvl 15](#)

La depuración tiene el mismo aspecto que en la autenticación exitosa.

El usuario verá la “autenticación fallada!”

[Información Relacionada](#)

- [Página de soporte del Firewall Cisco IOS](#)
- [Página de soporte de RADIUS](#)
- [Solicitudes de Comentarios \(RFC\)](#)

- [Página de soporte TACACS/TACACS+](#)
- [Soporte Técnico y Documentación - Cisco Systems](#)