Quitar usuarios del panel de acceso seguro aprovisionado con Microsoft Azure

Contenido

Introducción
<u>Prerequisites</u>
Requirements
Componentes Utilizados
Configurar
1. Identifique los usuarios que deben eliminarse
2. Elimine los usuarios deseados
3. Detener e iniciar el aprovisionamiento
Verificación
Verifique desde los registros en el Portal de Azure
Información Relacionada

Introducción

Este documento describe cómo quitar usuarios del panel de acceso seguro proporcionado por Microsoft Azure.

Prerequisites

Requirements

Cisco recomienda que tenga conocimiento sobre estos temas:

- Acceso seguro
- Microsoft Azure
- · Aprovisionamiento de usuarios mediante aplicaciones empresariales en Azure

Componentes Utilizados

La información que contiene este documento se basa en las siguientes versiones de software y hardware.

- Acceso seguro
- Microsoft Azure

La información que contiene este documento se creó a partir de los dispositivos en un ambiente de laboratorio específico. Todos los dispositivos que se utilizan en este documento se pusieron en funcionamiento con una configuración verificada (predeterminada). Si tiene una red en vivo,

asegúrese de entender el posible impacto de cualquier comando.

Configurar

1. Identifique los usuarios que deben eliminarse

Identifique el usuario que debe eliminarse del panel.

- Vaya a Interfaz de usuario de Secure Access
- Connect > Users and Groups
- En este ejemplo, va a ver cómo quitar user2

cisco	Secure Access											
	Overview	Users and User	r Groups									
**	Connect	Manage your organization Once added, users and us	nage your organization's users and user groups. To add new users and user groups, provision them through a supported identity provider. ce added, users and user groups can then be added to an access rule. HelpC									
i	Resources	Users Groups				0						
0	Secure											
Ŀ?	Monitor	Users	Users Manage your organization's users and their devices connections and enrollments. To add new users, click Provision Users. At anytime, you can disconnect or unenroll a user's device. HelpC									
20	Admin	can disconnect or uner										
Ħ	Workflows	Q Search by User na	2 results									
		Name	Email	Source	Connected(VPN)	Enrolled(ZTNA)						
		user1	user1@: onmicrosof	t.com Azure	0	0						
		user2	user2@	t.com Azure	0	0						

2. Elimine los usuarios deseados

Vaya al portal de Azure

- Enterprise Applications
- Seleccione su aprovisionamiento Enterprise Application
- Users and Groupsy, a continuación, seleccione los usuarios que desea eliminar
- Haga clic en Remove

	Microsoft Azure		2	P	Q		0	ন্দি		
Но	Home > user sync-User Prov-Cisco Secure Access									
2	user sync-User Prov-Cisco Secure Access Users and groups									
		Add user/group Z Edit assignment Remove P Update credentials	≡ Columns							
Щ,	Overview									
	Deployment Plan	The application will appear for assigned users within My Apps. Set 'visible to users?' to no i	() The application will appear for assigned users within My Apps. Set 'visible to users?' to no in properties to prevent this. $ imes$							
×	Diagnose and solve probler	ns Assign users and groups to app-roles for your application here. To create new app-roles for	Assign users and groups to app-roles for your application here. To create new app-roles for this application, use the application reg							
Ma	nage									
11	Properties	First 200 shown, to search all users & gro								
24	Owners	Display Name Object Type					Role	e assigned		
2.	Roles and administrators	Us user1 User					Use	r		
24	Users and groups	User User					Use	r		
€	Single sign-on									
٢	Provisioning									
0	Self-service									

3. Detener e iniciar el aprovisionamiento

Después de eliminar los usuarios deseados, vaya a Provisioning.

	Microsoft Azure	➢ Search resources, services, and docs (G+/)		۶.	Ŗ	¢		?	ନ	
Но	Iome > user sync-User Prov-Cisco Secure Access									
	user sync-User Prov-Cisco Secure Access Users and groups									
		« 🕂 Add user/group 🕴 🖉 Edit assignment 📋 Remove 🖉 Update crede	entials	== c	olumns	র্ম	Got	feedbad	:k?	
	Overview									
	Deployment Plan	The application will appear for assigned users within My Apps. Set Visible to users	?' to no in p	ropert	ies to pre	event th	s. →			
×	Diagnose and solve probler	s Assign users and groups to app-roles for your application here. To create new app-	Assign users and groups to app-roles for your application here. To create new app-roles for this application, use the application reg							
Ma	nage									
III	Properties	First 200 shown, to search all users & gro	P First 200 shown, to search all users & gro							
24	Owners	Display Name Object Type						Role	e assigned	
2.	Roles and administrators	Us user1 User						Use	r	
24	Users and groups									
€	Single sign-on									
٢	Provisioning									
0	Self-service									

• Haga clic en Stop Provisioning

	▷ Start provisioning □ Stop provisioning <	Restart provisioning $ \swarrow $ Edit provisioning $ R_{\!$
(i) Overview		
$\mathcal{P}_{\!\!\mathcal{B}}$ Provision on demand	Current cycle status	Statistics to date
Manage	Incremental cycle completed.	A Alian mendelening details
Provisioning	100% complete	
Users and groups		 View technical information
Expression builder	Users	
Monitor	View provisioning logs	
Provisioning logs		
Audit logs		
💡 Insights	Manage provisioning Update credentials	
Troubleshoot	Add scoping filters	
New support request	Provision on demand	

• A continuación, haga clic en Start Provisioning

-	Start provisioning Stop provision	sioning 🤇 R	estart provisioning 🥒 Edit provisioning 👌 Provision on demand 🛛 💍 Refresh 🕴 🖗 Got feedback?
 Overview 			
$P_{\!\!\mathcal{B}}$ Provision on demand	Current cycle status	1	Statistics to date
Manage	Incremental cycle stopped.		
Provisioning	09	% complete	 View provisioning details
Users and groups			✓ View technical information
	Users		
Expression builder	1		
Monitor	View provisioning logs		
Provisioning logs			

Ahora $v_{\mbox{erify}}$ que los usuarios deseados se han eliminado del panel de acceso seguro.

Verificación

Como puede ver,user2se ha eliminado del panel de acceso seguro como desee.

-ili-ili- cisco	Secure Access										
	Overview	Users and User Grou	ps								
*	Connect	Manage your organization's users and Once added, users and user groups c	user groups. To add new users and user groups an then be added to an access rule. Help C	, provision them t	hrough a supported i	identity provider.					
١.	Resources	Users Groups									
U	Secure										
\bowtie	Monitor	Users Manage your organization's users	and their devices connections and enrollments.	To add new users	, click Provision User	s. At anytime, you	1				
20	Admin	can disconnect or unenroll a user's device. HelpC									
57	Workflows	Q Search by User name	1 results								
		Name	Email	Source	Connected(VPN)	0	Enrolled(ZTNA)	0			
		user1	user1@	Azure	0		0				

Verifique desde los registros en el Portal de Azure

Navegue hasta el Portal de Azure.

- Enterprise Applications
- Seleccione su aprovisionamiento Enterprise Application
- Users and Groups
- Haga clic en View Provisioning logs

	K 🕞 Start provisioning 🗌 Stop pr	ovisioning 🦿 Restart provisioning 🖉 Edit provisioning
(i) Overview		
$eta_{\!m{z}}$ Provision on demand	Current cycle status	Statistics to date
Manage	Incremental cycle completed.	
Provisioning	1	00% complete
Users and groups		\checkmark View technical information
💀 Expression builder	Users	
Monitor	View provisioning logs	
Provisionina loas	····· P·······························	

• El registro indica Action comoDisableConStatusComo Success, lo que confirma la eliminación del usuario del aprovisionamiento en el sistema de destino de Secure Access

Provisioning Logs

\downarrow Download \sim (i) Learn more (i) Refresh $\mid \equiv \equiv$ Columns $\mid R^2$ Got feedback?								
∽ Identity Name or ID								
Date : Last 24 hours	Show d	ates as: : Loca	I Status	: All Action : A	.11	Application contains	6e611dfd-43ed-43b8-bd7e-37ebc1fbf809 $ imes$	⁺ _▼ Add filters
Date	$\uparrow \downarrow$	lden	Action		So	urce System	Target System	Status
12/20/2023, 4:57:27 PM		Display Na Source ID Ł Target ID u	Disable		Azı	ure Active Directory	CiscoUmbrella	Success

Provisioning log details

Steps	Troubleshooting & Recommendation	ons Modified Properties Summary
\sim	1. Import urn:ietf:params:scim:schemas:ext	tension:enterprise:2.0:User from Azure Active Directory 오
\sim	2. Match urn:ietf:params:scim:schemas:ext	ension:enterprise:2.0:User between Azure Active Directory and CiscoUmbrella 🥹
\sim	3. Determine if urn:ietf:params:scim:schem	nas:extension:enterprise:2.0:User is in scope 🛇
^	4. Provision urn:ietf:params:scim:schemas:	extension:enterprise:2.0:User in CiscoUmbrella 🥺
_	EntryExportUpdateSoftDelete	
L	Result	Success
	Description	User 'user2@onmicrosoft.com' was updated in CiscoUmbrella
	ReportableIdentifier	user2@

Información Relacionada

- Guía del usuario de Secure Access
- <u>Soporte técnico y descargas de Cisco</u>
- Aprovisionar usuarios y grupos desde Azure

Acerca de esta traducción

Cisco ha traducido este documento combinando la traducción automática y los recursos humanos a fin de ofrecer a nuestros usuarios en todo el mundo contenido en su propio idioma.

Tenga en cuenta que incluso la mejor traducción automática podría no ser tan precisa como la proporcionada por un traductor profesional.

Cisco Systems, Inc. no asume ninguna responsabilidad por la precisión de estas traducciones y recomienda remitirse siempre al documento original escrito en inglés (insertar vínculo URL).