

Configuración del aprovisionamiento de certificados de Umbrella con MS Intune

Contenido

[Introducción](#)

[Overview](#)

[Prerequisites](#)

[Panel de paraguas](#)

[Consola de MS Intune](#)

Introducción

Este documento describe la configuración del aprovisionamiento de certificados de Umbrella con MS Intune.

Overview

Esta guía de configuración cubre los elementos necesarios para aprovisionar la CA raíz de Umbrella a través de MS Intune.

Prerequisites

- Acceso al panel de Umbrella
- CA raíz de paraguas
- Acceso a la consola de MS Intune

Panel de paraguas

1. Acceda a su panel de control de Umbrella en Implementaciones > Configuración > Certificado raíz y descargue la CA raíz de Umbrella:



- General
- Security
- Privacy
- Content
- Connections
- Programs
- Advanced

Settings

- Enable DOM Storage
- Enable Enhanced Protected Mode*
- Enable Integrated Windows Authentication*
- Enable native XMLHTTP support
- Enable Windows Defender SmartScreen
- Send Do Not Track requests to sites you visit in Internet E
- Use SSL 3.0
- Use TLS 1.0
- Use TLS 1.1
- Use TLS 1.2
- Warn about certificate address mismatch*
- Warn if changing between secure and not secure mode
- Warn if POST submittal is redirected to a zone that does n

*Takes effect after you restart your computer

Restore advanced settings

Reset Internet Explorer settings

Resets Internet Explorer's settings to their default condition.

Reset...

You should only use this if your browser is in an unusable state.


OK

Cancel

Apply

Consola de MS Intune


1. Acceda a MS Intune MDM y vaya a Devices > Configuration Profiles > Create Profile >



Select Platform:

86b492a7fb03fb72fa2c255ed5f34309fc7427aee918937b6990a66f956dc9ac.png

2. Especifique el "Tipo de perfil" y utilice "Plantillas" y busque "Certificado de confianza" y haga



clic en Crear:

ca00d2c34ecac4f6fe2584d61b9c8a9832c458d7c083e0aabb532b8c8ebcd7aa.png

3. Introduzca un nombre descriptivo para el perfil de certificado de confianza y haga clic en Siguiente.

Trusted certificate ...

Windows 10 and later

- ① Basics ② Configuration settings ③ Assignments ④ Applicability Rules ⑤ Review + create

Name *

Umbrella_RootCA ✓

Description

Platform

Windows 10 and later

Profile type

Trusted certificate

Previous

Next

dfd78f03070787c9ffc4c6c968929d7a12be36429590740ed27641144cf143cf.png

4. Cargue la CA raíz de Umbrella, especifique el almacén de destino y haga clic en Next: 

a318563a22a600910b206f01cdfb483ccc04cb0e15a1757c48e663cfe234ec0.png

Trusted certificate ...

Windows 10 and later

- ✓ Basics ✓ Configuration settings **1** Assignments ④ Applicability Rules ⑤ Review + create

Included groups

 Add groups  Add all users  Add all devices

Groups

All devices

Remove

Excluded groups

 When excluding groups, you cannot mix user and device groups across include and exclude. [Click here to learn more about excluding groups.](#)

 Add groups

Groups

No groups selected

Previous

Next

93effe94c92c3b063c406e89c4b6d0f759cb8c5d606302e3701b702b1a8cb213.png

5. Especifique el grupo de usuarios o dispositivos que desea asignar a la CA raíz de paraguas.

c436635d3e0dce29ec76802ffb26e604964abe08862c00ec25866dbf4a9d5b95.png

6. Opcionalmente, especifique "Reglas de aplicabilidad" y haga clic en Siguiente.

7. Revise que la configuración se ha realizado correctamente y, a continuación, haga clic en Create.

Trusted certificate ...

Windows 10 and later

- ✓ Basics
- ✓ Configuration settings
- ✓ Assignments
- ✓ Applicability Rules
- 5 Review + create**

Summary

Basics

| | |
|--------------|----------------------|
| Name | Umbrella_RootCA |
| Description | -- |
| Platform | Windows 10 and later |
| Profile type | Trusted certificate |

Configuration settings

| | |
|-------------------|-----------------------------------|
| Certificate file | Cisco_Umbrella_Root_CA.cer |
| Destination store | Computer certificate store - Root |

Assignments


| | |
|-----------------|-------------|
| Included groups | All devices |
| Excluded groups | -- |

Applicability Rules

| Rule | Property | Value |
|--------------------------|------------------------|-------|
| Previous | Create | |


6329621f732c63ec97b6ef656b78dc1c392fe976105a0c3dbb7a779b945ba7e8.png

8. Se creará el perfil.



40c213cc1de22637d88e671a7074d58426573aed1f2fb7ebfda4bc338a691d84.png

9. Haga clic en el perfil para navegar a la "página de descripción general", donde puede verificar el estado de la asignación y el número de dispositivos que tienen implementada la




CA raíz de Umbrella.

24b011d4b760c8245d7a4363e885857dea9881cb4ef0a683b83024e4e618ac9c.png

10. También puede hacer clic en la sección "Estado del dispositivo" para confirmar los

dispositivos que se han implementado correctamente.



cadac2eb3017c37d68f0f8aa8230508ea33777afb93250291384962555a4de2b.png

11. También puede confirmar la instalación en el almacén de CA raíz del dispositivo final:

a9e8eaebad6df501ad7627dbc87f5ea6cf9488b273925c5277fbf8a396ae1a49.png

Acerca de esta traducción

Cisco ha traducido este documento combinando la traducción automática y los recursos humanos a fin de ofrecer a nuestros usuarios en todo el mundo contenido en su propio idioma.

Tenga en cuenta que incluso la mejor traducción automática podría no ser tan precisa como la proporcionada por un traductor profesional.

Cisco Systems, Inc. no asume ninguna responsabilidad por la precisión de estas traducciones y recomienda remitirse siempre al documento original escrito en inglés (insertar vínculo URL).