

Comment vont-elles les en-têtes de message de log I ?

Contenu

[Introduction](#)

[Comment vont-elles les en-têtes de message de log I ?](#)

[Informations connexes](#)

Introduction

Ce document décrit comment enregistrer des en-têtes de messages traitées par l'appliance de sécurité du courrier électronique de Cisco (ESA).

Comment vont-elles les en-têtes de message de log I ?

Dans certains cas, il est utile d'enregistrer la présence et le contenu des en-têtes de message car ils traversent l'appliance. Vous spécifiez les en-têtes pour enregistrer par l'intermédiaire du **logconfig > des logheaders**. L'ESA enregistrera les en-têtes de message spécifiées dans les logs de messagerie des textes d'IronPort, des logs de la livraison d'IronPort, et des logs de rebond d'IronPort. Si l'en-tête est présente, le système enregistre le nom de l'en-tête et de la valeur. Les informations d'en-tête recored après les informations de livraison.

Est ci-dessous un exemple de la façon activer se connecter pour enregistrer n'importe quel message avec les en-têtes X-IPAS-résultat et X-IronPort-poids du commerce :

```
my_esa.local> logconfig
```

```
Currently configured logs:
```

```
Log Name Log Type Retrieval Interval
```

```
-----  
1. amp AMP Engine Logs Manual Download None  
2. amparchive AMP Archive Manual Download None  
3. antispam Anti-Spam Logs Manual Download None  
4. antivirus Anti-Virus Logs Manual Download None  
5. asarchive Anti-Spam Archive Manual Download None  
6. authentication Authentication Logs Manual Download None  
7. avarchive Anti-Virus Archive Manual Download None  
8. bounces Bounce Logs Manual Download None  
9. cli_logs CLI Audit Logs Manual Download None  
10. encryption Encryption Logs Manual Download None  
11. error_logs IronPort Text Mail Logs Manual Download None  
12. euq_logs Spam Quarantine Logs Manual Download None  
13. euqgui_logs Spam Quarantine GUI Logs Manual Download None  
14. ftpd_logs FTP Server Logs Manual Download None  
15. gui_logs HTTP Logs Manual Download None
```

16. mail_logs IronPort Text Mail Logs Manual Download None
17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host
192.168.0.200: Port 22None
18. repeng Reputation Engine Logs Manual Download None
19. reportd_logs Reporting Logs Manual Download None
20. reportqueryd_logs Reporting Query Logs Manual Download None
21. scanning Scanning Logs Manual Download None
22. slbld_logs Safe/Block Lists Logs Manual Download None
23. snmp_logs SNMP Logs Manual Download None
24. sntpd_logs NTP logs Manual Download None
25. status Status Logs Manual Download None
26. system_logs System Logs Manual Download None
27. trackerd_logs Tracking Logs Manual Download None
28. updater_logs Updater Logs Manual Download None
29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[> **X-IPAS-Result, X-IronPort-AV**

En revenez à la demande principale CLI, et **commettez**/toutes les modifications.

Quand vous passez en revue les mail_logs, vous verrez les résultats des en-têtes maintenant injectées dans les logs comme configurés :

my_esa.local> **logconfig**

Currently configured logs:

Log Name Log Type Retrieval Interval

-
1. amp AMP Engine Logs Manual Download None
 2. amparchive AMP Archive Manual Download None
 3. antispam Anti-Spam Logs Manual Download None
 4. antivirus Anti-Virus Logs Manual Download None
 5. asarchive Anti-Spam Archive Manual Download None
 6. authentication Authentication Logs Manual Download None
 7. aarchive Anti-Virus Archive Manual Download None
 8. bounces Bounce Logs Manual Download None
 9. cli_logs CLI Audit Logs Manual Download None
 10. encryption Encryption Logs Manual Download None
 11. error_logs IronPort Text Mail Logs Manual Download None
 12. euq_logs Spam Quarantine Logs Manual Download None
 13. euqgui_logs Spam Quarantine GUI Logs Manual Download None
 14. ftpd_logs FTP Server Logs Manual Download None
 15. gui_logs HTTP Logs Manual Download None
 16. mail_logs IronPort Text Mail Logs Manual Download None
 17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host
192.168.0.200: Port 22None
 18. repeng Reputation Engine Logs Manual Download None
 19. reportd_logs Reporting Logs Manual Download None

20. reportqueryd_logs Reporting Query Logs Manual Download None
21. scanning Scanning Logs Manual Download None
22. slbld_logs Safe/Block Lists Logs Manual Download None
23. snmp_logs SNMP Logs Manual Download None
24. sntpd_logs NTP logs Manual Download None
25. status Status Logs Manual Download None
26. system_logs System Logs Manual Download None
27. trackerd_logs Tracking Logs Manual Download None
28. updater_logs Updater Logs Manual Download None
29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[]> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[]> **X-IPAS-Result, X-IronPort-AV**

De l'email reçu, si vous deviez regarder les en-têtes dans cet email directement, vous verrez le X-IPAS-résultat et les en-têtes X-IronPort-poids du commerce mis en valeur dans les en-têtes d'origine avant le saut d'abord reçu :

my_esa.local> **logconfig**

Currently configured logs:

Log Name Log Type Retrieval Interval

-
1. amp AMP Engine Logs Manual Download None
 2. amparchive AMP Archive Manual Download None
 3. antispam Anti-Spam Logs Manual Download None
 4. antivirus Anti-Virus Logs Manual Download None
 5. asarchive Anti-Spam Archive Manual Download None
 6. authentication Authentication Logs Manual Download None
 7. avarchive Anti-Virus Archive Manual Download None
 8. bounces Bounce Logs Manual Download None
 9. cli_logs CLI Audit Logs Manual Download None
 10. encryption Encryption Logs Manual Download None
 11. error_logs IronPort Text Mail Logs Manual Download None
 12. euq_logs Spam Quarantine Logs Manual Download None
 13. euggui_logs Spam Quarantine GUI Logs Manual Download None
 14. ftpd_logs FTP Server Logs Manual Download None
 15. gui_logs HTTP Logs Manual Download None
 16. mail_logs IronPort Text Mail Logs Manual Download None
 17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host 192.168.0.200: Port 22None
 18. repeng Reputation Engine Logs Manual Download None
 19. reportd_logs Reporting Logs Manual Download None
 20. reportqueryd_logs Reporting Query Logs Manual Download None
 21. scanning Scanning Logs Manual Download None
 22. slbld_logs Safe/Block Lists Logs Manual Download None
 23. snmp_logs SNMP Logs Manual Download None
 24. sntpd_logs NTP logs Manual Download None
 25. status Status Logs Manual Download None

- 26. system_logs System Logs Manual Download None
- 27. trackerd_logs Tracking Logs Manual Download None
- 28. updater_logs Updater Logs Manual Download None
- 29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[> **X-IPAS-Result, X-IronPort-AV**

Note: Le RFC pour le protocole SMTP se trouve chez <http://www.faqs.org/rfcs/rfc2821.html> et définit les en-têtes définies par l'utilisateur.

[Informations connexes](#)

- [Appliance de sécurité du courrier électronique de Cisco - Guides d'utilisateur](#)
- [Support et documentation techniques - Cisco Systems](#)