

Verifica mittente, "busta Mittenti il cui dominio non esiste"

Sommario

[Introduzione](#)

[Descrizione](#)

Introduzione

Nei log di posta potrebbe essere visualizzato l'errore "il dominio del mittente della busta non esiste".

Descrizione

Cisco Email Security Appliance (ESA) esegue una query sui record MX per il dominio dell'indirizzo del mittente. Esegue quindi una ricerca di record A sui record MX. Se, per una di queste query, il server DNS restituisce 'NXDOMAIN' (non esiste alcun record per questo dominio), l'ESA considera tale dominio come inesistente. Questa rientra nella categoria "mittenti di buste il cui dominio non esiste". NXDOMAIN può indicare che i server dei nomi radice non forniscono alcun server dei nomi autorevole per questo dominio.

Esempio:

```
Mon Nov 20 10:50:05 2006 Info: New SMTP ICID 1605269 interface InternalNet
(10.101.150.43) address 192.168.23.36 reverse DNS host small-mail.example.com
verified yes
Mon Nov 20 10:50:05 2006 Info: ICID 1605269 ACCEPT SG UNKNOWNLIST match
sbrs[0.0:10.0] SBRS 3.5
Mon Nov 20 10:50:05 2006 Info: ICID 1605269 Address: < jane@example.com> sender
rejected, envelope sender domain does not exist
Mon Nov 20 10:50:05 2006 Info: ICID 1605269 lost
Mon Nov 20 10:50:05 2006 Info: ICID 1605269 close
```