

Visualizza statistiche wireless su RV110W

Obiettivi

La pagina Statistiche wireless mostra il totale di tutti i dati inviati e ricevuti su tutte le reti wireless. Queste informazioni possono essere utili per la risoluzione dei problemi e la visualizzazione dei problemi e della rete in cui si sono verificati.

Questo documento spiega come visualizzare la pagina Statistiche wireless sull'RV110W.

Dispositivi interessati

- RV110W

Statistiche wireless

Passaggio 1. Nell'utility di configurazione basata sul Web, scegliere **Stato > Statistiche wireless**. Si apre la pagina *Statistiche wireless*.

Wireless Statistics

Refresh Rate: No Refresh ▾

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Passaggio 2. Nel menu a discesa Frequenza di aggiornamento, scegliere il tempo di attesa del dispositivo prima di aggiornare le statistiche della porta.

Wireless Statistics

Refresh Rate:

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Passaggio 3. Selezionare la casella **Mostra dati statistici semplificati** per visualizzare i dati nelle etichette semplificate. Esempio: KB anziché byte.

Wireless Statistics

Refresh Rate:

Show Simplified Statistic Data:

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Passaggio 4. I dati vengono visualizzati nella tabella Statistiche wireless.

- Nome SSID — il nome della rete wireless.
- Pacchetto: il numero di pacchetti wireless inviati e ricevuti.
- Byte: il numero di byte inviati e ricevuti.
- Errore — Il numero di errori di pacchetto inviati e ricevuti.
- Eliminati: il numero di pacchetti inviati e ricevuti che sono stati scartati.
- Multicast: il numero di pacchetti multicast inviati.
- Collisioni - Il numero di collisioni di segnale su questa porta.

Wireless Statistics

Refresh Rate:

Show Simplified Statistic Data:

Wireless Statistics

SSID Name	Packet		Byte		Error		Dropped		Multicast	Collisions
	Received	Sent	Received	Sent	Received	Sent	Received	Sent		
ciscosb1	0	0	0	0	0	0	0	0	0	0
ciscosb2	0	0	0	0	0	0	0	0	0	0
ciscosb3	0	0	0	0	0	0	0	0	0	0
ciscosb4	0	0	0	0	0	0	0	0	0	0
Total	0	0	0	0	0	0	0	0	0	0

Passaggio 5. Fare clic sul pulsante **Cancella conteggio** per cancellare tutte le statistiche registrate.

Passaggio 6. Fare clic su **Salva**.