

目次

[概要](#)

[問題](#)

[解決策](#)

概要

この資料は Cisco インフォメーション・サーバー (CIS) に .car ファイルをインポートするとき encountered 問題を記述したものです。

問題

完全バックアップ .car ファイルをインポートする試みの間に cmd 行セッションのこのエラーに出会います:

解決策

これは v7.0.3 の既知の問題です。

それは v7.0 リリースの新しいサーバ構成項目 `allowNumericBooleanComparisonsAssignments` の概要が原因です。v7.0.4 で固定されることを期待します。

以前のリリースにある場合、一時的な次善策としてこれらのステップを試して下さい:

ステップ 1: の下で \アプリケーション\サーバ\ server_defs-<highest 整数 value>.xml ファイルの最新のバージョン付きコピーを探して下さい

そのファイルでは、このアトリビュートは `READ_ONLY` に設定されます

ステップ 2. `READ_WRITE` にそれを代りに編集し、変更して下さい。

ステップ 3. 太字でここに見られる `allowNumericBooleanComparisonsAssignments` アトリビュートのための要素を編集して下さい:

```
<common:attributeDef>
  <common:name>/server/sql/language/allowNumericBooleanComparisonsAssignmentsOnServerRestart<
/common:name>
  <common:type>BOOLEAN</common:type>
  <common:updateRule>READ_WRITE</common:updateRule>
  <common:annotation>This setting controls whether legacy boolean support is enabled or not.
Legacy boolean support consists of mixing of boolean and non-boolean types without a CAST. This
support is deprecated in this release and it will be obsolete in some future
release.<\/p>&lt;b>Changing this value will have no effect until the next server
restart.<\/b><\/common:annotation>
  <common:defaultValue>>false</common:defaultValue>
  <common:displayName>Allow Numeric Boolean Comparisons Assignments (On Server
Restart)</common:displayName>
  <common:public>>true</common:public>
<\/common:attributeDef>
```

CIS サービスを再開すればインポートは今成功する必要があります。