





```
ciscoasa# show running-config crypto map | include interface
crypto map outside_map interface outside
```

```
crypto map outside_map interface outside
```

```
IKEv1 crypto map outside_map interface outside
```

- **show running-config crypto ikev1 | include enable**  
ASA 8.4(1) # show running-config crypto ikev1 | include enable
- **show running-config crypto isakmp | include enable**  
ASA 7.2.1 # show running-config crypto isakmp | include enable
- **show running-config | include isakmp enable**  
ASA 7.2.1 # show running-config | include isakmp enable

```
IKEv2 crypto map outside_map interface outside
show running-config crypto ikev2 | include
enable
```

### Easy

```
VPN crypto map outside_map interface outside
ASA 8.4(1) # show running-config vpnclient | include
```

```
Cisco ASA 8.4(1) # show running-config vpnclient | include
VPN crypto map outside_map interface outside
```

### Easy

```
VPN crypto map outside_map interface outside
show running-config vpnclient | include
enable
VPN crypto map outside_map interface outside
ASA 8.4(1) # show running-config vpnclient | include
```

```
ciscoasa# show running-config vpnclient | include enable
vpnclient enable
```

æ³i¼šEasy

VPNäf äf¼äf%oã, |ã,šã,çã, ¯äf©ã, mã, çãf³äf^ã ¯ã —ã |è ¯ãšã •ã, Çã ÿCisco

ASAã, ½ãf•ãf^ã, |ã,šã,çã ðã ¯ã ®è,, tã¼±æ€šã, 'ã, æ£ã^©ç" ¯ã ¯ã, <ã «ã ¯ã æ"»æ'fè€...ã

ASAã «æ, æ, ðã ®ã, ã, <VPNã, µãf¼ãfã ðã, ã ®ãžç¶šã, 'ã¼•ã^¶ã ¯ã, <ã: ...è |ã Çã, ã, šã

è,, †ã¼±æ€šã, 'ã «ã, "ã šã, ðã ¯ã, ðã "ã ¯ã Ççç°èã ðã •ã, Çã ÿè£½ã" ð

ã»ã ®ã, ã, ¹ã, ³è£½ã" ðã «ã šã, ðã |ã €ã ðã "ã ®ã, çãf%oãfã, mã, ¶ãfãã ®ã½±éÿã, 'ã —ã

### ã, »ã, ãfÿãfããf†ã, £ã¼µ®³ã ®ç—•è: j

Cisco IPSã, ã, °ãfãfãf£7169-0ã šã, ^ã³7169-1ã ¯ã Snort SID

36903ã šã, ^ã³37674ã šã ¯ã €ã ðã "ã ®è,, tã¼±æ€šã, 'ã, æ£ã^©ç" ¯ã ¯ã, <è |ã çã, 'æµœã†°

### ãžé ç-

ã "ã ®è,, tã¼±æ€šã «ã³ã† |ã ¯ã, <ãžé ç-ã ¯ã, ã, šã¼ã ðã, "ã €,

### ãç®æ£æ, ^ã çã, ½ãf•ãf^ã, |ã, šã, ç

ã, ã, ¹ã, ³ã ¯ã "ã ®ã, çãf%oãfã, mã, ¶ãfãã «è ¯è¼%oã •ã, Çã ÿè,, tã¼±æ€šã «ã³ã† |ã ¯ã, <ç,, j

ãfãf¼ã, ãfšãf³ã ¯ãf•ã, £ãf¼ãfãf£

ã, »ãfãfãã «ã³ã —ã |ã ®ã çã ¯ã ¯ãã, šã¼ã ¯ã €ã, ðã ðã ®ã, ^ã †ã ¯ãã, ½ãf•ãf^ã, |ã, šã,

<http://www.cisco.com/en/US/docs/general/warranty/English/EU1KEN .html>

ã¼ã ÿã €ã šã®çæšãã Çã, ½ãf•ãf^ã, |ã, šã, çã, 'ãfã, |ãf³ãfãf¼ãf%oã šã ðã, <ã ®ã ¯ã €ã,

ã, çãfãfã—ã, °ãfãf¼ãf%oã šã ¯ã €ã, ç,, ðã, ÿã ®ã, »ã, ãfãfãfãfã, £ã, ½ãf•ãf^ã, |ã, šã, ç

ã, çãfãfã—ãfãf¼ãf^ã «ã, ^ã£ã |ã €ã ðã šã®çæšãã «æ-°ã —ã, ã, ½ãf•ãf^ã, |ã, šã, ç

ãf©ã, mã, »ãfã, ¹ã €è½ãšã, ½ãf•ãf^ã, |ã, šã, çã ãfã, £ãf¼ãfãf£

ã, »ãfãfãã €ã¼ã ÿã ¯ãfã, ãf£ãf¼ãfãfã, ãfšãf³

ã, çãfãfã—ã, °ãfãf¼ãf%oã «ã³ã ¯ã, æ" ©é ¯ã Çã»ãžãã, Çã, <ã "ã ¯ã ¯ã, ã, šã¼ã

ã, ½ãf•ãf^ã, ðã, šã, çã ®ã, çãfãfã—ã, °ãfãf¼ãf%oã, 'æµœè ¯ãžã ¯ã, <ã 'ã^ã ¯ã €ã <http://www.cisco.com/g>

[ã® Cisco Security Advisories and Responses](#)

ã, çãf¼ã, «ã, mãfã—ã, ðãç¶šã ®ã, çãf%oãfã, mã, ¶ãfã, 'ã, ç...šã —ã |ã €ãã¼µã³ã, 'ã —ã 'ã, <ã

ã, ½ãfãfãfãf¼ã, ãfšãf³ã, çç°èã ðã —ã |ã ðã ðã ðã ðãã, ã €.









## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。