



## e 2 a 1/2 e f 1/2 a

e, t a 1/4 ae e sa @ a, a, e f 1/2 a

a a @ e, t a 1/4 ae e sa a Cisco IOS a, 1/2 af af a, | a, sa, ca 3/4 a Ya Cisco IOS XE  
a, 1/2 af af a, | a, sa, ca @ e, t a 1/4 ae e sa a a a TM a, a fa fa fa fa 1/4 a, 1 a, a @ Ye; Ca — a Internet  
Security Association and Key Management  
Protocoli 1/4 ISAKMPi 1/4 % a a e % a S 1 a « a a fa | a, a, a, a, 1 a, 3  
af af a, ma, 1 a « a 1/2 ae Y; a, a, za a 3/4 a TM a e,

e, t a 1/4 ae e sa a a a TM a, Cisco IOS a, 1/2 af af a, | a, sa, ca Sa, a a 3 IOS XE  
a, 1/2 af af a, | a, sa, ca @ a fa fa fa fa 1/4 a, 1 a « a ma, a | a a a a a @ a, ca f % af a, ma, | af a @

a a @ e, t a 1/4 ae e sa @ af af a, af 1/4 a « a 1/2 z c a sa a a, a @ a IKEv2 af a, af fa a a a  
IOS a, 1/2 af af a, | a, sa, ca 3/4 a Ya Cisco IOS  
XE a, 1/2 af af a, | a, sa, ca, a @ Ye; Ca — a | a, a, af af a, ma, 1 a sa a a ISAKMP a a e % a S 1 a  
IKEv2

a ae % a @ ae Y e f 1/2 a, e a sa TM a, a z... e | a a a, sa 3/4 a a, a e, af af a, ma, 1 a «  
IKEv1 a 3/4 a Ya IKEv2  
a e a sa a, Ca | a, a, a a a « a e e e, t a 1/4 ae e sa @ a 1/2 ae Y; a Ca Sa, a a 3 a 3/4

IKE a a ae a a « a a TM a a 3/4 a a 3/4 a a VPN  
a, z a, ma f — a, a « a, e a e a sa a @ ae Y e f 1/2 a Sa 1/2 z c a a, Ca 3/4 a TM a e,

- LAN e VPN
- af af fa fa fa fa a, ca, a, » a, 1 VPNi 1/4 SSL VPN a, e TM a a i 1/4 %
- Dynamic Multipoint VPNi 1/4 DMVPNi 1/4 %
- FlexVPN
- Group Encrypted Transport VPNi 1/4 GET VPNi 1/4 %

## IKE a a e % a S 1 a a a ta a @ c c e a

af af a, ma, 1 a S IKE  
a e a sa a, Ca | a, a, a c c e a a TM a, a a a a c @ i c t e... a CLI a S  
show ip sockets a 3/4 a Ya show udp EXEC  
a, 3 af fa fa fa % a, a 1/2 z c a a — a 3/4 a TM a e, UDP af af fa fa 500 a e UDP af af fa fa

848€ UDP 500 UDP 4848

Router, show ip interface brief, Cisco IOS 15.5(2)T1, C2951-UNIVERSALK9-M

Router# show ip interface brief

<#root>

router#

show udp

Proto	Remote	Port	Local	Port	In	Out	Stat	TTY	OutputIF
17	--listen--		192.168.130.21	500	0	0	1001011	0	
17(v6)	--listen--		UNKNOWN	500	0	0	1020011	0	
17	--listen--		192.168.130.21	4500	0	0	1001011	0	
17(v6)	--listen--		UNKNOWN	4500	0	0	1020011	0	

router#

### Cisco IOS 15.5(2)T1, C2951-UNIVERSALK9-M

Router# show version, Cisco IOS 15.5(2)T1, C2951-UNIVERSALK9-M

show version

show version

Cisco IOS 15.5(2)T1, C2951-UNIVERSALK9-M

show version

show version

show version

show version

show version

Cisco IOS 15.5(2)T1, C2951-UNIVERSALK9-M

show version

C2951-UNIVERSALK9-M





❖ ®ç—•è•j

æœ-è,,†å¼±æ€§ã,'ä,æ£â^©ç""ã™ã,ã™ã,ã™ã€GKM GM ãf—ãfã,»ã,¹ã«ã,^ã,ãfjãfçãfª  
ãfªãf¼ã,ãÇç™ç"ÿã™ã,ã™ã,ã™ã-èf½æ€§ããÇã,ã,Šã¾ã™ã€æ-;ã®ã¾ããŠãã€5  
çªç>®ã®ã^—ã®ã€ªãÇãç—ãŠã—ã|ãŠã,Šã€ãfjãfçãfª  
ãfªãf¼ã,ã®ã...†ã™ãÇçªªã•ã,Çã|ã,,ã¾ã™ã€ã"ã,Çã-æœ-è,,†å¼±æ€§ã«èµ•ã>

<#root>

Router#

show processes memory | include GKM GM Process

440 0 13127152 448

13156648

64 48 GKM GM Process

Router#

show processes memory | include GKM GM Process

440 0 13130192 448

13159688

64 48 GKM GM Process

Router#

show processes memory | include GKM GM Process

440 0 13134192 448

13163688

64 48 GKM GM Process

Router#

set memory debug incremental starting-time ãÇã®šç¾ãã,ÇãÿçŠ¶æ...ãš show  
memory debug incremental leaks

ã,³ãfžãf³ãf%ã,'ã®ÿè;Çã—ãÿã'ã^ã€ãfjãfçãfª

ãfªãf¼ã,ã,çªªã™ã...†ã™ã-æ-;ã®ã¾ãã®,ã™ã,ã™ã†ã«èj"çªªã•ã,Çã¾ã™ã€,

<#root>

Router#

show memory debug incremental leaks

Adding blocks for GD...

lsmipi\_io memory

Address	Size	Alloc_pc	PID	Alloc-Proc	Name
---------	------	----------	-----	------------	------

Processor memory

Address	Size	Alloc_pc	PID	Alloc-Proc	Name
7FD007DC81E0	352	55A8A4DED6D0	434	Crypto IKE Disp	gkm packet
7FD007DC8340	160	55A8A4DB3E63	440	GKM GM Process	reverse addr
7FD007DC83E0	400	55A8A4DB3968	434	Crypto IKE Disp	GKM Rekey / Ack Packet Container
7FD007DC8570	352	55A8A4DED6D0	434	Crypto IKE Disp	gkm packet
7FD007DC86D0	144	55A8A4DEDB4E	434	Crypto IKE Disp	GKM Queue Data
7FD007DC8760	160	55A8A4DB3E63	440	GKM GM Process	reverse addr
7FD007DC8800	400	55A8A4DB3968	434	Crypto IKE Disp	GKM Rekey / Ack Packet Container
7FD007DC8990	352	55A8A4DED6D0	434	Crypto IKE Disp	gkm packet
7FD007DC8AF0	144	55A8A4DEDB4E	434	Crypto IKE Disp	GKM Queue Data
7FD007DC8B80	160	55A8A4DB3E63	440	GKM GM Process	reverse addr
7FD007DC8C20	400	55A8A4DB3968	434	Crypto IKE Disp	GKM Rekey / Ack Packet Container
7FD007DC8DB0	352	55A8A4DED6D0	434	Crypto IKE Disp	gkm packet

æ”»æ’fä⚡CEé€²è;CEä,ã⚡@á’á⚡^ã€⚡ã,“ãf³ãf^ãfæ•°ã⚡\_ãç—ãšã⚡—ç¶šã⚡’ã,ã⚡“ã⚡”ã⚡”ã⚡CEä°æ,¬ã

### ã>žé⚡¿ç-

ã⚡“ã⚡@è,,†ã¼±æ€šã⚡«ã³¼ã†|ã⚡™ã,ã>žé⚡¿ç-ã⚡\_ã⚡,ã,šã⚡¾ã⚡»ã,“ã€,

### ä¿⚡@æ£æ,^ã⚡¿ã,½ãf•ãf^ã,|ã,šã,ç

ã,ã,1ã,¾ã⚡\_ã⚡”ã⚡@ã,çãf%ãã⚡ã,ãã,¶ãfãã⚡«è”~è¼%ã⚡•ã,CEã⚡ÿè,,†ã¼±æ€šã⚡«ã³¼ã†|ã⚡™ã,¿ç,|ãfãã¼ã,ãfšãf³ã⚡”ãf•ã,£ãf¼ãã⚡ãã£

ã,»ãffãf^ã⚡«ã³¼ã⚡—ã⚡|ã⚡@ã⚡¿ã⚡”ã⚡ªã,šã⚡¾ã⚡™ã€ã,ã⚡ã⚡@ã,^ã⚡†ã⚡ªã,½ãf•ãf^ã,|ã,šã,ç  
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã⚡¾ã⚡ÿã€ã⚡šã@çæš~ã⚡CEã,½ãf•ãf^ã,|ã,šã,çã,ãf€ã,|ãf³ãfãf¼ããf%ã⚡šã⚡ã,ã⚡@ã⚡\_ã€⚡ã,ã,çãffãf—ã,°ãf-ãf¼ããf%ã⚡šã⚡™ã€ç,,|ã,,ÿã⚡@ã,»ã,ãfãfãfãfã,£ã,½ãf•ãf^ã,|ã,šã,ç

ã,çãffãf—ãfãf¼ããf^ã⚡«ã,^ã⚡£ã⚡|ã€⚡ã⚡šã@çæš~ã⚡«æ-°ã⚡—ã⚡,,ã,½ãf•ãf^ã,|ã,šã,ç  
ãf©ã,ãã,»ãf³ã,1ã€⚡è¿½ãšã,½ãf•ãf^ã,|ã,šã,çãfã,£ãf¼ãã⚡ãã£

ã,»ãffãf^ã€ã⚡¾ã⚡ÿã⚡\_ãfã,ãf£ãf¼ãfããfã,ãfšãf³ã,çãffãf—ã,°ãf-ãf¼ããf%ã⚡«ã³¼ã⚡™ã,æ”©é™ã⚡CEã»ã,žã⚡•ã,CEã,ã⚡“ã⚡”ã⚡”ã⚡,ã,šã⚡¾ã⚡

ã,½ãf•ãf^ã,|ã,šã,çã,ã,ã⚡@ã,çãffãf—ã,°ãf-ãf¼ããf%ã⚡,æœœè”žã⚡™ã,éšãã⚡«ã⚡\_ã€⚡[ã,ã,1ã,¾ã⚡@ã,»ã,ãfšãfãf¼ã,ã⚡šã...æœœ%ã⚡šã⚡ã,ã,ã,1ã,¾è£½ã”ã⚡@ã,çãf%ããfãã,ãã,¶ãfãã,ã@šæœÿçš,ã⚡«ã⚡,çã,½ãfããfãf¼ã,ãfšãf³ã,çç°èªã⚡—ã⚡|ã⚡ã⚡ã⚡ã⚡•ã⚡,,ã€,

ã⚡,,ã⚡šã,CEã⚡@á’á⚡^ã,,ã€⚡ã,çãffãf—ã,°ãf-ãf¼ããf%ã⚡™ã,ãfããfãã,ãã,1ã⚡«ã⚡ã^ã†ã⚡ªãfããfãã

### Technical Assistance

Centeri¼^TACi¼%ã,,ã⚡—ã⚡ã⚡\_ã¿ç’,ã⚡—ã⚡|ã⚡,,ã,ãfãfãfãfãšãf³ã,1ãf—ãããfãã,ããf€ãf¼ã⚡«ã,ãf¼ããf“ã,1ã¿ç’,ã,ã”ã^©ç””ã⚡šã⚡ã⚡,,ã⚡šã@çæš~



[Release Notes](#) **ã€ã, 'ã, ç... Sã—ã |ããããããã,ã€,**

## ä, æfå^©ç"" ä°<ä¾¼ã " å...-å¼ç™ºèj"

2022å¹3æœˆã€Cisco Product Security Incident Response

Team(PSIRT)ã€ããã"ã€è,,tä¼±æ€Sã®ã, æfå^©ç""ã€€è|ã€çã,%ã,€ã€Ÿã€"ã€ã€ã€

### å±ºå...,

ã€"ã€è,,tä¼±æ€Sã€ã€Cisco TAC

ã€®ã,µãfãf¼ãf^è| æ±,ã€®ã¾ãçœã,ã€«ç™ºè|ã€ã,€ã¾ã—ã€Ÿã€,

### URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180328-ike>

### æ''è, å±Ÿæ'

ãfãf¼ã,ãfSãf³	èª-æŽ	ã,»ã,ã,ãfšãf³	ã,¹ãf
1.1	ä, æfå^©ç"" æf...å ±ã,'æ'æ-°ã€,	ä, æfå^©ç"" ä°<ä¾¼ã " å...-å¼ç™ºèj"	Final
1.0	å^åžã...-é-ãfãfãf¼ã,¹	-	Final

### å^©ç""è|ç',,

æœ-ã,çãf%ãfã,ã,¶ã,¶ãfããç,,jäçèè¼ã®ã,,ã€®ãã "ã—ã |ã"æãã¾ã—ã |ã Šã,Šã€  
æœ-ã,çãf%ãfã,ã,¶ã,¶ãfãã®æf...å ±ã Šã,^ã³ãfãfã,ã€®ã¼çç""ã«é-çã™ã,«è²-ã»ã€®ã,€  
ã¾ããŸã€ã,ã,¹ã,³ã æœ-ãf%ã,ãfãfãfãfãã€®ãtä...ã®¹ã,'ã°ã'Sããã—ã«ã%ãæ'ã—ã€  
æœ-ã,çãf%ãfã,ã,¶ã,¶ãfãã€èè~è:°ãtä...ã®¹ã«é-çã—ã |æf...å ±é...ãçjã® URL  
ã,'çœçç•šã—ã€èãçç<-ã€è»çè¼%ã,,æ,,èè³ã,'æ-½ã—ãŸã 'ã^ã€ã½"ç¾ãã€€çççççç  
ã"ã€®ãf%ã,ãfãfãfãfãã€®æf...å ±ããã,ã,¹ã,³è£½ã"ã€®ã, "ãfãf%ãfãf¼ã,¶ã,'ã¾è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。