


# Cisco Firepower $\tilde{a}, \cdot \tilde{a}, ^1 \tilde{a} f \dagger \tilde{a} f \tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f \tilde{a}, | \tilde{a}, \S \tilde{a}, \mathcal{C}$ $\tilde{a}, - \tilde{a} f \tilde{a}, ^1 \tilde{a} \check{Z} \check{Y} \mathcal{C}, ^1 \tilde{a} f \% \tilde{a} f ; \tilde{a}, \mathcal{C} \tilde{a} f^3 \tilde{a} ; \blacklozenge \grave{e} \cdot \grave{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S$



$\tilde{a}, \mathcal{C} \tilde{a} f \% \tilde{a} f \blacklozenge \tilde{a}, \mathcal{C} \tilde{a}, \mathbb{Q} \tilde{a} f^a \tilde{a} f \frac{1}{4} \text{ID} : \text{cisco-sa-}$

[CVE-2018-0278](#)

20180502-fpwr-dos

$\hat{a} \blacklozenge \tilde{a} \dots - \acute{e} - \mathcal{C} \tilde{a} - \mathcal{Y} : 2018-05-02 16:00$

$\tilde{a} f \blacklozenge \tilde{a} f \frac{1}{4} \tilde{a}, \tilde{a} f \S \tilde{a} f^3 1.0 : \text{Final}$

CVSS  $\tilde{a}, ^1 \tilde{a}, ^3 \tilde{a}, \mathcal{C} : 6.5$

$\hat{a} \blacktriangleright \acute{z} \acute{e} \blacklozenge \mathcal{Z} \mathcal{C} - : \text{No workarounds available}$

Cisco  $\tilde{a} f \blacklozenge \tilde{a}, ^\circ \text{ID} : \text{CSCvh68311}$

$\tilde{a} - \mathcal{Y} \tilde{a} \tilde{e} - \acute{a} \check{z} \tilde{a} \blacklozenge \ll \tilde{a}, \hat{\tilde{a}}, \mathcal{C} \tilde{a} f \dots \tilde{a} \pm \tilde{a} \blacklozenge - \tilde{a} \in \blacklozenge \grave{e} \mathcal{C} \pm \acute{e} \tilde{a} \check{z} \tilde{a} \blacklozenge \ll \tilde{a}, \hat{\tilde{a}}, \mathcal{C} \tilde{a} \check{Z} \check{Y} \tilde{a} - \dagger \tilde{a} \blacklozenge \text{\textcircled{R}} \acute{e} \blacklozenge \check{z} \tilde{a} \dots - \tilde{a} \frac{1}{4} \blacklozenge \tilde{a}$

$\tilde{a} \dagger, \grave{e} \blacklozenge$

Cisco Firepower  $\tilde{a}, \cdot \tilde{a}, ^1 \tilde{a} f \dagger \tilde{a} f$

$\tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f \tilde{a}, | \tilde{a}, \S \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} f \check{z} \tilde{a} f \blacklozenge \tilde{a}, \tilde{a} f ; \tilde{a} f^3 \tilde{a} f \tilde{a}, ^3 \tilde{a} f^3 \tilde{a}, \frac{1}{2} \tilde{a} f \frac{1}{4} \tilde{a} f \ll \blacklozenge \text{\textcircled{R}} \grave{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a} \blacklozenge - \tilde{a} f^a \tilde{a} f \mathcal{C} \tilde{a} f \frac{1}{4} \tilde{a} f \tilde{a} \tilde{a} \gg \tilde{a} \tilde{e} f \in \dots$

$\grave{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a} \blacklozenge - \text{WebSocket}$

$\tilde{a} f - \tilde{a} f \tilde{a} f \tilde{a}, ^3 \tilde{a} f \ll \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} \blacklozenge \check{Y} \tilde{a}, \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a}, \blacklozenge \acute{e} \blacklozenge \text{\textcircled{C}} \tilde{a} \frac{1}{2} \tilde{a} \blacklozenge \tilde{a}, - \tilde{a} f \tilde{a}, ^1 \tilde{a} \check{Z} \check{Y} \mathcal{C}, ^1 \tilde{a} f \% \tilde{a} f ; \tilde{a}, \mathcal{C} \tilde{a} f^3 \tilde{a} ; \blacklozenge \grave{e} \cdot \tilde{a} \blacklozenge \mathcal{C} \tilde{a} \check{Z} \check{Y} \tilde{a} \gg \tilde{a} \blacklozenge \S \tilde{a}$

$\tilde{a} \tilde{e} \gg \tilde{a} \tilde{e} f \in \dots \tilde{a} \blacklozenge - \tilde{a} f | \tilde{a} f \frac{1}{4} \tilde{a}, \mathbb{Q} \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} \frac{1}{2} \pm \acute{e} \check{Y} \check{z} \tilde{a}, \hat{\tilde{a}} - \tilde{a} \blacklozenge \tilde{a} \blacklozenge \check{Y} \tilde{a}, \mathcal{C} \tilde{a} f - \tilde{a} f^a \tilde{a}, \pm \tilde{a} f \frac{1}{4} \tilde{a}, \cdot \tilde{a} f \S \tilde{a} f^3 \tilde{a} \blacklozenge \ll \text{Send}$

$\grave{e} | \blacklozenge \tilde{a} \pm, \tilde{a} \blacklozenge \ll \grave{e} \tilde{e} \tilde{e} \hat{\tilde{a}} \blacklozenge \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge | \tilde{a} \blacklozenge, , \tilde{a}, \mathcal{C} \tilde{a}, ^a \tilde{a}, , \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} \blacklozenge, \tilde{a}, \mathcal{C}$

Web  $\tilde{a}, \mu \tilde{a}, \mathcal{C} \tilde{a} f \tilde{a} \blacklozenge \ll \tilde{a}, \mathcal{C} \tilde{a}, - \tilde{a}, \gg \tilde{a}, ^1 \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a}, \tilde{a}, \hat{\tilde{a}} \blacklozenge \dagger \tilde{a} \blacklozenge \ll \mathcal{C} \text{\textcircled{C}} \tilde{a} ; \tilde{a} \blacklozenge \ll \tilde{a}, \hat{\tilde{a}} \blacklozenge \mathcal{E} \tilde{a} \blacklozenge | \tilde{a} f | \tilde{a} f \frac{1}{4} \tilde{a}, \mathbb{Q} \tilde{a} \blacklozenge \mathcal{C} \tilde{a}, \mathcal{C} \tilde{a}, - \tilde{a} f \dagger \tilde{a}, \mathcal{E} \tilde{a} f$

$\tilde{a}, - \tilde{a} f \tilde{a}, \tilde{a} f \frac{1}{4} \tilde{a} \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a}, \mathcal{C} \tilde{a} f - \tilde{a} f^a \tilde{a}, \pm \tilde{a} f \frac{1}{4} \tilde{a}, \cdot \tilde{a} f \S \tilde{a} f^3 \tilde{a} f \tilde{a}, ^\circ \tilde{a}, \mathcal{C} \tilde{a} f^3$

$\tilde{a} \blacklozenge \cdot \tilde{a}, \mathcal{C} \tilde{a}, \mathcal{C} \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge - \tilde{a} \in \blacklozenge \tilde{a} \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a}, \hat{\tilde{a}}, \blacklozenge \tilde{a} \mathcal{E} f \hat{\tilde{a}} \text{\textcircled{C}} \mathcal{C} \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge - \acute{e} f \frac{1}{2} \tilde{a} \in \S \tilde{a} \blacklozenge \mathcal{C} \tilde{a} \blacklozenge, \tilde{a}, \check{S} \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a} \in,$

$\tilde{a} \mathcal{E} \tilde{a}, \tilde{a} \blacklozenge \tilde{a}, \tilde{a}, - \tilde{a}, ^1 \tilde{a} f - \tilde{a} f \tilde{a}, \mathcal{C} \tilde{a} f \tilde{a} \blacklozenge - \tilde{a} \tilde{e} \gg \tilde{a} \tilde{e} f \in \dots \tilde{a} \blacklozenge \mathcal{C} \tilde{a} f \blacklozenge \tilde{a} f^a \tilde{a}, \tilde{a} f \frac{1}{4} \tilde{a} \blacklozenge \mathcal{C} \tilde{a} \mathcal{C} \tilde{a} \blacklozenge \tilde{a} \tilde{e} f \dots \tilde{a} \tilde{a}, \hat{\tilde{a}} \frac{1}{2} \pm \acute{e} \check{Y} \check{z} \tilde{a}, \hat{\tilde{a}} -$

$\tilde{a} \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a} \blacklozenge \ll \tilde{a} \frac{3}{4} \tilde{a} \dagger ; \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge \acute{z} \acute{e} \blacklozenge \mathcal{Z} \mathcal{C} - \tilde{a} \blacklozenge \tilde{a}, \tilde{a}, \check{S} \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \tilde{a}, \tilde{a} \in,$

$\tilde{a} \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a}, \mathcal{C} \tilde{a} f \% \tilde{a} f \blacklozenge \tilde{a}, \mathcal{C} \tilde{a}, \mathbb{Q} \tilde{a} f^a \tilde{a} \blacklozenge - \tilde{a} \in \blacklozenge \tilde{a} \tilde{e} - \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} f^a \tilde{a} f^3 \tilde{a}, - \tilde{a}, \hat{\tilde{a}}, \check{S} \mathcal{C} \text{\textcircled{C}} \tilde{e}^a \blacklozenge \tilde{a} \blacklozenge \S \tilde{a} \blacklozenge \blacklozenge \tilde{a} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a} \in,$

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20180502-fpwr-dos>

$\grave{e} \text{\textcircled{C}} \tilde{a} \frac{1}{2} \tilde{a} \blacklozenge \tilde{e} \mathcal{E} \frac{1}{2} \tilde{a} \blacklozenge \blacklozenge$

$\grave{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{a} \blacklozenge, \tilde{a}, \mathcal{C} \tilde{e} \mathcal{E} \frac{1}{2} \tilde{a} \blacklozenge \blacklozenge$

$\tilde{a} \blacklozenge \tilde{a} \blacklozenge \text{\textcircled{R}} \tilde{e}, , \dagger \tilde{a} \frac{1}{4} \pm \tilde{a} \in \S \tilde{a} \blacklozenge - \text{Cisco Firepower } \tilde{a}, \cdot \tilde{a}, ^1 \tilde{a} f \dagger \tilde{a} f$

$\tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f \tilde{a}, | \tilde{a}, \S \tilde{a}, \mathcal{C} \tilde{a} \blacklozenge \ll \tilde{a} \frac{1}{2} \pm \acute{e} \check{Y} \check{z} \tilde{a}, \hat{\tilde{a}}, \check{Z} \tilde{a} \blacklozenge \hat{\tilde{a}} \blacklozenge \frac{3}{4} \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a} \in, \grave{e} \text{\textcircled{C}} \tilde{a} \frac{1}{2} \tilde{a} \blacklozenge \text{\textsuperscript{TM}} \tilde{a}, \mathcal{C} \tilde{a}, \frac{1}{2} \tilde{a} f \cdot \tilde{a} f \tilde{a}, | \tilde{a}, \S \tilde{a}, \mathcal{C}$





## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。