

# Medium Cisco NX-OS CLI Privilege Escalation



Cisco-SA-20190515-nxos-cli-bypass

[CVE-2019-1726](#)

Published: 2019-05-15 16:00

Version: 1.0

CVSS: 5.3

Workarounds: No workarounds available

Cisco ID: [CSCvi99248](#) [CSCvi99250](#)

[CSCvi99252](#) [CSCvi99251](#) [CSCvn11851](#)

[CSCvh24771](#) [CSCvi99247](#)

Medium severity Cisco NX-OS CLI Privilege Escalation

## Summary

Cisco NX-OS CLI Privilege Escalation

On Cisco NX-OS, a user with the 'network-admin' role can execute the 'show system info' command to retrieve the system's IP address.

The 'show system info' command is used to display system information, including the IP address.

The output of the 'show system info' command includes the IP address of the device.

Cisco NX-OS CLI Privilege Escalation

The 'show system info' command is used to display system information, including the IP address.

The output of the 'show system info' command includes the IP address of the device.

The output of the 'show system info' command includes the IP address of the device.

The output of the 'show system info' command includes the IP address of the device.

The output of the 'show system info' command includes the IP address of the device.

The output of the 'show system info' command includes the IP address of the device.

Cisco NX-OS CLI Privilege Escalation

The 'show system info' command is used to display system information, including the IP address.

The output of the 'show system info' command includes the IP address of the device.

Cisco NX-OS CLI Privilege Escalation

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190515-nxos-cli-bypass>

© 2019 Cisco and/or its affiliates. All rights reserved. Cisco Confidential



è,,†â¼±æ€§ã®ã,ã,«è£½â”

æœ¬è,,†â¼±æ€§ã¬ãCisco NX-OS

ã,½ãfãf^ã,|ã,šã,çã®è,,†â¼±æ€§ã®ã,ã,ãfãfãf¼ã,¹ã,¹ã®ÿè;Cã™ã,«æ¬;ã®ã,¹ã,³è£½â”

- MDS 9000 ã,·ãfãf¼ã,°ãfžãf«ãfãf¬ã,ªãfªã,¹ã,ªãffãf
- Nexus 3000 ã,·ãfãf¼ã,°ã,¹ã,ªãffãf
- Nexus 3500 ãf—ãf©ãffãf^ãfã,©ãf¼ãfã,¹ã,ªãffãf
- Nexus 3600 ãf—ãf©ãffãf^ãfã,©ãf¼ãfã,¹ã,ªãffãf
- Nexus 5500 ãf—ãf©ãffãf^ãfã,©ãf¼ãfã,¹ã,ªãffãf
- Nexus 5600 ãf—ãf©ãffãf^ãfã,©ãf¼ãfã,¹ã,ªãffãf
- Nexus 6000 ã,·ãfãf¼ã,°ã,¹ã,ªãffãf
- Nexus 7000 ã,·ãfãf¼ã,°ã,¹ã,ªãffãf
- Nexus 7700 ã,·ãfãf¼ã,°ã,¹ã,ªãffãf
- ã,¹ã,¿ãf³ãf%ã,çãfãf³ NX-OS ãfçãf¼ãf%ã® Nexus 9000 ã,·ãfãf¼ã,°ã,¹ã,ªãffãf
- Nexus 9500 R ã,·ãfãf¼ã,°ã,¹ã,ªãffãfãf³ã,°ãf—ãf©ãffãf^ãfã,©ãf¼ãf
- UCS 6200 ã,·ãfãf¼ã,°ãfã,¿ãf¬ãfãfã,¬ã,ªãf³ã,¿ãf¼ã,³ãfã,¬ãf^
- UCS 6300 ã,·ãfãf¼ã,°ãfã,¿ãf¬ãfãfã,¬ã,ªãf³ã,¿ãf¼ã,³ãfã,¬ãf^
- UCS 6400 ã,·ãfãf¼ã,°ãfã,¿ãf¬ãfãfã,¬ã,ªãf³ã,¿ãf¼ã,³ãfã,¬ãf^

è,,†â¼±æ€§ãCã¬ãœ¬ã™ã,« Cisco NX-OS ã,½ãfãf^ã,|ã,šã,ç

ãfãfãf¼ã,¹ã«ãªã,ã|ã¬ãã“ã®ã,çãf%ããfã,ªã,¿ãfã®ãCã;@æfæ,ã¿ã,½ãfãf

è,,†â¼±æ€§ã,¹ã«ã,“ãšã,ãªã,ã“ã”ãCçç°èãã•ã,Cãÿè£½â”

ã“ã®ã,çãf%ããfã,ªã,¿ãfã®è,,†â¼±æ€§ãCã¬ãœ¬ã™ã,«è£½â”ã®ã,»ã,¬ã,·ãfšãf³ã«ãf

ã,¹ã,³ã¬ãã“ã®è,,†â¼±æ€§ãCã»¥ã,ã®ã,¹ã,³è£½â”ã«ã¬ã½±éÿ¿ã,ä,žã^ã

- Firepower 2100 ã,·ãfãf¼ã,°
- Firepower 4100 ã,·ãfãf¼ã,°
- Firepower 9300 ã,»ã,ãf¥ãfãf†ã,£ã,çãf—ãf©ã,ªã,çãf³ã,¹
- Nexus 1000V Switch for Microsoft Hyper-V
- Nexus 1000V Switch for VMware vSphere
- Nexus 9000 ã,·ãfãf¼ã,°ãfã,¿ãf¬ãfãfã,¬ã,¹ã,ªãffãf¼ã,çãf—ãfã,±ãf¼ã,·ãfšãf³ã,»ãf³ãf^ãfãfã,¬ã,ªãf³ãfãf©ã,¹ãf^ãf©ã,¬ãfãf£i¼^ACIi¼%ããfçãf¼ãf%ãi¼%ã

ã>žé¿ç-





Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,¢ ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
6.0(2)A8 ã,^ã,šã%◊	6.0(2)A8(11)
6.0(2)A8	6.0(2)A8(11)
7.0(3)	7.0(3)I7(3)
9.2	è,,†ã¼±æ€šãªã—

Nexus 3600 ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf ã,¹ã,ªãffãfã®ãšã,^ã³ Nexus 9500 R ã,ãf^ãf¼ã,°  
ã,¹ã,ªãffãfã®ãf³ã,° ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf : [CSCvi99247](#)

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,¢ ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
7.0(3)	9.2(1)
9.2	9.2(1)

Nexus 5500ã€◊5600ã€◊6000 ã,ãf^ãf¼ã,° ã,¹ã,ªãffãfã®i¼š [CSCvi99251](#)

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,¢ ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
7.3 ã%◊	7.3(4)N1(1)
7.3	7.3(4)N1(1)

Nexus 7000 ãšã,^ã³ 7700 ã,ãf^ãf¼ã,° ã,¹ã,ªãffãfã® [CSCvi99248](#)

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,¢ ãf^ãf^ãf^ã,¹	ã"ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
6.2 ã,^ã,šã%◊	6.2(22)
6.2	6.2(22)
7.2	7.3(3)D1(1)
7.3	7.3(3)D1(1)
8.0	8.3(2)
8.1	8.3(2)
8.2	8.3(2)

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,ç ãf^ãf^ãf^ã,¹	ã“ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
8.3	8.3(2)

UCS 6200ã€6300ã€ãŠã,^ã³ 6400 ã,ãf^ãf¼ã,°  
ãf•ã,½ãf-ãf^ãfã,ãç,ã'æŽ¥ç¶šã—ã¼ã™: [CSCvi99252](#) ãŠã,^ã³ [CSCvn11851](#)

Cisco NX-OS ã,½ãf•ãf^ã, ã,šã,ç ãf^ãf^ãf^ã,¹	ã“ã®è,,†ã¼±æ€šã«ã³¼ã™ã,æœ€ã^ã®ä¿®æ£ãf^ãf^ãf¼ã,¹
4.0	4.0(1d)
4.0	4.0(1d)

é—œ€æf...ã ±

Cisco Nexus ã,¹ã,ããffãfã«ã«æœ€é©ãª Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,ç  
ãf^ãf^ãf¼ã,¹ã®æ±°ã®šã«é—çã—ãç|ã,µãfãf¼ãf^ã£ã¿...è|ãªã'ã^ãã«ã»ã,ãã  
ã,çãf%ããã,ã,¶ã,¶ãfããšã,^ã,šã—ãç—ãç,,ãf^ãf^ãf¼ã,¹ã£æŽ“ã¥“ãã,£ã|ãç,,ã,ã'ã^ãç—ã

- [Cisco MDS ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)
- [VMware ã'ã' Cisco Nexus 1000V ã,¹ã,ããffãfã](#)
- [Cisco Nexus 3000 ã,ãf^ãf¼ã,°ãŠã,^ã³ 3500 ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)
- [Cisco Nexus 5000 ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)
- [Cisco Nexus 5500 ãf—ãf@ãffãf^ãf•ã,©ãf¼ãã ã,¹ã,ããffãfã](#)
- [Cisco Nexus 6000 Series Switches](#)
- [Cisco Nexus 7000 ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)
- [Cisco Nexus 9000 ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)
- [ACI ãfçãf¼ãf%ã® Cisco Nexus 9000 ã,ãf^ãf¼ã,°ã,¹ã,ããffãfã](#)

Cisco UCS ã«æœ€é©ãªª Cisco NX-OS ã,½ãf•ãf^ã,|ã,šã,ç  
ãf^ãf^ãf¼ã,¹ã®çç°èªã«é—çã—ãç|ã,µãfãf¼ãf^ã£ã¿...è|ãªã'ã^ãã«ã»ããfããã,ã  
ãfŽãf¼ãf^ã«è“~è¼%ãã,ã,£ã|ãç,,ã,æŽ“ã¥“ãf^ãf^ãf¼ã,¹ã«é—çã™ã,ãf%ãã,ãfãfãfãf^ã,ãã

ã,æfã^©ç“ã°ã¼ãç™“ã...ã¼ç™“èj”

Cisco Product Security Incident Response  
Team¼^PSIRT¼%ãšãã«æœ€—ã,çãf%ããã,ã,¶ã,¶ãfãã«è“~è¼%ãã,ã,£ã|ãç,,ã,ã,è,,†ã¼±æ€šã

ãª°ã...,

æœ-è,†â¼±æ€§ã-ã€ã,ã,1ã,³â†...éf”ãšã®ã,»ã,ãfããftã,£ãftã,1ãf^ã«ã,^ã£ã|ç™°è|ã•ã,Æã¾ã—ãÿã€,

# URL

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20190515-nxos-cli-bypass>

æ”¹è¨,å±ÿæ´

â€”

ãfãf¼ã,ãfsãf³	èª-æŽ	ã,»ã,ã,ãfšãf³	ã,1ãf†ãf¼ã,¿ã,¹	Date
1.0	å^å>žã...-é-ãfããfãf¼ã,¹		æœ€çç%å^	2019-May-15

å^©ç”¹è|ç´,,

æœ-ã,çãf%åãfã,ãã,¶ã,¶ãfããç,,jãçè”¼ã®ã,,ã®ãã”ã—ã|ã”æãã¾ã—ã|ãšã,šã€æœ-ã,çãf%åãfã,ãã,¶ãfãã®æf...å±ãšã,^ã³ãfããfãã,ã®ã½¿ç””ã«é-çã™ã,<è²-ã»ã®ã,€ã¾ãÿã€ã,ã,1ã,³ã-æœ-ãf%åã,ãfããfããfãã®â†...ã®¹ã,’ã°ãšããã—ã«å%åæ´’ã—ãæœ-ã,çãf%åãfã,ãã,¶ãfãã®è”~è:°â†...ã®¹ã«é-çã—ã|æf...å±é...ã¿jã® URLã,’çœçç•¥ã—ã€å~ç<-ã®è»çè¼%åã,,æ,,è³ã,’æ-½ã—ãÿã´å^ã€å½”ç¾¾ãÆç®jçãã”ã®ãf%åã,ãfããfããfããfãã®æf...å±ã-ã€ã,ã,1ã,³è£½ã”ã®ã,ã³ãf%åãf¼ã,¶ã,¹ã¾è±jã

## 翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。