

Cisco Firepower Threat

Defense(FTD) Cisco Firepower Threat Defense Advisory



Severity: Medium
ID: [CVE-2020-3352](#)

Published: 2020-10-21 16:00

Version: 1.0

CVSS: 5.3

Workarounds: No workarounds available

Cisco ID: [CSCvq43920](#)

Summary: This advisory describes a vulnerability in the Cisco Firepower Threat Defense (FTD) software that could allow an attacker to execute arbitrary code on the device.

Description

Cisco Firepower Threat

This advisory covers a vulnerability in the Cisco Firepower Threat Defense (FTD) software. The affected version is 1.0. The vulnerability is a command injection flaw in the FTD's Command Line Interface (CLI). An attacker can exploit this vulnerability to execute arbitrary commands on the device. The advisory provides a detailed description of the vulnerability, mitigation steps, and a Cisco ID for tracking. The advisory is available at <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ftd-hidcmd-pFDeWVBd>.

Impact

Impact Summary

This advisory describes a vulnerability in the Cisco Firepower Threat Defense (FTD) software that could allow an attacker to execute arbitrary code on the device.

The vulnerability is a command injection flaw in the FTD's Command Line Interface (CLI). An attacker can exploit this vulnerability to execute arbitrary commands on the device. The advisory provides a detailed description of the vulnerability, mitigation steps, and a Cisco ID for tracking. The advisory is available at <https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ftd-hidcmd-pFDeWVBd>. The Cisco ID for this advisory is CSCvq43920.

Impact Summary: This advisory describes a vulnerability in the Cisco Firepower Threat Defense (FTD) software that could allow an attacker to execute arbitrary code on the device.

Impact Summary: This advisory describes a vulnerability in the Cisco Firepower Threat Defense (FTD) software that could allow an attacker to execute arbitrary code on the device.

ã,·ã,¹ã,³ã♦Šã♦¬ã€♦ã♦“ã♦®è,,†å¼±æ€Šã♦CE Cisco é♦©å¿œåž<ã,»ã,ãƒ¥ãƒ¤ãƒ†ã,£
ã,çãf—ãf©ã,¤ã,çãf³ã,¹i¼^ASAï¼%oã,½ãf•ãf^ã,|ã,§ã,çã♦«å½±éÝ;ã,’å♦Šã♦¼ã♦•ã♦³ã♦,,ã♦”ã♦”ã♦

å>žé♦¿ç-

ã♦”ã♦®è,,†å¼±æ€Šã♦«å¬¾ã‡|ã♦™ã,<å>žé♦¿ç-ã♦¬ã♦,ã,Šã♦¾ã♦>ã,“ã€,

ä¿®æ£æ,^ã♦¿ã,½ãf•ãf^ã,|ã,§ã,c

ã,½ãf•ãf^ã,|ã,§ã,cã♦®ã,çãffãf—ã,°ãf-ãf¼ãf%oã,’æœœè·žã♦™ã,<éš>ã♦«ã♦¬ã€♦[ã,ã,¹ã,³
ã,»ã,ãƒ¥ãf¤ãƒ†ã,£ã,çãf%oãf♦ã,¤ã,¶ãf³a](#)
[ãfšãj¼ã,ã♦§å...¥æ%o<ã♦§ã♦ã,ã,ã,¹ã,³è£½å“ã♦ã♦®ã,çãf%oãf♦ã,¤ã,¶ãf³a,å®šæœÝçš,,ã♦»å♦,ç
ã,½ãf¤ãf¼ã,·ãfšãf³ã,€å¼♦ã,’çç°è^ã♦—ã♦|ã♦¿ã♦ã♦ã♦•ã♦,,ã€,](#)

ã♦,,ã♦šã,Cæ®å`å♦^ã,,ã€♦ã,çãffãf—ã,°ãf-ãf¼ãf%oã♦™ã,<ãf‡ãf♦ã,¤ã,¹ã»å♦?å`å^tã♦^ãfjãfcã
Technical Assistance

Centerï¼^TACï¼%oã,,ã♦—ã♦¿ã♦—å¥'ç’ã♦—ã♦|ã♦,,ã,[ãfjãf³ãf†ãfšãf³ã,¹ãf—ãfãf♦ã,¤ãf€ãf¼ã♦»](#)

ä¿®æ£æ,^ã♦¿ãf¤ãf¤ãf¼ã,¹

ç™oè;Cæ™,ç,¹ã♦§ã♦¬ã€♦æ¬jã♦®è;|ã♦«è”è¼%oã♦•ã,Cæ§|ã♦,ã,ãf¤ãf¤ãf¼ã,¹æf...å±ã♦¬æ£çç
ID ã♦®è©³ç°ã,»ã,¬ã,·ãfšãf³ã,’å♦ç...§ã♦—ã♦|ã♦¿ã♦ã♦ã♦•ã♦,,ã€,

å·ã♦®å`—ã♦¬ã,·ã,¹ã,³ã,½ãf•ãf^ã,|ã,§ã,çãf¤ãf¤ãf¼ã,¹ã,’ç¤°ã♦—ã€♦å♦³ã♦®å`—ã♦¬ãf¤ãf¤ãf¼ã,¹ã♦

Cisco FTD å,½ãf•ãf^ã,|ã,§ã,c

Cisco FTD ã,½ãf•ãf^ã, ã,§ã,c ãf¤ãf¤ãf¼ã,¹	ã♦”ã♦®è,,†å¼±æ€Šã♦«å¬¾ã♦™ã,<æœ€å`å♦®ä¿®æ£ãf¤ãf¤ãf¼ã ä¿®æ£æ,^ã♦¿ãf¤ãf¤ãf¼ã,¹ã»ç§»è;Cæ€,
ãf¤ãf¤ãf¼ã,¹6.2.2¹ã,^ã,Šå%o♦	ä¿®æ£æ,^ã♦¿ãf¤ãf¤ãf¼ã,¹ã»ç§»è;Cæ€,
6.2.2	ä¿®æ£æ,^ã♦¿ãf¤ãf¤ãf¼ã,¹ã»ç§»è;Cæ€,
6.2.3	ä¿®æ£æ,^ã♦¿ãf¤ãf¤ãf¼ã,¹ã»ç§»è;Cæ€,
6.3.0	6.3.0.6i¹¼^ãf¤ãf¤ãf¼ã,¹æ°å®ši¹¼%
6.4.0	6.4.0.10
6.5.0	6.5.0.5i¹¼^ãf¤ãf¤ãf¼ã,¹æ°å®ši¹¼%
6.6.0	6.6.1

1. Cisco FMC å♦Šã,^ã♦³ FTD å,½ãf•ãf^ã,|ã,§ã,çãf¤ãf¤ãf¼ã,¹ 6.0.1 ä»¥å%o♦ã♦Šã,^ã♦³
6.2.0ä€♦6.2.1

ã?«ã?¤ã?„ã?|ã?~ã?ã,½ãf•ãf^ã,|ã,§ã,Cã?®ãfjãf³ãftãfSãf³ã,¹ã?Œçµ,ä°†ã?—ã?|ã?„ã?¾ã?

Cisco FTD

ã,½ãf•ãf^ã,|ã,§ã,cã?®ä?æFæ,^ã?¿ãf?ãf?ãf?ã,¹ã?«ã,Cãffãf—ã,°ãf~ãf?ãf%oã?™ã,<ã?«ã?~ã?ã?æ-

- Cisco Firepower Management

Centeri¼^FMCi¼‰ã,’ä½ç?”ã?—ã?|ç®|ç?†ã?—ã?|ã?„ã,<ãf?ãf?ã,¤ã,¹ã?«ã?¤ã?„ã?|ã?~ã,¤ãf?ã,¿ãf?ãf?ã,§ã,¤ã,¹ã,’ä½ç?”ã?—ã?|ã,Cãffãf—ã,°ãf~ãf?ãf%oã,’ã,¤ãf?ã,¹ãf?ãf?ãf?ã—ã,

- Cisco Firepower Device

Manageri¼^FDMi¼‰ã,’ä½ç?”ã?—ã?|ç®|ç?†ã?—ã?|ã?„ã,<ãf?ãf?ã,¤ã,¹ã?«ã?¤ã?„ã?|ã?~ã,¤ãf?ã,¿ãf?ãf?ã,§ã,¤ã,¹ã,’ä½ç?”ã?—ã?|ã,Cãffãf—ã,°ãf~ãf?ãf%oã,’ã,¤ãf?ã,¹ãf?ãf?ãf?ã—ã,

ä?æFå?®ç?”ã?~ã?¾ã?~å...~å?¼?ç?™oèi~

Cisco Product Security Incident Response

Teami¼^PSIRTi¼‰ã?~ã?ã?æœ~ã,Cãf%oãf?ã,¤ã,¶ãf?ã?«è~è¼‰ã?•ã,Œã?|ã?„ã,<è,†å¼±æ€§ã?~ã?ã?æœ~ã,†å¼±æ€§ã?~ã?ã?æœ~ã,¹ã,’ä½ç?”ã?—ã?|ç?™oèi~ã?•ã,Œã?¾ã?—ã?¥ã?,

å?•å...~,

æœ~è,,†å¼±æ€§ã?~ã?ã?æœ~ã,;ã,¹ã,’ä½ç?”ã?—ã?|ç?™oèi~ã?•ã,Œã?¾ã?—ã?¥ã?,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ftd-hidcmd-pFDeWVBd>

æ”¹è“,å±¥æ‘

ãf?ãf?ã,ãf§ãf?³	è¤æ~Ž	ã,»ã,~ã,<ãf§ãf?³	ã,¹ãf?ãf?ã,¿ã,¹	æ—¥ã?~
1.0	å?•å?žå...~é~ãf?ãf?ãf?ã,¹	-	Final	2020 10æœ^ 21æ—¥

å?®ç?”è!?ç’ „

æœ~ã,cãf%oãf?ã,¤ã,¶ãf?ã?~ç„jä?è~¹ã?®ã,,ã?®ã?~ã?—ã?|ã?~æ?¤ã?¾ã?—ã?|ã?Šã,Šã€æœ~ã,Cãf%oãf?ã,¤ã,¶ãf?ã?®æf...å±ã?Šã,^ã?³ãf?ãf?³ã,~ã?®ä½ç?”ã?«é~çã?™ã,<è²~ä»»ã?®ä,€ã?¾ã?¥ã?~ã,¹ã,’ä½ç?”ã?—ã?|ç?™oèi~ã?•ã,Œã?¾ã?—ã?¥ã?,

æœ~ã,cãf%oãf?ã,¤ã,¶ãf?ã?®è~~è?°å†...å®¹ã?«é~çã?—ã?|æf...å±é...?ä?ç?ã?® URL

ã,’çœç•¥ã—ã€å?~ç¬ã®è»çè¼‰ã„æ,,è”³ã,’æ-½ã—ã®ÿå’å^ã€å½”ç¤¾ã®ç®;ç?ã?“ã®ãf‰ã,ãf¥ãf;ãf³ãf”ã®æf...å±ã—ã€ã,·ã,¹ã,³è£½å”ã®ã,“ãf³ãf‰ãf’ãf¼ã,¶ã,’å¬¾è±|ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。