

Firepower Management Center 3 NGIPS 'Cisco FirePOWER



CVE-2022-20918

Cisco Confidential ID : [CSCwa97541](#)

[illegible]

<https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-fmesfr-snmp-access-6gggtJ4S>

Event Response!4\$2022 a^ 11 æœã«ã...-é-<ã•ã,ŒãŸ Cisco ASAã€FMCã€ã¿Šã,^ã³
FTD ã,½ãƒ•ãƒ^ã,|ã,Šã,ç ã,»ã,ãƒ¥ãƒãƒã†ã,£ ã,çãƒ%ãããƒã,ãã,¶ãƒã
ãƒãã³ãƒ%ãããƒã«i¼^ãŠœœŸi¼%ã,ã'ã,ç...Šã—ã¿|ã¿ã¿ã¿ã¿•ã¿,,ã€,

è©²å¹/²“è£¹/²å“◆?

è,,†å¼±æ€§ã? ®ã?,ã,<£½å"?

ã"àè,†å¼±æššã"ãASA FirePOWERãçã,ã¥ã¼ã«ç""ãCisco
FirePOWERã,½ã•ã^ã,|ã,šã,çãCisco FMCã,½ã•ã^ã,|ã,šã,çããã¼ã"ãCisco
NGIPSã,½ã•ã^ã,|ã,šã,çãããã¼ã,¹7.0.0 i½ž
7.0.4ã,å@ÿè;Œã—ã"ã,ã,ãã†ãã,ã,¹ãšæœ%ãš¹ã"ãSNMPã@ããã¼ã,ãšãšãŒã
ããããã¼ã,¹7.0.5 ä»¥é™ã"ãšã;®æãã•ã,Œãã"ã,ãã¼ã™ã€,

[illegible]

ãf‡ãf?ã,¤ã,'è"å®šã?®ççºèª?

Cisco FMC, 1/2 af af a, la, sa, ca SNMP CE af af a, ma, 1a, 1/2 c " " a — a | a ASA
FirePOWER af ca, af af af af « c " " a @ Cisco FirePOWER, 1/2 af af a, | a, sa, ca 3/4 a Ya Cisco
NGIPS a, 1/2 af af a, | a, sa, ca SNMP CE æ œ % å Š a « a a E a | a „ a, a a a a a t a a, ' c c °
> [af — af af af af a, ca af 1/4 af è a @ š (Platform Settings)] >
[SNMP a, af 1/4 af a a æ œ % å Š a CE — (Enable SNMP Servers)]
a, ' é æ Š a — a 3/4 a TM a €, [SNMP Host]
a, i af — a @ SNMP a, af 1/4 af a a @ a, af 3 a, i af 1/4 af a, sa, ma, 1 a CE ASA
FirePOWER af ca, af af af af af « c @ i c t a, af 3 a, i af 1/4 af a, sa, ma, 1 c " " a @ Cisco
FirePOWER a, 1/2 af af a, | a, sa, ca « è a @ š a a, CE a | a „ a, a a a a a a af af a, ma, 1 a
Cisco
FMC a, 1/2 af af a, la, sa, ca SNMP CE æ œ % å Š a « a a a E a | a „ a, a a a a a t a a, ' c c ° è a
> [Device Management] a, ' é æ Š a — a 3/4 a TM a €, [Admin State]
a a af a, sa af a, af af af af a, a CE a a a a a | a „ a, a a a a a a a a a a SNMP a æ œ % å Š a sa TM a €,

è,,†â¼±æ€§ã,'å«ã,"ã§ã,,ãªã,,ã"ã"ãÇç°èªã•ã,ŒãŸè£½ã"

ã"ã®ã,ćăf%ăfã,ªã,¶ăfªã®è,,†â¼±æ€§ã®ã,ã,«è£½ã"ã,»ã,¬ã,ăfšăf³ã«è"~è¼%ă•ã

ã,·ã,¹ã,³ã¬ã®ã"ã®è,,†â¼±æ€§ãŒ Cisco ASA ã,½ăf•ăf^ã,|ã,šã,ćã¾ãŸã¬ Cisco
Firepower Threat
Defenseĩ¼^FTDĩ¼%ă,½ăf•ăf^ã,|ã,šã,ćã«ã½±éŸã,âŠã¼ã•ãªã,,ã"ã"ã,ćç°èªã—

ăžé¿ç-

ç®;ç†è€...æ"©é™ã,'æŒãăf|ăf¼ã,¶ăf¼ã¬ã€ã,"ã,ã,¹ăfăf¼ăf^ăfćăf¼ăf%ă§æ¬ã®ã,

```
# expert
# sudo su -
# sed -i 's/^com2sec/#com2sec/' /etc/snmp/snmpd.conf
# pmtool restartbyid snmpd
```

SNMP ãŒă¿...è|ãªã,,ăf†ăfã,ªã,¹ã®ă'ă^ã€ç®;ç†è€...ã¬ SNMP
è"ă®šã,'ă%Šé™ă—ã|ã€ã®ăăf†ăfã,ªã,¹ãŒã"ã®è,,†â¼±æ€§ã®ă½±éŸã,âŠã
SNMP ç£è|-ăfã,¹ăf^ã<ã,%ă® SNMP
æŽŸç¶šã®ă¿ã,è"±ă¬ã™ã,ă"ã"ã«ã,^ã,šă€æ"»æ'fă¾è±jë~ăŸŸã,'ă%šæ,ăšããã
ã"ã®ăžé¿ç-ã"ç·©ă'Œç-ã¬ăŽă...¥ă•ã,Œã|ãšã,šă€ăf†ã,¹ăf^ç°ăćăšã¬ă®Ÿè"¼

ă¿®æ£æ,^ã¿ã,½ăf•ăf^ã,|ã,šã,ć

ã,·ã,¹ã,³ã¬ã"ã®ã,ćăf%ăfã,ªã,¶ăfªã«è"~è¼%ă•ã,ŒãŸè,,†â¼±æ€§ã«ă¾ă†|ã™ã,ćăfšăf³ã
ãšă®ćæš~ãŒã,ªăf³ã,¹ăf^ăf¼ăf«ã—ãŸã,šã,µăfăf¼ăf^ã,â—ã'ăŸã,šãšããã,ă®ă
ăfăf¼ã,ăfšăf³ã"ăf•ã,£ăf¼ăfăf£
ã,»ăffăf^ã«ă¾ã—ã|ã®ă¿ã"ãªã,šă¾ã™ă€,ă®ă®ă®,^ã†ăªª,½ăf•ăf^ã,|ã,šã,ć
<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã¾ãŸãŸãŸãšă®ćæš~ãŒã,½ăf•ăf^ã,|ã,šã,ćã,'ăf€ã,|ăfăfăf¼ăf%ăšããã,ă®ă¬ã€ã,
ã,ćăffăf—ã,°ăf¬ăf¼ăf%ăšã™ă€,ç,,ã,Ÿã®ã,»ã,ăf¥ăf³ăf†ã,£ã,½ăf•ăf^ã,|ã,šã,ć
ã,ćăffăf—ăf†ăf¼ăf^ã«ã,^ă£ã|ã€ãšă®ćæš~ã«æ-°ã—ã,,ã,½ăf•ăf^ã,|ã,šã,ć
ăf©ã,ªã,»ăf³ã,¹ă€è¿½ăšã,½ăf•ăf^ã,|ã,šã,ćăf•ã,£ăf¼ăfăf£
ã,»ăffăf^ã€ã¾ãŸãŸã¬ăfã,ăf£ăf¼ăfăf^ã,ăfšăf³
ã,ćăffăf—ã,°ăf¬ăf¼ăf%ă«ă¾ã™ã,ă«è"©é™ãŒã~ăžă•ã,Œã,ă"ã"ã¬ã,ã,šă¾ã

1. $\tilde{a}f., \tilde{a}f^{1/4}\tilde{a}f\ll\tilde{a}\otimes S_{aeoe}\zeta'\zeta\tilde{a}\otimes^{\text{TM}}\tilde{a}, \langle\tilde{a}, \zeta\tilde{a}f\%_0\tilde{a}f\otimes\tilde{a}, \varpi\tilde{a}, \P\tilde{a}^a\tilde{a}, 'e\otimes, \tilde{a}S\check{Z}\tilde{a}\otimes-\tilde{a}\otimes^{3/4}\tilde{a}\otimes^{\text{TM}}\tilde{a}\in, \tilde{a}\otimes^{\text{TM}}\tilde{a}\otimes^1\tilde{a}\otimes|\tilde{a}\otimes$
 2. $e\circ^2\hat{a}^{1/2}''\tilde{a}\otimes^{\text{TM}}\tilde{a}, \langle\tilde{a}, 1/2\tilde{a}f\cdot\tilde{a}f^*\tilde{a}, | \tilde{a}, S\tilde{a}, \zeta\tilde{a}, 'e\otimes, \tilde{a}S\check{Z}\tilde{a}\otimes-\tilde{a}\otimes^{3/4}\tilde{a}\otimes^{\text{TM}}\tilde{a}\in,$
 3. $e\circ^2\hat{a}^{1/2}''\tilde{a}\otimes^{\text{TM}}\tilde{a}, \langle\tilde{a}f-\tilde{a}f\odot\tilde{a}ff\tilde{a}f^*\tilde{a}f\cdot\tilde{a}, \odot\tilde{a}f^{1/4}\tilde{a}f\tilde{a}, 'e\otimes, \tilde{a}S\check{Z}\tilde{a}\otimes-\tilde{a}\otimes^{3/4}\tilde{a}\otimes^{\text{TM}}\tilde{a}\in,$
 4. $\tilde{a}f^a\tilde{a}f^a\tilde{a}f^{1/4}\tilde{a}. {}^1c^{\bullet a}$

2	Critical,High,Medium
ã"ã®ã,ćăf%ãfã,ã,¶ã®ã¿	
Cisco ASA ã,½ãf•ãf^ã, ã,§ã,¢ã,ã,%ã,†ã,<ãf—ãf©ãffãf^ãf•ã,©ãf¼ãf	
Enter Version	Check

$\zeta^{\text{TM}^0\text{e}};(\mathcal{E}^{\text{TM}},\zeta,^1\tilde{\mathfrak{a}}\diamond\mathfrak{S}\tilde{\mathfrak{a}}\diamond^{-}\tilde{\mathfrak{a}}\in\diamond\mathfrak{ae}\neg\tilde{\mathfrak{a}}\diamond\mathbb{R}\tilde{\mathfrak{e}}\neg\tilde{\mathfrak{a}}\diamond\ll\tilde{\mathfrak{e}}\sim\tilde{\mathfrak{e}}\%0\tilde{\mathfrak{a}}\diamond\cdot\tilde{\mathfrak{a}},\mathbb{E}\tilde{\mathfrak{a}}\diamond|\tilde{\mathfrak{a}}\diamond\,,\tilde{\mathfrak{a}},\langle\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}\%4\tilde{\mathfrak{a}},^1\mathfrak{ae}\mathfrak{f}\dots\tilde{\mathfrak{a}}\pm\tilde{\mathfrak{a}}\diamond^{-}\mathfrak{ae}\mathfrak{f}\zeta\mathfrak{C}$
 $\text{ID}\tilde{\mathfrak{a}}\diamond\mathbb{R}\tilde{\mathfrak{e}}\mathbb{C}^3\zeta^{\circ}\tilde{\mathfrak{a}},\gg\tilde{\mathfrak{a}},^{-}\tilde{\mathfrak{a}},\cdot\tilde{\mathfrak{a}}^{\mathfrak{f}}\mathfrak{S}\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}},^{\mathfrak{a}}\diamond,\zeta\dots\mathfrak{S}\tilde{\mathfrak{a}}\diamond-\tilde{\mathfrak{a}}\diamond|\tilde{\mathfrak{a}}\diamond\tilde{\mathfrak{a}}\diamond\tilde{\mathfrak{a}}\diamond\cdot\tilde{\mathfrak{a}}\diamond\,,\mathfrak{ae},$
 $\mathfrak{a}\cdot\mathfrak{a}\diamond\tilde{\mathfrak{a}}\diamond\mathbb{R}\mathfrak{a}^{\wedge}-\tilde{\mathfrak{a}}\diamond\ll\tilde{\mathfrak{a}}\diamond^{-}\tilde{\mathfrak{a}},\cdot\tilde{\mathfrak{a}},^1\tilde{\mathfrak{a}},^3\tilde{\mathfrak{a}},\%2\tilde{\mathfrak{a}}^{\mathfrak{f}}\cdot\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}},|\tilde{\mathfrak{a}},\mathfrak{S}\tilde{\mathfrak{a}},\zeta\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}\%4\tilde{\mathfrak{a}},^1\mathfrak{ae}\diamond\mathfrak{a}\diamond^3\mathfrak{a}\diamond\tilde{\mathfrak{a}}\diamond\mathbb{R}\mathfrak{a}^{\wedge}-\tilde{\mathfrak{a}}\diamond\ll\tilde{\mathfrak{a}}\diamond^{-}\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}\tilde{\mathfrak{a}}^{\mathfrak{f}}$

Cisco FirePOWER	First Fixed
ã,1/2ãf•ãf^ã, ã,šã,çãf^ãf^ãf1/4ã,1	Releasei1/4^ä¿®æfã•ã,Æã•Yæœœã^•ã•®ãf^ãf^ãf1/4ã,1i1/4%o
7.0 ã,^ã,Šã%o•	è,,†å1/4±æ€šã^aã—
7.01	7.0.5

ã? ?ã? ®ä»-ã? ®ãfªã, ½ãf¼ã, ¹

[Cisco ASA 5506-X](#)
[Cisco Secure Firewall ASA 5506-X](#)
[Cisco Secure Firewall Threat Defense 5506-X](#)

Product Security Incident Response Team (PSIRT); aƒ—āfāf€ā,¬āf^ ā,»ā,āf¥āfāf†ā,£
ā,⊃āf³ā,·āf‡āf³āf^ āf—ā,¹āf◆āf³ā,¹
āf◆āf¼āf¼¼%ā◆¬ā€◆ā◆"ā◆®ā,çāf%āāf◆ā,⊃ā,¶āfāā◆«è¨¨è¼%ā◆•ā,Ⓒā◆!ā◆,,ā,è©²ā½"ā◆™ā

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。