

Cisco Identity Services

Engineã®ã, ãfã, 'ã, µã, ãf^ã, 'ã, ãfãf—ãftã, Eã



ã, çãf‰ãf ã, ã, ¶ãfãf%ID : cisco-sa-ise- [CVE-2022-20959](#)
xss-twLnpv3M

å^ã...-é-æ-¥ : 2022-10-19 16:00

æœ€qæ>æ-°æ-¥ : 2023-03-31 21:09

ãfãf%ã, ãfãf³ 1.3 : Final

CVSSã, 'ã, 'ã, 'ç : [6.1](#)

å›žéã¿ç- : No workarounds available

Cisco ãfã, ° ID : [CSCwc62413](#)

æ—¥æœ-è^zã ã«ã, ^ã, <æf...å ±ã ã-ã€ ãè<±è^zã ã«ã, ^ã, <åŽÝæ-‡ã ã®é ãžå...-å¼ãã

æ!, è!

Cisco Identity Services Engine(ISE)ã, ½ãf•ãf^ã, |ã, §ã, çã ®External RESTful

Services(ERS)APIã ®è,, tå¼±æ€§ã «ã, ^ã, Šã€ ãè^ã ãè „¼ã ã•ã, Çã ãYãfãfçãf%ãf^ã ®æ”»æ'fè€...ã

ã “ã ã®è,, tå¼±æ€§ã ã-ã€ ã, ãå ã ãå^tã ã...¥åŠ»æœè „¼ã ã «èµ·å» ã —ã ¾ã ã™ã€, æ”»æ'fè€
ãf™ãf%ã, 'ã ®ç®;ç ãtã, ãf%ãf•ã, Šã, ã, 'ã ®è^ã ãè „¼ã ã•ã, Çã ãYç®;ç ãtè€...ã «ã€ ãæ, 'æ, 'ç

ã, ·ã, 'ã, 'ã ã-ã “ã ã®è,, tå¼±æ€§ã ã«ã „¾å‡!ã ã™ã, <ã, ½ãf•ãf^ã, |ã, Šã, Çã, Çãffãf—ãf‡ãf%ãf^ã, 'ãfããfããf%ã

ã “ã ã®ã, Çãf‰ãf ã, ã, ¶ãfãf%ID : cisco-sa-ise-xss-twLnpv3M
<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ise-xss-twLnpv3M>

è©²å¹/₂“è£¹/₂å“?

è,, tå¼±æ€§ã ®ã, ã, <è£¹/₂å“?

å...-é-æ™, ç, 'ã, Šã ã-ã€ ã ERSã Çæœ‰åŠ'ã «ã ã ãf^ã |ã, „ã, å` ã ã-ã€ ã “ã ã®è,, tå¼±
ISEã, ½ãf•ãf^ã, |ã, Šã, Çã «ã ½±éÝçã, 'ã, Žã ã-ã ¾ã —ã ãYã€,

å...-é-æ™, ç, 'ã, Šè,, tå¼±æ€§ã Ççç™è^ã ã•ã, Çã ã |ã, „ã, < Cisco
ã, ½ãf•ãf^ã, |ã, Šã, Çã ®ãf^ãf%ã, 'ã «ã ã ã, , ã |ã, „ã, -ã€ ã “ã ®ã, Çãf‰ãf ã, ã, ¶ãfããf%ID
ã ®è©³ç’ã, »ã, -ã, ·ãf§ãf^ã, 'ã, ç...Šã —ã |ã ã ã ã ã ã ã, , ã€,

ERSã Çæœ‰åŠ'ã «ã ã ãf^ã |ã, „ã, <ã ã ã ã ã ã ã ã, , ã€

Cisco ISE 12.0 1/2ž

2.7. Cisco Administration > System > Settings — ERS Settings — ERS for Read/Write

1. Cisco ISE Web 12.0 1/2ž — ERS for Read/Write
2. [Administration] > [System] > [Settings] — ERS Settings — ERS for Read/Write
3. [ERS Settings] — ERS for Read/Write
 - [Enable ERS for Read/Write]
 - Disable

Cisco ISE 13.0 1/2ž — ERS for Read/Write

1. Cisco ISE Web 13.0 1/2ž — ERS for Read/Write
2. [Administration] > [System] > [Settings] — ERS Settings — ERS for Read/Write
3. [ERS Settings] — ERS for Read/Write
 - [Enable ERS for Read/Write]
 - Disable

Cisco

ISE 13.1 1/2ž — ERS for Read/Write

1. Cisco ISE Web 13.1 1/2ž — ERS for Read/Write
2. [Administration] > [System] > [Settings] — ERS Settings — ERS for Read/Write
3. [API Settings] — ERS for Read/Write
4. [API Service Settings] — ERS for Read/Write
 - ERS 1/2ž — ERS 1/2ž
 - ERS 1/2ž — ERS 1/2ž

è, 1/2ž — ERS for Read/Write

è, 1/2ž — ERS for Read/Write

àžé? ¿ç-

è, 1/2ž — ERS for Read/Write

Cisco ISE 12.0 1/2

2.7. SERSA, 'ç,, ja Š'ã «ã ?™ã, <ã ?«ã ?-ã€ ?æ-ja ?®æ‰œé ţã, 'å ®Ÿè; Eã ?—ã ?¾ã ?™ã€,

1. Cisco ISE Webç®; †,¤f³,¿äf¼äf•,§,¤,¹ä «äfä,°ä,¤äf³ä—ä¾ä™ä€,
 2. [Administration] > [System] > [Settings] ä, 'é,æŠžä—ä¾ä™ä€,
 3. [ERS Settings] ä, 'é,æŠžä—ä¾ä™ä€,
 4. [Disable ERS] ä,¤f—ä,·äf§¤f³äfœä,¿äf³ä, 'ä,¬äf¤äffä,—ä—ä¾ä™ä€,

Cisco

ISE f^a f^a f^f / 13.0 ◊ §ERS, 'c, ; j Å S¹ a ◊ « a ◊ ™ a, < a ◊ « a ◊ - a € ◊ æ- - j a ◊ ® æ% oé t a, ' å ® Y e; C E a ◊ — a ◊ ¾ a ◊ ™

Cisco

ISE&f#f13.1•Š•^•3.2•§ERS•’ç„;j•Š1•«•™•„TM•„[™]•„[®]•æ‰œé †•„[®]Yè;Œ•

1. Cisco ISE Webç®; ç‡†ã,¤ãf³ã,¿ãf¼ãf•ã,§ã,¤ã,¹ã‡«ãfã,ºã,¤ãf³ã‡—ã‡¾ã‡™ã€,
 2. ãf;ãf<ãf¥ãf¼ã,¢ã,¤ã,³ãf³ã,’ã,¬ãf¤ffã,¬ã‡—ã‡¾ã‡™ã€,
 3. [Administration] > [System] > [Settings] ã, ’é‡,æŠžã‡—ã‡¾ã‡™ã€,
 4. [API Settings] ã, ’é‡,æŠžã‡—ã‡¾ã‡™ã€,
 5. [API Service Settings] ã,¿ãf—ã, ’é‡,æŠžã‡—ã‡¾ã‡™ã€,

6. ERS

ã“ã®ç·©å’Œç-ã“å°žå...¥ã•ã,Œã|ãŠã,Šã€ãftã,¹ãf^ç”åçfãã§ã“å®Ÿè”¼æ,^ã¿ã§ã

ä;®æ£æ, ^ä♦¿ä, ½äƒ•äƒ^ä, | ä, sä, c

ã,½ãf•ãf^ã,|ã,§ã,cã♦®ã,cãffãf—ã,°ãf~ãf¼ãf‰ã, ’æœèŽã♦™ã,<éš>ã♦«ã♦~ã€♦ã,·ã,¹ã,³
ã,»ã,ãf¥ãfãftã,F ã,cãf‰ãf♦ã,¤ã,¶ãf^a
ãfšãf¼ã,ã♦§ã...¥æ‰oã♦§ã♦ã,·ã,¹ã,³èF½å”♦ã♦®ã,cãf‰ãf♦ã,¤ã,¶ãf^aã,’å®šæœÝçš,,ã♦«å♦,ç
ã,½ãf^aãf¥ãf¼ã,ãfšãf³ã,€å¼♦ã,’ç°èª♦ã♦—ã♦|ã♦?♦ã♦?♦ã♦?♦•ã♦,,ã€,

Technical Assistance

Center i¼^TAC i¼%oã,,ã♦—ã♦♦ã♦—å¥ç „ã♦—ã♦ |ã♦ „ã,«ãf;ãf³ãftãfSãf³ã,¹ãf—ãfãf♦ã,¤ãf€ãf¼ã♦«

а^ха^ха^х, а^ха^ха^х а^х а^ха^х,

ç™øè;Œæ™,ç,¹ã♦§ã♦~ã€♦æ¬jã♦®è;~ã♦«è~~è½‰ã♦•ã,Œã♦|ã♦,,ã,<ãfªãf¹¼ã,¹æf...å±ã♦~æfçç
ID ã♦®è©³ç°ã,»ã,~ã,·ãf§ãf³ã,'å♦,ç...§ã♦—ã♦|ã♦?ã♦ã♦~ã♦,·ã♦,,ã€,

å·lå♦'ã♦®å^—ã♦«ã♦~ã,·ã,¹ã,³ã,½ãf•ãf^ã,|ã,§ã,çãfªãf¹¼ã,¹ã€♦å♦³å♦'ã♦®å^—ã♦«ã♦~ãfªãf¹¼ã

Cisco ISE	First Fixed
ã,½ãf•ãf^ã, ã,§ã,çãfªãf¹¼ã,¹	Releasei½^ã;®æfã♦•ã,Œã♦Ýæœ€å^♦ã♦®ãfªãf¹¼ã,¹i½‰
2.41 ä»¥å‰♦	ä;®æfæ,~ã♦?ã♦®ãfªãf¹¼ã,¹ã♦«ç§»è;Œæ€,
2.62	ä;®æfæ,~ã♦?ã♦®ãfªãf¹¼ã,¹ã♦«ç§»è;Œæ€,
2.7	2.7P8
3.0	3.0P7
3.1	3.1P4
3.2	3.2P1

1. Cisco ISE ã,½ãf•ãf^ã,|ã,§ã,çãfªãf¹¼ã,¹ 2.4

ã♦~ã€♦ã,½ãf•ãf^ã,|ã,§ã,çã♦®ãfjãf³ãftãf§ãf³ã,¹ã♦Œçµ,ä°tã♦—ã♦|ã♦,,ã♦¾ã♦™ã€,ã♦"ã♦®è,†
2.

2.6P12ç”“ã♦®ãf>afff^ãf'fffã♦~ãf^ã,~ã,~ã,¹ãf^ã~ã,~ã,Šå...¥æ‰‰ã♦~èf½ã♦§ã♦™ã€,Cisco
TAC ã♦«å•♦ã♦,,å♦~ã,♦ã♦>ã♦|ã€♦ãf^ã,~ã,~ã,¹ãf^ã~ã—ã♦|ã♦?ã♦ã♦~ã♦,·ã♦,,ã€,

ãf‡ãf♦ã,¤ã,¹ã♦®ã,çãfff—ã,°ãf~ãf¹¼ã‰æ‰é tã♦«ã♦¤ã♦,,ã♦~ã€♦Cisco Identity
Service Engine

ã,µãf♦ãf¹¼ãf^ãf§ãf¹¼ã,ã♦«ã♦,ã,çãfff—ã,°ãf~ãf¹¼ã‰ã,~ã,¤ãf‰ã,‘å♦,ç...§ã♦—ã♦|ã♦?ã♦ã♦~ã♦,·ã♦,,ã€,

Product Security Incident Response Teami½^PSIRT; ãf—ãfãf€ã,~ãf^ã,»ã,ãf¥ãfªãf†ã,£
ã,¤ãf³ã,·ãf‡ãf³ãf^ãf~ã,¹ãf♦ãf³ã,

ã♦ãf¹¼ãf i½‰ã♦~ã€♦ã♦"ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãfªã♦«è~~è½‰ã♦•ã,Œã♦|ã♦,,ã,<è,†å½±æ€§ã♦«å¾ã♦—ã♦|ã♦,,ã€,

ä,♦æfå^©ç”“ã°<ã¾ã♦~å...¬å½?ç™øè;“

Cisco PSIRT

ã♦~ã€♦ã♦"ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãfªã♦§è~æ~žã♦•ã,Œã♦|ã♦,,ã,<è,,†å½±æ€§ã♦®æ,“ç”“ã♦«é-çã♦™ã,<æ

ã♦"ã♦®ã,çãf‰ãf♦ã,¤ã,¶ãfªã♦§è~æ~žã♦•ã,Œã♦|ã♦,,ã,<è,,†å½±æ€§ã♦®æ,“ç”“ã♦«é-çã♦™ã,<æ
Cisco PSIRT ã♦«å~ã♦»ã,%oã,Œã♦|ã♦,,ã♦¾ã♦>ã,“ã€,

å‡ºå...,

ã♦"ã♦®è,,†å½±æ€§ã,'å±å'Sã♦—ã♦|ã♦,,ã♦Ýã♦~ã♦,,ã♦Ý Davide Virruso
æ°♦ã♦«æ,,Ýè~♦ã♦,,ã♦Ýã♦—ã♦¾ã♦™ã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ise-xss-twLnpv3M>

æ”’è”,å±¥æ‘

ãf♦ãf¼ã,ãf§ãf³	èª¬æ~
1.3	äç®æfæ,^ä♦¿ãfªãfªãf¼ã,¹ä♦”ãf>ãffäf^ãf'ãffäf♦ã♦®æf...å ±ã,’æ>’æ-°ã€,æ!,å¿µå
1.2	ãf>ãffäf^ãf'ãffäf♦ãf...å ±ã,’æ>’æ-°ã€,
1.1	ç·©å’Œä♦«é-çã♦™ã,<æf...å ±ã,’è¿½åŠ ã€,2.7P8ã♦®ãfªãfªãf¼ã,¹äº^å®šæ—¥ã,’æ»
1.0	å^♦å>žå...¬é-<ãfªãfªãf¼ã,¹

å^©ç”’è!♦ç‘,,

æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦¬ç„jä¿♦è”¼ã♦®ã,,ã♦®ã♦”ã♦—ã♦|ã♦”æ♦♦ã³/4ã♦—ã♦|ã♦|ã♦Šã,Šã€æœ¬ã,çãf‰oãf♦ã,¤ã,¶ãfªã♦®æf...å ±ã♦Šã,^ã♦³ãfªãf³ã,—ã♦®ä½¿ç””ã♦«é-çã♦™ã,<è²¬ä»»ã♦®ä,€ã♦³/4ã♦Ýã€♦ã,·ã,¹ã,³ã♦¬æœ¬ãf‰oã,ãf¥ãf;ãf³ãf^ã♦®å†...å®¹ã,’äº^å’Šã♦^ã—ã♦«å¤‰oæ›ã♦—ã♦æœ¬ã,¢ãf‰oãf♦ã,¤ã,¶ãfªã♦®è”~è¿°å†...å®¹ã♦«é-çã♦—ã♦|æf...å ±é...♦ä¿jã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç¬ã♦®è»çè¼‰oã,,æ,,♦è”³ã,’æ-½ã♦—ã♦Ýã’å♦^ã€♦å½“ç¤³/4ã♦Œç®¡ç♦ã♦”ã♦®ãf‰oã,ãf¥ãf;ãf³ãf^ã♦®æf...å ±ã♦¬ã€♦ã,·ã,¹ã,³è£½å”♦ã♦®ã,“ãf³ãf‰oãf|ãf¼ã,¶ã,’å”³/4è±|ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。