

Cisco IOS XE

ā,½āf•āf^ā,|ā,§ā,¢ā♦§ā♦®ä»®æf³āf•āf©ā,°āfjā
āfā,¢ā,»āf³āf-āf«ā♦«ā♦§ā♦'ā,<ā,μāf¼āf"ā,¹ā



ã,çãf‰œãf♦ã,¤ã,¶ãf¤ãf%ID : cisco-sa-ipv4- [CVE-2023-20027](#)
vfr-dos-CXxtFacb

å^?å...-é-<æ—¥ : 2023-03-22 16:00

20027

www.ebook3.com | 2023-03-23 21:42

Digitized by srujanika@gmail.com

CVSS 3.1 v3.0

CVSSa, a, a, & . 8.0

azetε̄ς-: No workarounds available

Cisco af#a, ID : CSCwb45422

æ—¥æœ¬è^žä«ä, ^ä, <æf...å±ä♦-ä€♦è±è^žä«ä, ^ä, <åZYæ-‡ä®é♦žå...¬å¼♦ä<

æ!, è! ?

Cisco IOS XE • IPv4 Virtual Fragmentation

Reassembly(VFR)æ©Ÿèƒ½ã◆®å®Ÿè£...ã?«ã◆Šã◆'ã,«è,,†å¼±æ€§ã◆«ã,^ã,Šã€◆èª?è„¼ã◆•ã,CÆã◆

Transmission

Uniti ¼ MTU ¼ æœ€å¤ä¼♦é♦ãƒ|ãƒ<ãƒfã^”¼‰♦Œè „ å®ãšã•ã,Œã♦Ýç‰©ç♦†ã,¤ãƒ³ã,¿ãƒ¼ãƒ•ã, DoS çŠ¶æ...<ã♦Œç™°ç”Ýã♦ã, <ã♦? - èƒ½æ€§ã♦Œã♦,ã,Šã♦¾ã♦™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ipv4-vfr-dos-CXxtFacb>

[Event Response: March 2023 Semiannual Cisco IOS and IOS XE Software Security Advisory Bundled Publication](#) | [Cisco Product Security Overview](#) | [Cisco Product Security Newsletters](#) | [Cisco Product Security Alerts & Notices](#) | [Cisco Product Security Bulletins](#)

è©²å¹½“è£¹½å“◆?

è,,†å¼±æ€§ã»®ã»ã»
æ,«è£½å“»

ã?“ã?®è„†å¼±æ€§ã?“ã€?Cisco IOS XE

ā,½āf·āf^ā, | ā,§ā,¢ā♦®è,,†å¼±æ€§ā♦Œå~åce” å♦™å,«åfåäfåäf¼å,¹å,’å®¥è;Œå♦—å♦| å♦§å,§

VFR

æ©Ÿèf½ã♦Œæœ‰oåŠ¹ã♦«ã?^aã?£ã?|ã?„ã,<ä»¥ã,<ã?®ã·ã,¹ã,³èf½å“♦ã?«å½±éŸ;ã,'ä,žã?^ã

È,,†å¼±æ€§ã»Œå˜åœ”ã»™ã»Cisco

ã,½ãf•ãf^ã, | ã,§ã,çãf^aãf^aãf¼ã, ¹ã?«ã?¤ã?, „ã? | ã?—ã€?ã?“ã?®ã, çãf%oãf?ã,¤ã, ¶ãf^aã?®ã€Œã

āf†āf◊ā,¤ā,¹è „ å®šā◊®ççºèª◊

āf‡āf♦?ā,¤ā,¹ā?§é?žāf‡āf•ā,©āf«āf^ NTU

Ã¢Ææ§æ^Ã¢•ã,ÆãÃ¢|ã?„ã<ã?<ã?©ãÃ¢tã?<ã,'ççºèªÃ¢™ã,<ã?«ã?¬ã€?show

running-config | include interface | mtu \rightarrow CLI \rightarrow $^3\text{f}\text{z}\text{f}^3\text{f}\%/\text{f}^{1/2};\text{c}'' \rightarrow \text{—}^3\text{f}^{3/4}\text{f}^{\text{TM}}\text{f}$, MTU

ã»Œå%æ›ã•ãŒã!ã„ã„å^ã€ã"ãŒ®ã,³ãfžãf³ãf%æ?—ã€?ä»¥ä<ãŒ®ä¾<ãŒ«çæ°

mtu . 'è; "—?—? ¾?™?.

<#root>

Router#

```
show running-config | include interface | mtu
```

interface GigabitEthernet0/0/1

mtu 9000

VFR

æ©ÿèf½ã♦Œæœ‰oåŠ¹ã?«ã♦ã?£ã? | ã?„ã,«ã?«ã?©ã♦†ã?«ã,'ç°èªã?™ã,«ã?«ã?—ã€ã?ä»

ip virtual-reassembly —**CLI** —**3fz3f3f%o,'½ç'" ——3/4™—**

<#root>

```
Router#  
show ip virtual-reassembly  
  
GigabitEthernet0/0/1:  
    Virtual Fragment Reassembly (VFR) is  
  
ENABLED
```

```
[in] Concurrent reassemblies (max-reassemblies): 16  
Fragments per reassembly (max-fragments): 32  
Reassembly timeout (timeout): 3 seconds  
Drop fragments: OFF
```

[Output omitted for readability]

Tunnel1:
Virtual Fragment Reassembly (VFR) is

ENABLED

```
[in] Concurrent reassemblies (max-reassemblies): 16  
Fragments per reassembly (max-fragments): 32  
Reassembly timeout (timeout): 3 seconds  
Drop fragments: OFF
```

“˜”˜,Œ˜,%o˜® 2

ã¢æ®ä¾æã¢§ã¢-ã¢ç‰©ç¢†ã¢,æƒ³ã¢,¿äƒ¼äƒ•ã¢,§ã¢,æ¹ã¢ŒGigabitEthernet0/0/1ã¢æ«

4,615 ãf♦ã,¤f^ã,'è¶...ã♦^ã,« MTU ã♦Œæ§<æ^♦ã♦•ã,Œã♦|ã♦Šã,Šã€♦VFR

æ©Ÿèf½ã◆Œæœ‰oåŠ¹ã◆«ã◆ã◆£ã◆|ã◆„ã◆

„MTU“

ã»Œäf†äf•ä,©äf«äf^ä?§ä?,ä,ä,¤äf³ä,¿äf¹äf•ä,§ä,¤ä,¹ä€ŒTunnel1ä€?ä,,ä€?ä?“ä?®è,†å¼±æ

æ³·:í¼šVFR á♦-ã€♦áf♦áffäf^áf-áf¼ã,-ã,çãf‰oãf-ã,¹å¤‰oæ♦»

(NAT) → ¾ af ¼ af³ af™ af ¼ a, ¹ → ® af• a, ; a, x a, c a, | a, © af ¼ af « a → IPSec

ã♦^aã♦©ã♦®æ©Ýèf½ã♦«ã, ^ã♦£ã♦ | ã€♦ãƒ¬ã, ãƒãƒãƒ½ 4 ã♦¾ã♦Ýã♦¬ãƒ¬ã, ãƒãƒãƒ½ 7

Ã¢®æf...å±ã,'å†|ç†ã™ã,ã¥ã,ã«è‡ªå•çš„ã«æœ‰åŠ¹ã«ã•ã,Œã¾ã™ã€,VFR

ã,’ç,¡åŠ¹ã¢«ã¢™ã, ã¢“ã¢”ã¢¬æŽ“å¥“ã¢•ã,Œã¢¾ã¢›ã,“ã€,VFR

æ©Ÿèf½ã?Œæ‰å•ã?§æœ‰oåŠ¹ã?«ã?•ã,Œã?|ã?„ã?„ã?„é

```
ip virtual-reassembly show running-config
```

“È un bel paese, ma non è il nostro paese. Non abbiamo nulla in comune con loro.”

Addressing: Fragmentation and Reassembly Configuration

Guide to the 'å' in Section 1 of the 2022-23 Annual Report

- IOS $\frac{1}{2}af \cdot af^{\wedge}a, |a, §, \phi$
 - IOS XR $\frac{1}{2}af \cdot af^{\wedge}a, |a, §, \phi$
 - Meraki $\mathbb{E}f \frac{1}{2}a^{\wedge} \bullet ?$
 - NX-OS $\frac{1}{2}af \cdot af^{\wedge}a, |a, §, \phi$

å>žé◆?¿ç-

ä;®æ£æ, ^ä♦¿ä, ½äƒ•äƒ^ä, | ä, sä, c

— ã Šå® ÇæS~ã CEã, ãf³ã, 'ãf~ãf¼ãf«ã — ã Ÿã, Šã, µãf ãf¼ãf~ã, 'ã — ã 'ã Ÿã, Šã Sã ã, <ã ® ãf ãf~ãf¼ã. ãfSãf³ã .. ãf•ã. Fãf¼ãf ãf

»ffāf^ā«å¾—ā?|ā?®ā?;ā?"ā?^ā?^ā?Šā?^å?™ā€,ā?^ā?®ā?^ā?†ā?^ā?½āf·āf^ā,|ā,§ā,

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

Cisco.com ® .¹³ f® f^{1/4} f^ &

ãf€ã,!ãf³ãfãf^{1/4}ãf%oãfšãf^{1/4}ã. ã♦«ã♦-ã€♦ãf©ã.¤ã.»ãf³ã,!ã♦"ãf€ã,!ãf³ãfãf^{1/4}ãf%oã♦«é-çã♦™ã.<æf..

Devices: 1/4%¹

ãf..ãf¼ãf<ã.'½;c"'"ã◆™ã.<ã◆Šã®ãæõ~ã◆®ã.«ã.¹ã.;ãfžãf¼ãftãf◆ã.¤ã.¹ã.¤ãf◆ãf¼ãf^c_..å>²ã..è;'"çgº

ã ½ãf•ãfã |ã 8ã cã ♦@ã.Cãffãf—ã.ºãf-ãf¼ãf%oã , ægœèŽã ♦™ã .éšãã «ã ♦—ãf♦ã :ã .¹ã .³

ãſšãſf¼ã, „ã♦ſå...¥æ‰%ã♦ſã♦ã, ã, ·ã, ³è£½å“♦ã♦®ã, cãf‰ãf♦ã, n
ã, ½ãf¤ãf¥ãf¼ã, .ãfſãſã³ã €å¼♦ã, 'cC®èª♦ã♦—ã♦!ã♦♦ã♦ ã♦•ã♦..ã..

„Technical Assistance“

Center of TAC is % of π . $\frac{1}{2} - \frac{1}{2} \cos^{-1} r$ $= \frac{1}{2} - \frac{1}{2} (1 - \sin^2 \theta)$ $= \frac{1}{2} \sin^2 \theta$

cisco-worldwide-contacts.html

URL ã,ã?"ç"“ æ,,?ã? ?ã? ã?•ã? „ã€,

Cisco IOS ۲۰۰۰،۳۰۰۰ IOS XE ۱۰/۱۰۰/۱۰۰۰M، ۱G، ۱۰G، ۴۰G، ۱۰۰G، ۱T

Cisco Software Checker

ã,’æ◊◊ä¾»ã◊—ã◊|ã◊,,ã◊¾ä◊™ä€,ã◊“ã◊®ãƒ„ãƒ¼äƒ«ã,‘ä½¿ã◊†ã◊“ã◊”ã◊§ä€◊ç‰¹å®šã◊®.ã,»ã,ãƒ¥äƒªäƒ†ã,£

Fixedá€í¼%oã,'ç‰¹å®šã§ã§ã§¾ã™ã€,ã§¾ã™ã€è©²å½"ã™ã,å‘å^ã«ã¬ã€Sof
Checker

First Fixed€¹ 1/4% 00, 'ç% 00 1¹ ® Šã² Šã² 2² ã² 3/4ã² TMã€,

© 2007 Cisco Systems, Inc. All rights reserved. Cisco Confidential

[Checker](#) [Check](#) [Report](#) [Feedback](#)

1. $\tilde{a}f_{\text{,}}\tilde{a}f^{1/4}\tilde{a}f\ll\tilde{a}\diamond\tilde{S}\diamond\tilde{a}\diamond\tilde{c}\tilde{a}\diamond\tilde{C}\tilde{a}\diamond\tilde{f}\diamond\tilde{a},\langle\tilde{a},\tilde{c}\tilde{a}\tilde{f}\%0\tilde{a}\tilde{f}\diamond\tilde{a},\tilde{a},\tilde{P}\tilde{a}\tilde{f}\tilde{a},\tilde{a},\tilde{e}\diamond,\tilde{a}\tilde{S}\tilde{z}\tilde{a}\diamond\tilde{a}\diamond\tilde{3/4}\tilde{a}\diamond\tilde{f}\diamond\tilde{a},\tilde{a}\diamond\tilde{a}\diamond\tilde{R}\tilde{a},\tilde{c}\tilde{a}\tilde{f}\%$
 2. $\tilde{a}f^a\tilde{a}f^a\tilde{a}f^{1/4}\tilde{a},\tilde{1}\tilde{c}\cdot\tilde{a}\diamond\tilde{1}\tilde{1}\tilde{4}\tilde{1}\tilde{5}\tilde{.}\tilde{9}\tilde{(}\tilde{3}\tilde{)}\tilde{M}\tilde{2}\tilde{a}\diamond\tilde{1}\tilde{7}\tilde{3}\tilde{.}\tilde{3}\tilde{3}\tilde{a}\diamond\tilde{a}\diamond\tilde{C}\tilde{1}\tilde{1}\tilde{4}\tilde{\%}\tilde{0}\tilde{a},\tilde{a}\dots\tilde{Y}\tilde{a}\tilde{S}\tilde{a}\diamond\tilde{a}\diamond\tilde{3/4}\tilde{a}\diamond\tilde{f}\diamond\tilde{a},$
 3. $[\tilde{a}\tilde{f}\diamond\tilde{a},\tilde{S}\tilde{a}\tilde{f}\tilde{f}\tilde{a},\tilde{1}\tilde{1}\tilde{4}\tilde{1}\tilde{C}\tilde{h}\tilde{e}\tilde{k}\tilde{i}\tilde{1}\tilde{4}\tilde{\%}\tilde{0}] \tilde{a},\tilde{a},\tilde{a}\tilde{f}\tilde{a}\tilde{a}\tilde{f}\tilde{f}\tilde{a},\tilde{a}\tilde{a}\diamond\tilde{a}\diamond\tilde{3/4}\tilde{a}\diamond\tilde{f}\diamond\tilde{a},$

Enter release number

ä ð æ £ å ^ © ç " " ä ° < ä ¾ < ä ð " å ... - å ¼ ð ç ™ o è i "

Cisco Product Security Incident Response

å†°å...,

ã♦“ã♦®è,,†å½±æ€§ã♦” Cisco TAC

ã,µãf♦ãf½ãf^ã,±ãf½ã,¹ã♦®è§æ±ºã,ã♦«ç™øè|<ã♦•ã,CÆã♦¾ã♦—ã♦Ýã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-ipv4-vfr-dos-CXxtFacb>

æ””è”,å±¥æ’

ãf♦ãf½ã,ãf§ãf³	èª¬æ~Ž	
1.1	VFR ã♦CÆæœ‰oåŠ¹ã♦<ã♦©ã♦†ã♦<ã, 'å^¤æ-ã♦™ã,<æ-¹æ³•ã,'æ>’æ-ºã€,	è,,†å½±æ€§ã
1.0	å♦å›žå...-é-<ãfãf½ã,¹	-

å^©ç””è!♦ç’”

æœ-ã,çãf‰oãf♦ã,¤ã,¶ãfã-ç,,jä¿♦è”½ã♦®ã,,ã♦®ã”ã♦—ã♦|ã♦”æ♦♦æ³»ã♦—ã♦|ã♦Šã,Šã€æœ-ã,çãf‰oãf♦ã,¤ã,¶ãfã-ã♦®æf...å±ã♦Šã,^ã♦³ãfãf³ã,—ã♦®ä½¿ç””ã♦«é-çã♦™ã,<è²-ä»»ã♦®ä,€ã♦¾ã♦Ýã€♦ã,·ã,¹ã,³ã♦—æœ-ãf‰oã,ãf¥ãf;ãf³ã♦®å†...å®¹ã,’ë°^å'Šã♦^ã—ã♦«å¤‰æ>’ã♦—ã♦æœ-ã,çãf‰oãf♦ã,¤ã,¶ãfã-ã♦®è””è¿°å†...å®¹ã♦«é-çã♦—ã♦|æf...å±é...♦ä¿jã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç-ã♦®è»çè½‰oã,,æ,,♦è”³ã,’æ-½ã♦—ã♦Ýã’å♦^ã€♦å½”ç¤¾ã♦CÆç®;ç♦”ã♦”ã♦®ãf‰oã,ãf¥ãf;ãf³ã♦®æf...å±ã♦—ã€♦ã,·ã,¹ã,³è½å”♦ã♦®ã,“ãf³ãf‰oãf!ãf½ã,¶ã,’å”¾è±¡ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。