

Cisco SD-WAN vManage

ã®èª?è"¼ã•ã,Œã?|ã?,„ã?ªã?„ REST
API ã,çã,¬ã,»ã,¹ã«å¬¾ã?™ã,<è„†å¼±æ€§



**á,éäf%äf♦ä,¤ä,¶äf¤äf%ID : cisco-sa-
vmanage-unauthapi-sphCLYPA**

CVE-2023-
20214

å^?å...-é-æ—¥ : 2023-07-12 16:00

æœ€øæ›'æ-°æ—¥ : 2023-07-12 20:08

ãf♦ãf¼ã,ãf§ãf³ 1.1 : Final

CVSS_{3.1} : 9.1

å>žé❖¿ç- : No workarounds available

Cisco ID : CSCwf82344 CSCwf76218

æ—¥æœ¬è^äžä«ä, ^ä, <æf...å±ä♦¬ä€♦è<±è^äžä«ä, ^ä, <åŽYæ-‡ä♦®é♦žå...¬å¼♦ä<

æ|, è| ♦?

Cisco SD-WAN vManage API REST

API $\frac{1}{4}$ \pm ϵ SD-WAN

APIæ©Ýèf½ã,'ä½¿ç"·ã♦™ã,<éšã♦®ä,?å?♦å^†ã♦äè!♦æ±,ã♦®æ¤œè·¼ã♦«èµ·å»ã?—ã♦¾ã♦™vManageã,¤ãf³ã,¹ã,¿ãf³ã,¹ã♦®è·å®šã?<ã,%oæf...å±ã,'å♦-å¾—ã♦—ã♦!é€♦ä¿jã?§ã?♦ã,<ã,^ã?♦APIã?«ã♦®ã?¿å½±éÝ¿ã?—ã€♦Webãf™ãf¼ã,¹ã♦®ç®¡ç?†ã,¤ãf³ã,¿ãf¼ãf•ã,§ã,¤ã,¹ã,,CLIã?«ã?—

ä,·ä,¹ä,³ä,ä,“ä,®è,,†ä¼±æ€§ä,«å¾å‡|ä,™ä,<ä,½äƒ·äƒ`ä,|ä,§ä,çä,çäffäf—äƒ‡äƒ¼äƒ`ä,’äƒ¤äƒ¤äƒ¤

â?“ã?®ã,çãf‰oãf?ã,¤ã,¶ãf?ã?“ã€?æ-|ã?®ãf?ãf?ã,“ã,^ã,§ç?è?ã?ã?§ã?ã?ã?¾ã?™ã€,

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-vmanage->

unauthapi-sphCLYPA

è©²å¹½“è£¹½å“◆?

è,†å¼±æ€§ã®ã,ã,«è£½å“?

“Cisco SD-WAN

vManage, ½ƒ•ãƒ^ã, |ã, ſã, çã ◊®è,, †å¼±æ€§ã ◊®ã, ã, <ãƒ^ãƒ^½ã, ¹ã ◊«å½±éÝ¿ã, 'ã, Žã ◊^ã ◊¾ã ◊™ã, †å¼±æ€§ã ◊Œå~åœ „ã ◊™ã, < Cisco
ã, ½ƒ•ãƒ^ã, |ã, ſã, çãƒ^ãƒ^½ã, ¹ã ◊«ã ◊¤ã ◊„ã ◊|ã ◊—ã€◊ã ◊“ã ◊®ã, çãf%oãf ◊ã, ¢ã, ¶ãƒ^ã ◊®ã€æ
è,, †å¼±æ€§ã, 'å ◊«ã, "ã ◊§ã ◊„ã ◊^ã ◊„ã ◊“ã ◊“ã ◊Œç¢°è^ã ◊ã ◊•ã,Œã ◊Ýè£½å“ã ◊
ã ◊“ã ◊®ã, çãf%oãf ◊ã, ¢ã, ¶ãƒ^ã ◊®[È, †å¼±æ€§ã ◊®ã ◊, ã, <è£½å“ã ◊, »ã, —ã, ·ãƒsãf^ã ◊“è „”è¼‰ã ◊•ã
ã, ·ã, ¹ã, ³ã ◊—ã€◊ã ◊“ã ◊®è,, †å¼±æ€§ã ◊Œæ»¥ã, <ã ◊®ã, ·ã, ¹ã, ³è£½å“ã ◊ã ◊“ã ◊—å½±éÝ¿ã, 'ã, Žã ◊^ã ◊](#)

- IOS XE
 - IOS XE SD-WAN
 - SD-WAN cEdge $\frac{1}{2}$
 - SD-WAN vBond Orchestrator $\frac{1}{2}$
 - SD-WAN vEdge $\frac{1}{2}$
 - SD-WAN vEdge $\frac{1}{2}$
 - SD-WAN vSmart $\frac{1}{2}$

è©³çº

Cisco SD-WAN vManage API

- ãf‡ãf♦ã,¤ã,¹ã,¹ãftãf¼ã,¿ã,¹ã♦®ãfcãf<ã,¿ãfªãf³ã,º
 - ãf‡ãf♦ã,¤ã,¹ã♦,ã♦®ãftãf³ãf—ãf-ãf¼ãf^ã♦®æ..»ã~ã♦ªã♦©ã€♦ãf‡ãf♦ã,¤ã,¹ã♦®è „å®š
 - ãf‡ãf♦ã,¤ã,¹çµ±è „^æf...å ±ã♦®ã,¬ã, „ãfãã♦ „é,†ç „

REST API

REST API

ã◆®ãfã,°ãf•ã,¡ã,¤ãf«ã◆¬ã€◆vManage

ãf•ã,¡ã,¤ãf«ã,·ã,¹ãftãf ã®ãfã,¹i¼^/var/log/nms/vmanage-server.logï¼‰ã«ã®,ã,Šã®¾ã®™ã€,

ç®¡ç♦†è€...ã♦~ã€♦æ¬;jã♦®ä¾<ã♦®ä,^ã♦†ã♦« CLI ä,³äfžäf³äf‰ show log
ã,’ä½ç”ã♦—ã♦!ã€♦vmanage-server.log
äf•ã,jã,¤äf«ã♦®å†...å®¹ã,’è¡“ç¤ºã♦§ã♦ã♦¾ã♦™ã€,

```
vmanage# show log /var/log/nms/vmanage-server.log
```

Request Stored in Map is (/dataservice/client/server) for user (admin)

á? "éj" ç¤ºå?•ã, Çéã? | å? „ã, <å? ^ã€? REST API

—ä◊—äf◊ä,—ä, „ä,¹äf◊ä,’ä◊—ä¿jä◊—ä◊|ä◊„ä◊¾ä◊™ä€,

<#root>

30-Jun-2023 15:17:03,888 UTC INFO [ST3_vmanage1] [AppServerLoginModule] (default task-202) |default| Localization: Locale value a
30-Jun-2023 15:17:03,930 UTC INFO [ST3_vmanage1] [UserUtils] (default task-202) |default|

Request Stored in Map is (/dataservice/client/server) for user (admin)

```
30-Jun-2023 15:17:03,933 UTC INFO [ST3_vmanage1] [UserUtils] (default task-202) |default| localUserFile  
30-Jun-2023 15:17:03,933 UTC INFO [ST3_vmanage1] [UserUtils] (default task-202) |default| localUserFile
```

æ³·í¹/₄šāfā, °ā♦«è·~éŒ²ā♦·ā,Œā♦Ýāfā, ¯ā, "ā, ¹āf·ā♦-ā€♦·ā, æfā, ¯ā, »ā, ¹ā, 'æ,, ♦ā³ā♦™ā, <ā,,ā♦®
API á♦,á♦®á, ¯ā, »ā, ¹ā♦Œè©|è;Œā♦·ā,Œā♦Ýā♦"ā♦"ā, 'çº°ā♦—á♦|á♦,,á♦¾ā♦™ā€,

Cisco SD-WAN vManage

[ãf‰ã,ãf¥ãf;ãf³ãf](#)€?ã?«ã,,è~~~è¼‰ã?•ã,Cã?|ã?„ã,<ã,^ã?†ã?«ã€?API

ä,ääf¼ä,'ä½¿ç”“—ä◊—ä◊ | API

„**ã**«ã,çã,—ã,»ã,¹**ã**™ã,**ã**“**ã**”**ã**,’æž”å¥”**ã**—**ã** | **ã**„**ã**”**ã**¾**ã**™ã€,

åžé? ¿ç-

Ã, ¯Ãf©Ã, |Ãf%oÃfÃ, ¹Ãf^åžÃ♦®å±•é-Ã♦§Ã♦-Ã€♦vManage

ã◊,ã◊®ã,çã,‐ã,»ã,¹ã◊‐ã€◊è „±å◊‐ã◊•ã,Œã◊Ÿ IP ã,çãf‰oãf¬ã,¹ã,’å◊«ã,€ ACL

ã,çãf‰oõf¬ã,¹ã,'çÇºèª♦ã♦Šã,^ã♦³ç·..é,tã♦™ã,<å¿...è!♦ã♦Œã♦,ã,Šã♦¾ã♦™ã€,ã,ºãf³ãf—ãf¬ãfÝã,¹ã,ã,'ä½¿ç·..ã♦—ã♦|è"±å♦¬ã♦•ã,Œã♦Ý IP

ã,çãf‰oãf¬ã,¹ã,'è " å®šã?™ã,<ã?“ã? “ã?§ã€?vManage

ã?ã?®ã,çã,~ã,»ã,'å?Œæš~ã?®æ-¹æ³•ã?§å^¶é™?ã?§ã?¿?ã?¾å?™ã€,

„ã¢“ã¢®ç·©åºŒç-ã¢¬å°žå...¥ã¢•ã,Œã¢|ã¢Šã,Šã€¢ãftã,¹ãf^çºåçfã¢§ã¢¬å®Ÿè”¼æ,^ã¢;ã¢§ã¢

ä;®æ£æ, ^ä♦¿ä, ½äƒ•äƒ^ä, |ä, sä, c

<https://www.cisco.com/c/en/us/products/end-user-license-agreement.html>

ã◆¾ã◆Ýã€◆ã◆Šå®çæš~ã◆Œã,½ãf•ãf^ã,|ã,§ã,cã,'ãf€ã,|ãf³ãfãf½ãf%oã◆Šã◆ã,«ã◆®ã◆~ã€◆ã,
ã,cãffãf—ã,°ãf-ãf½ãf%oã◆Šã◆™ã€,ç,,jå,,Ýã◆®ã,»ã,ãf¥ãf^ãftã,£ã,½ãf•ãf^ã,|ã,§ã,c
ã,cãffãf—ãf‡ãf½ãf^ã◆«ã,^ã◆£ã◆|ã€◆ã◆Šå®çæš~ã◆«æ-°ã◆—ã◆,,ã,½ãf•ãf^ã,|ã,§ã,c
ãf©ã,¤ã,»ãf³ã,¹ã€◆è;½åŠã,½ãf•ãf^ã,|ã,§ã,cãf•ã,fãf½ãf◆ãf£
ã,»ãffãf^ã€◆ã◆¾ã◆Ýã◆~ãfjã,ãffãf½ãf^ã,ãf§ãf³
ã,cãffãf—ã,°ãf-ãf½ãf%oã◆«å~¾ã◆™ã,«æ~©é™◆ã◆Œã»~ã,žã◆•ã,Œã,«ã◆~ã◆~ã◆~ã◆,ã,Šã◆¾ã◆

Cisco.com ® © Cisco Systems, Inc. 1999

Devices] ¼%o

äf,,äf¼äf«ä,ä½ç”“ä♦™ä,ä♦Šå®çæ§~ä♦®ä,«ä,¹ä,çäfžäf¼äf#äf♦ä,¤ä,¹ä,µäf♦äf¼äf`ç_„å»²ä,,è;”çäº

á,½áƒ·áƒ~á,¡á,§á,¢®á,©áƒƒáƒ—á,°áƒ~áƒ¼áƒ‰%á,æ¤œéŽá™á,éšá««á—á€¢á,·á,·á,·á,³

ä, »ä, äf¥äf^aäf†ä, £ ä, ©äf%oäf?ä, ®ä, ¶äf^a

ãfšãf¼ã, ã♦§å...¥æ‰¤ã♦§ã♦ã, $\langle\tilde{a}, \cdot\tilde{a}, ^1\tilde{a}, ^3\tilde{e}\rangle$ $\frac{1}{2}\tilde{a}''$ ã♦®ã, çãf‰¤ãf♦ã, ¶ãfºã, 'å®šæœÝçš,,ã♦«å♦, ç, å, $\frac{1}{2}\tilde{a}f^a$ ãf¥ãf¼ã, ·ãf§ãf³ã, €å¼ã, 'ççºèªã—ã♦|ã♦ã♦ã♦—ã♦•ã♦,,ã€,

Technical Assistance

ã,ãƒ¹/₄ãƒ“ã,¹ã¥‘ç‘,,ã,’ã◊”ã^©ç”“ã◊§ã◊^ã◊,,ã◊§ã®çæ§~

[cisco-worldwide-](#)

[contacts.html](#) | [index.html](#) | [about.html](#) | [services.html](#) | [portfolio.html](#) | [contact.html](#)

ç,,jå,,Ýã,¢äffäf—ã,°äf—äf¹/4äf‰ooã®å³/4è
URL ã,'ã"ç"“æ,,♦ã♦ã♦ã? ã♦•ã♦,,ã€,

ä;®æ£æ, ^ã?¿ãƒªãƒªãƒ¼ã, ¹

æ-|ã®è-”ã«ç¤ºã®™ã, ^ã®†ã®«ã€®è©²å½“ã®™ã, <ã®æ£æ, ^ã®¿ã®®ã, ½ãƒ•ãƒ˜ã, |ã, §ã, Çãƒªãƒ˜ã

Cisco SD-WAN vManage ãfãfãf ^{1/4} ã, ¹	First Fixed Release ^{1/4} ã®æ£ã♦•ã,Œã♦Ýæœ€å^♦ã♦®ãfãfãf ^{1/4} ã, ¹ ï¼‰
18.3	å½±éÿçã♦ã♦—ã€,
18.4	å½±éÿçã♦ã♦—ã€,
19.1	å½±éÿçã♦ã♦—ã€,
19.2	å½±éÿçã♦ã♦—ã€,
20.1	å½±éÿçã♦ã♦—ã€,
20.3	å½±éÿçã♦ã♦—ã€,
20.4	å½±éÿçã♦ã♦—ã€,
20.5	å½±éÿçã♦ã♦—ã€,
20.6.1	å½±éÿçã♦ã♦—ã€,
20.6.2	å½±éÿçã♦ã♦—ã€,
20.6.3	å½±éÿçã♦ã♦—ã€,
20.6.3.1	å½±éÿçã♦ã♦—ã€,
20.6.3.2	å½±éÿçã♦ã♦—ã€,
20.6.3.3	20.6.3.4
20.6.4	20.6.4.2
20.6.5	20.6.5.5
20.7	äç®æ£æ,^ã♦çãfãfãf ^{1/4} ã, ¹ ã♦«ç§»è;Œã€,
20.8	äç®æ£æ,^ã♦çãfãfãf ^{1/4} ã, ¹ ã♦«ç§»è;Œã€,
20.9	20.9.3.2
20.10	20.10.1.2
20.11	20.11.1.2

Product Security Incident Response Team^{1/4}PSIRT; ãf—ãfãf€ã,—ãf^ã,»ã,ãf¥ãfãf†ã,£ã,¤ãf³ã,·ãf‡ãf³ãf^ãf—ã,^ãf♦ãf³ã,¹ãf♦ãf^{1/4}ãf i¼‰ã♦—ã€♦ã♦“ã♦®ã,çãf%oãf♦ã,¤ã,¶ãfã♦«è”~è¼‰oã♦•ã,Œã♦!ã♦,,ã,«è@½“ã♦™ã

ä,♦æ£å^©ç”“ã°<ã¾ã♦”“å...¬å½?ç™oèi”

Cisco PSIRT

ã♦§ã♦—ã€♦æœ—ã,çãf%oãf♦ã,¤ã,¶ãfã♦«è”~è¼‰oã♦•ã,Œã♦!ã♦,,ã,«è@½±æ£§ã♦®ã,♦æ£å^©ç

å‡ºå...,

ã♦“ã♦®è,,†å½±æ£§ã♦— Cisco TAC

ã,µãf♦ãf¼ãf^ã,±ãf¼ã,¹ã♦®è§£æ±ºã,ã♦«ç™øè | <ã♦•ã,C£ã♦¾ã♦—ã♦Ýã€,

URL

<https://sec.cloudapps.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-vmanage-unauthapi-sphCLYPA>

æ”“è“,å±¥æ‘

ãf♦ãf¼ã,ãf§ãf³	èª¬æ˜ž
1.1	ãf^ãf^ãf¼ã,¹ 20.6.3 ã♦® REST API ãfã,°å‡ºåŠ›æf...å ±ã♦“ã¿®æfæ,^ã♦¿ãf^ãf¼ã,¹ã♦«é-çã♦™ã,æf...å ±ã,’æ›’æ-
1.0	å^ã♦å›žå...¬é-<ãf^ãf^ãf¼ã,¹

å^©ç”“è!♦ç‘,

æœ¬ã,çäf‰oãf♦ã,¤ã,¶ãf^ã♦“ç„jä¿è“¼ã♦®ã,,ã♦®ã♦“ã♦—ã♦|ã♦”æ♦♦ä¾ã♦—ã♦|ã♦Šã,Šã€
æœ¬ã,çäf‰oãf♦ã,¤ã,¶ãf^ã♦®æf...å ±ã♦Šã,^ã♦³ãf^ãf³ã,—ã♦®ä½¿ç““ã♦«é-çã♦™ã,«è²¬ä»»ã♦®ä,€
ã♦¾ã♦Ýã€♦ã,·ã,¹ã,³ã♦“æœ¬ãf‰oã,ãf¥ãf|ãf³ãf^ã♦®å†...å®¹ã,’äº^ã'Šã♦“ã♦—ã♦«å¤‰oæ›’ã♦—ã♦
æœ¬ã,çäf‰oãf♦ã,¤ã,¶ãf^ã♦®è““è¿°å†...å®¹ã♦«é-çã♦—ã♦|æf...å ±é...♦ä¿jã♦® URL
ã,’çœ♦ç•¥ã♦—ã€♦å♦~ç<-ã♦®è»çè¼‰oã,,æ,,♦è““³ã,’æ-½ã♦—ã♦Ýå ’å ♦^ã€♦å½“ç¤¾ã♦C£ç®¡ç♦
ã♦“ã♦®ãf‰oã,ãf¥ãf|ãf³ãf^ã♦®æf...å ±ã♦“ã€♦ã,·ã,¹ã,³è£¹½å“♦ã♦®ã,“ãf³ãf‰oãf|ãf¼ã,¶ã,’å “¾è±|ã

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。