

ブロックページでの包括DNSブロックページバイパスオプションのトラブルシューティング

内容

[はじめに](#)

[前提条件](#)

[要件](#)

[使用するコンポーネント](#)

[問題](#)

[解決方法](#)

[原因](#)

[追加情報](#)

はじめに

このドキュメントでは、Umbrella DNSブロックページバイパスオプションがブロックページに表示されない場合のトラブルシューティング方法について説明します。

前提条件

要件

このドキュメントに関する固有の要件はありません。

使用するコンポーネント

このドキュメントの情報は、Umbrella DNSに基づくものです。

このドキュメントの情報は、特定のラボ環境にあるデバイスに基づいて作成されました。このドキュメントで使用するすべてのデバイスは、クリアな（デフォルト）設定で作業を開始しています。本稼働中のネットワークでは、各コマンドによって起こる可能性がある影響を十分確認してください。

問題

Cisco Umbrella DNSの手順に従って[ブロックページバイパスユーザを設定した](#)が、バイパス可能にするサイトにアクセスする際に、このオプションが表示されない。

解決方法

ポリシーでユーザまたはバイパスコードを有効にします。

1. Policies > Policy Listの順に移動し、バイパスに使用するポリシーを展開します。

New Policy 1234

Applied To
0 Identities

Contains
3 Policy Settings

Last Modified
Sep 7, 2017

^

Policy Name

New Policy 1234

0 Identities Affected
0 AD Groups
[Edit](#)

5 Destination Lists Enforced

- 4 Block Lists
- 1 Allow List

[Edit](#)

Security Setting Applied: Default Settings

- Command and Control Callbacks, Malware, and Phishing Attacks will be blocked

[Edit](#) [Disable](#)

Umbrella Default Block Page Applied
[Edit](#) [Preview Block Page](#)

Content Setting Applied: High

- Blocks adult-related sites, illegal activity, social networking sites, video sharing sites, and general time-wasters.

[Edit](#) [Disable](#)

▶ ADVANCED SETTINGS

DELETE POLICY

CANCEL

SAVE

115014830686

2. [適用するブロックページ]で、[編集]を選択します。

Set Block Page Settings

Define the appearance and bypass options for your block pages.

☒ Use Umbrella's Default Appearance
[Preview Block Page »](#)

☐ Use a Custom Appearance

Choose an existing appearance

▶ BYPASS USERS

▶ BYPASS CODES

CANCEL

SET & RETURN

115014831226

3. Bypass UsersおよびBypass Codesの順に展開します。

BYPASS USERS

Select Users

CREATE NEW

Search Users

☐

☐

user

☒

New Bypass User

☐

New Bypass User 3

1 Selected

REMOVE ALL

New Bypass User

BYPASS CODES

Select Codes

CREATE NEW

Search Codes

☒

☒

7UK1F

1 Selected

REMOVE ALL

7UK1F

115014831086

4. ポリシーで使用するユーザーまたはコード（あるいはその両方）を選択します。

5. Set & Returnを選択します。

正しいクレデンシャルまたはコードを持つユーザは、ブロックページをバイパスできるようになりました。

原因

[ページバイパスのブロック]オプションを完全に有効にするには、ポリシーでユーザー（またはバイパスコード）を有効にする必要があります。

追加情報

[ポリシーでブロックページバイパスを有効にする](#)

翻訳について

シスコは世界中のユーザにそれぞれの言語でサポート コンテンツを提供するために、機械と人による翻訳を組み合わせて、本ドキュメントを翻訳しています。ただし、最高度の機械翻訳であっても、専門家による翻訳のような正確性は確保されません。シスコは、これら翻訳の正確性について法的責任を負いません。原典である英語版（リンクからアクセス可能）もあわせて参照することを推奨します。