



# Cisco MeetingPlace Audio Server ソフトウェアのインストールおよび アップグレード リファレンス

この付録には、Cisco MeetingPlace Audio Server ソフトウェアのアップグレードセッション例が含まれています。ソフトウェアのインストールおよびアップグレード手順は、[第 5 章「Cisco MeetingPlace Audio Server ソフトウェアのインストールおよびアップグレード」](#)にあります。ソフトウェアのインストールまたはアップグレードを行うときに次の項を参照すると、処理がどの程度まで進んでいるかを確認するのに役立ちます。

- サンプルセッションのリモート インストールまたはアップグレードの表示（ディスク バックアップなし）(P.A-2)
- リモートインストールセッションまたはリモートアップグレードセッションに関するアップグレードステータスの表示 (P.A-4)
- リモートインストールセッションまたはリモートアップグレードセッションに関するリアルタイムのアップグレードステータスの表示 (P.A-4)
- サンプルセッションのオンサイト インストールまたはアップグレードの表示（ディスク バックアップなし）(P.A-17)
- サンプルセッションのオンサイト インストールまたはアップグレードの表示（ディスク バックアップあり）(P.A-41)

## サンプル セッションのリモート インストールまたはアップグレードの表示 (ディスク バックアップなし)

```

bigfoot:csc$ down
Are you sure (y/n)? y
Checking to see if the system is loaded...OK
System DOWN procedure has been initiated.
The system is DOWN.
bigfoot:csc$ update
Update is from
    1) CD
    2) Diskette
    3) Remote File
    4) Local File
    q) (Quit Update)
Enter choice: 1
Please insert the update CD in the drive, then
wait for the drive to be quiet before continuing.

Press <ENTER> to continue or <CONTROL-C> to abort.

CD mounted OK; checking for update sets...
There is just one update set on the CD.
You wish to install: MeetingPlace 5.3
Is this correct? (y or n) y
-----
- MeetingPlace software release 5.3
- Archive created: Fri Oct 29 13:51:39 PDT 2004
-----
Press <ENTER> to continue or <CONTROL-C> to abort.

Mon Oct 26 14:20:41 PDT 2004 Starting ./UPDATE.phase1
Mon Oct 26 14:20:41 PDT 2004 Verifying the tape image checksum
Mon Oct 26 14:20:49 PDT 2004 Killing cron
Mon Oct 26 14:20:50 PDT 2004 Copying root file system from partition 1a to 2a
Mon Oct 26 14:21:35 PDT 2004 Starting extraction of files from archive:
Mon Oct 26 14:22:55 PDT 2004 Archive extraction is done.
Mon Oct 26 14:22:55 PDT 2004 Resetting system file ownerships:
Mon Oct 26 14:22:55 PDT 2004 Removing set-uid permissions:
Mon Oct 26 14:22:55 PDT 2004 Updating files and setting permissions:
Mon Oct 26 14:22:59 PDT 2004 Replacing ./lat/sys/drivers/falcon/falcon_detach with
./lat/sys/drivers/falcon/falcon_attach
Mon Oct 26 14:23:00 PDT 2004 Replacing ./bin/less with ./lat/etc/less
Mon Oct 26 14:23:00 PDT 2004 Replacing ./bin/login with ./lat/etc/bin.login
Mon Oct 26 14:23:00 PDT 2004 Replacing ./bin/rsh with ./lat/etc/rsh
Mon Oct 26 14:23:00 PDT 2004 Replacing ./etc/motd with ./lat/etc/etc.motd
Mon Oct 26 14:23:00 PDT 2004 Replacing ./lat/bin/dp with ./lat/etc/rsh
Mon Oct 26 14:23:00 PDT 2004 Replacing ./lat/bin/updatefile with ./lat/etc/runscr
Mon Oct 26 14:23:00 PDT 2004 Replacing ./lat/etc/setup_CSdb with ./lat/etc/runscr
Mon Oct 26 14:23:00 PDT 2004 Replacing ./lat/bin/clearshmem with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/configdiskcap with
./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/diskcopy with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/download with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/mpconvert with
./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/newdisk with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/revert with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/restore with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/restore_vp_db with
./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/save with ./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/sysconfig with
./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/sysdatacopy with
./lat/etc/runscr
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/su with ./lat/etc/su
Mon Oct 26 14:23:01 PDT 2004 Replacing ./lat/techbin/update with ./lat/etc/runscr

```

```
Mon Oct 26 14:23:03 PDT 2004 Replacing ../bin/xntpd with ../lat/etc/xntpd
Mon Oct 26 14:23:03 PDT 2004 Replacing ../net/inetd with ../lat/etc/inetd
Mon Oct 26 14:23:03 PDT 2004 Replacing ../net/telnetd with ../lat/etc/telnetd
Mon Oct 26 14:23:03 PDT 2004 Replacing ../lynx.os with ../lat/etc/lynx.os
Mon Oct 26 14:23:04 PDT 2004 Updating time zone files:
Mon Oct 26 14:23:05 PDT 2004 Installing the new OS files
Mon Oct 26 14:23:08 PDT 2004 Constructing a new prompt set on partition 2f
Mon Oct 26 14:23:17 PDT 2004 Constructed new alternate prompt set
Mon Oct 26 14:23:17 PDT 2004 Copying in the new prompt set
Mon Oct 26 14:23:34 PDT 2004 Prompt setup complete
Mon Oct 26 14:23:34 PDT 2004 Copying the active database into a fresh partition
Mon Oct 26 14:23:34 PDT 2004 Constructing a new database on partition 2e
Mon Oct 26 14:28:51 PDT 2004 New database construction is complete
Mon Oct 26 14:28:52 PDT 2004 Preparing the boot from the new software load
The first phase of the software upgrade is complete.
The system will now restart. As it comes up it will start the 2nd phase
```

## リモートインストールセッションまたはリモートアップグレードセッションに関するアップグレードステータスの表示

```

Release 5.3, Oct 26, 2004
user name: tech
Password:
Last login: Mon Oct 26 19:31:14 from Unknown-HostName
*****
*                MeetingPlace(tm)                *
*                by Cisco Systems *                *
*
*                Copyright (c) 1993-2004 Cisco Systems *
*                All rights reserved.                *
*****
Conference server 5.3 S/N: not set
Mon Oct 26 19:55:58 PDT 2004
:tech$ update status
Last status update: Oct 26 19:56
Building the deleted record database
:tech$ update status
Last status update: Oct 26 19:56
Upgrade phase 2: Database revision complete; almost done

```

## リモートインストールセッションまたはリモートアップグレードセッションに関するリアルタイムのアップグレードステータスの表示

```

Release 5.3, Oct 26, 2004
user name: tech
Password:
Last login: Mon Oct 26 19:31:14 from Unknown-HostName
*****
*                MeetingPlace(tm)                *
*                by Cisco Systems *                *
*
*                Copyright (c) 1993-2004 Cisco Systems*
*                All rights reserved.                *
*****
Conference server 5.3 S/N: not set
Mon Oct 26 19:55:58 PDT 2004
:tech$ update trace
Last update: Oct 26 19:56
----- Preallocating db Mon Oct 26 19:55:19 PDT 2004

Reserving 100 db records (code 10000) ...
the db file already has 1 16384 byte pages that can hold 143 record(s)

Reserving 200 dbclass records (code 10001) ...
Adding 2 16384 byte page(s) to get 127 record(s) ...

Reserving 200 dbmember records (code 10002) ...
Adding 1 16384 byte page(s) to get 200 record(s) ...

Pre-allocating each key file...
Adding 3 16384 byte pages to key file db.name...
Adding 3 16384 byte pages to key file dbclass.dbnamerecid...
Adding 5 16384 byte pages to key file dbclass.csdbnameskey...
Adding 3 16384 byte pages to key file dbclass.dbname...
Adding 3 16384 byte pages to key file dbclass.classname...
Adding 3 16384 byte pages to key file dbmember.fieldid...

----- db preallocation complete Mon Oct 26 19:55:19 PDT 2004

----- Preallocating deletedrec Mon Oct 26 19:55:19 PDT 20043

```

```

Reserving 1000000 deletedrec records (code 10000) ...
  the deletedrec file already has 1000000 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file deletedrec.Sequence...

----- deletedrec preallocation complete Mon Oct 26 19:55:19 PDT 2004

----- Preallocating flexmenu Mon Oct 26 19:55:19 PDT 2004

Record 10000 (FMAppRec): has no preallocation count
Record 10001 (FMStateTable): has no preallocation count
Record 10002 (CustAppPrompt): has no preallocation count
Record 10003 (FMPlayPrompt): has no preallocation count
Record 10004 (FMGotoApp): has no preallocation count
Record 10005 (FMOptionsMenu): has no preallocation count
Record 10006 (FMHangUp): has no preallocation count
Record 10007 (FMFindMtg): has no preallocation count
Record 10008 (FMReviewMtgMat): has no preallocation count
Record 10009 (FMGetProfile): has no preallocation count

Pre-allocating each key file...

----- flexmenu preallocation complete Mon Oct 26 19:55:21 PDT 2004

----- Preallocating gen Mon Oct 26 19:55:21 PDT 2004

Reserving 250000 user records (code 10002) ...
  the user file already has 19231 16384 byte pages that can hold 250003 record(s)

Reserving 100 group records (code 10000) ...
  the group file already has 3 16384 byte pages that can hold 117 record(s)

Record 10003 (gentmp1): has no preallocation count
Record 10005 (gentmp2): has no preallocation count
Record 10004 (gentmp3): has no preallocation count

Reserving 6 flexfield records (code 10001) ...
  the flexfield file already has 14 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file user.last...
  Adding 2 16384 byte pages to key file user.name...
  Adding 2 16384 byte pages to key file user.uniqueid...
  Adding 2 16384 byte pages to key file user.username...
  Adding 2 16384 byte pages to key file user.cuid...
  Adding 2 16384 byte pages to key file user.cnlf...
  Adding 2 16384 byte pages to key file user.lfn...
  Adding 2 16384 byte pages to key file user.in...
  Adding 2 16384 byte pages to key file user.vuname...
  Adding 2 16384 byte pages to key file user.glf...
  Adding 2 16384 byte pages to key file user.UpdateTime...

----- gen preallocation complete Mon Oct 26 19:55:21 PDT 2004

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

```

```
genlite initialized

----- Preallocating pegs Mon Oct 26 19:55:21 PDT 2004

Reserving 1 pegs records (code 10000) ...
the pegs file already has 1536 record(s)

Pre-allocating each key file...

----- pegs preallocation complete Mon Oct 26 19:55:21 PDT 2004

----- Preallocating podata Mon Oct 26 19:55:21 PDT 2004

Reserving 1 pomailbox records (code 10000) ...
the pomailbox file already has 32 record(s)

Reserving 20000 pomsgdata records (code 10001) ...

Pre-allocating each key file...
Adding 2 16384 byte pages to key file pomsgdata.compundkey...

----- podata preallocation complete Mon Oct 26 19:55:21 PDT 2004

----- Preallocating res Mon Oct 6 19:55:21 PDT 2003

Reserving 1 crres records (code 10004) ...
Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 portres records (code 10005) ...
Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 200000 didres records (code 10001) ...
Adding 513 16384 byte page(s) to get 200000 record(s) ...

Record 10000 (didconfigres): has no preallocation count

Record 10003 (schedparamsres): has no preallocation count

Reserving 13 crresfstaccess records (code 10006) ...
the crresfstaccess file already has 13 record(s)

Reserving 13 portresfstaccess records (code 10007) ...
the portresfstaccess file already has 13 record(s)

Reserving 13 vsresfstaccess records (code 10008) ...
the vsresfstaccess file already has 15 record(s)

Reserving 200000 vsres records (code 10002) ...
Adding 465 16384 byte page(s) to get 200000 record(s) ...

Pre-allocating each key file...
Adding 635 16384 byte pages to key file didres.strtdid...
Adding 343 16384 byte pages to key file didres.UpdateTime...
Adding 3 16384 byte pages to key file crres.resourceid...
Adding 3 16384 byte pages to key file portres.resourceid...
Adding 343 16384 byte pages to key file vsres.resourceid...
Adding 343 16384 byte pages to key file vsres.UpdateTime...

----- res preallocation complete Mon Oct 26 19:55:26 PDT 2004

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

reslite initialized
```

```
----- Preallocating status Mon Oct 26 19:55:26 PDT 2004

Reserving 200 alarmentry records (code 10000) ...
the alarmentry file already has 200 record(s)

Reserving 16384 exlogentry records (code 10001) ...
the exlogentry file already has 16384 record(s)

Reserving 1 hwstatus records (code 10002) ...
the hwstatus file already has 1 16384 byte pages that can hold 2047 record(s)

Reserving 1 swstatus records (code 10003) ...
the swstatus file already has 1 record(s)

Reserving 1500 exlogformat records (code 10004) ...
the exlogformat file already has 3374 record(s)

Reserving 20 apps records (code 10005) ...
the apps file already has 21 record(s)

Reserving 10000 outdial records (code 10006) ...
the outdial file already has 10000 record(s)

Reserving 10000 notification records (code 10007) ...
the notification file already has 10000 record(s)

Record 10008 (schedfail): has no preallocation count

Record 10009 (gwstatus): has no preallocation count

Pre-allocating each key file...

----- status preallocation complete Mon Oct 26 19:55:26 PDT 2004

----- Preallocating tcnfg Mon Oct 26 19:55:26 PDT 2004

Reserving 100 analogcard records (code 10000) ...
the analogcard file already has 1 16384 byte pages that can hold 431 record(s)

Reserving 1 masterswcard records (code 10001) ...
the masterswcard file already has 108 record(s)

Reserving 100 portrescard records (code 10002) ...
the portrescard file already has 108 record(s)

Reserving 100 t1card records (code 10003) ...
the t1card file already has 108 record(s)

Reserving 10 t1span records (code 10004) ...
the t1span file already has 432 record(s)

Reserving 1000 trunk records (code 10005) ...
the trunk file already has 10800 record(s)

Reserving 100 trunkgroup records (code 10006) ...
the trunkgroup file already has 1 16384 byte pages that can hold 110 record(s)

Reserving 100 elcard records (code 10007) ...
the elcard file already has 1 16384 byte pages that can hold 163 record(s)

Reserving 10 elspan records (code 10008) ...
the elspan file already has 36 record(s)

Record 10009 (accard): has no preallocation count

Record 10010 (acspan): has no preallocation count

Record 10012 (iprescard): has no preallocation count
```

```

Record 10013 (blade): has no preallocation count

Record 10014 (protable): has no preallocation count

Record 10011 (ipglobalcfg): has no preallocation count

Pre-allocating each key file...
  Adding 3 16384 byte pages to key file analogcard.unitid...
  Adding 3 16384 byte pages to key file masterswcard.unitid...
  Adding 3 16384 byte pages to key file portrescard.unitid...
  Adding 3 16384 byte pages to key file t1card.unitid...
  Adding 3 16384 byte pages to key file t1span.unitid...
  Adding 3 16384 byte pages to key file trunkgroup.id...
  Adding 3 16384 byte pages to key file elcard.unitid...
  Adding 3 16384 byte pages to key file elspan.unitid...

----- tcnfg preallocation complete Mon Oct 26 19:55:27 PDT 2004

----- Preallocating userlist Mon Oct 26 19:55:27 PDT 2004

Reserving 100000 userlist records (code 10000) ...
  the userlist file already has 2041 16384 byte pages that can hold 100009 record(s)

Reserving 500000 userlistmem records (code 10001) ...
  the userlistmem file already has 611 16384 byte pages that can hold 500409 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file userlist.uniqueid...
  Adding 2 16384 byte pages to key file userlist.vuid...
  Adding 2 16384 byte pages to key file userlist.name...
  Adding 2 16384 byte pages to key file userlist.unta...
  Adding 2 16384 byte pages to key file userlist.UpdateTime...
  Adding 2 16384 byte pages to key file userlist.oulid...
  Adding 2 16384 byte pages to key file userlistmem.uluid...
  Adding 2 16384 byte pages to key file userlistmem.UpdateTime...

----- userlist preallocation complete Mon Oct 26 19:55:27 PDT 2004
cldbrev: dbprealloc done

cldbrev: starting delrecinit
There are supposed to be 1000000 records in the deleted record database
Counting the number of records in the database...

2000
4000
6000
8000
10000
12000
14000
16000
18000
20000
22000
24000
26000
28000
30000
32000
34000
36000
38000
40000
42000
44000
46000
48000
50000
52000

```



54000  
56000  
58000  
60000  
62000  
64000  
66000  
68000  
70000  
72000  
74000  
76000  
78000  
80000  
82000  
84000  
86000  
88000  
90000  
92000  
94000  
96000  
98000  
100000  
102000  
104000  
106000  
108000  
110000  
112000  
114000  
116000  
118000  
120000  
122000  
124000  
126000  
128000  
130000  
132000  
134000  
136000  
138000  
140000  
142000  
144000  
146000  
148000  
150000  
152000  
154000  
156000  
158000  
160000  
162000  
164000  
166000  
168000  
170000  
172000  
174000  
176000  
178000  
180000  
182000  
184000  
186000  
188000  
190000

192000  
194000  
196000  
198000  
200000  
202000  
204000  
206000  
208000  
210000  
212000  
214000  
216000  
218000  
220000  
222000  
224000  
226000  
228000  
230000  
232000  
234000  
236000  
238000  
240000  
242000  
244000  
246000  
248000  
250000  
252000  
254000  
256000  
258000  
260000  
262000  
264000  
266000  
268000  
270000  
272000  
274000  
276000  
278000  
280000  
282000  
284000  
286000  
288000  
290000  
292000  
294000  
296000  
298000  
300000  
302000  
304000  
306000  
308000  
310000  
312000  
314000  
316000  
318000  
320000  
322000  
324000  
326000  
328000

330000  
332000  
334000  
336000  
338000  
340000  
342000  
344000  
346000  
348000  
350000  
352000  
354000  
356000  
358000  
360000  
362000  
364000  
366000  
368000  
370000  
372000  
374000  
376000  
378000  
380000  
382000  
384000  
386000  
388000  
390000  
392000  
394000  
396000  
398000  
400000  
402000  
404000  
406000  
408000  
410000  
412000  
414000  
416000  
418000  
420000  
422000  
424000  
426000  
428000  
430000  
432000  
434000  
436000  
438000  
440000  
442000  
444000  
446000  
448000  
450000  
452000  
454000  
456000  
458000  
460000  
462000  
464000  
466000

468000  
470000  
472000  
474000  
476000  
478000  
480000  
482000  
484000  
486000  
488000  
490000  
492000  
494000  
496000  
498000  
500000  
502000  
504000  
506000  
508000  
510000  
512000  
514000  
516000  
518000  
520000  
522000  
524000  
526000  
528000  
530000  
532000  
534000  
536000  
538000  
540000  
542000  
544000  
546000  
548000  
550000  
552000  
554000  
556000  
558000  
560000  
562000  
564000  
566000  
568000  
570000  
572000  
574000  
576000  
578000  
580000  
582000  
584000  
586000  
588000  
590000  
592000  
594000  
596000  
598000  
600000  
602000  
604000

606000  
608000  
610000  
612000  
614000  
616000  
618000  
620000  
622000  
624000  
626000  
628000  
630000  
632000  
634000  
636000  
638000  
640000  
642000  
644000  
646000  
648000  
650000  
652000  
654000  
656000  
658000  
660000  
662000  
664000  
666000  
668000  
670000  
672000  
674000  
676000  
678000  
680000  
682000  
684000  
686000  
688000  
690000  
692000  
694000  
696000  
698000  
700000  
702000  
704000  
706000  
708000  
710000  
712000  
714000  
716000  
718000  
720000  
722000  
724000  
726000  
728000  
730000  
732000  
734000  
736000  
738000  
740000  
742000

744000  
746000  
748000  
750000  
752000  
754000  
756000  
758000  
760000  
762000  
764000  
766000  
768000  
770000  
772000  
774000  
776000  
778000  
780000  
782000  
784000  
786000  
788000  
790000  
792000  
794000  
796000  
798000  
800000  
802000  
804000  
806000  
808000  
810000  
812000  
814000  
816000  
818000  
820000  
822000  
824000  
826000  
828000  
830000  
832000  
834000  
836000  
838000  
840000  
842000  
844000  
846000  
848000  
850000  
852000  
854000  
856000  
858000  
860000  
862000  
864000  
866000  
868000  
870000  
872000  
874000  
876000  
878000  
880000

```
882000
884000
886000
888000
890000
892000
894000
896000
898000
900000
902000
904000
906000
908000
910000
912000
914000
916000
918000
920000
922000
924000
926000
928000
930000
932000
934000
936000
938000
940000
942000
944000
946000
948000
950000
952000
954000
956000
958000
960000
962000
964000
966000
968000
970000
972000
974000
976000
978000
980000
982000
984000
986000
988000
990000
992000
994000
996000
998000
1000000
1000001 records found
cmdbrev: delrecinit done
```

```
cmdbrev: ending Mon Oct 26 19:56:08 PDT 2004
Mon Oct 26 19:56:08 PDT 2004 Network setup:
Unit class = SINGLE/LOCAL
Updating error log format strings: Using database path: /lat/db/status
48 new entries and 3375 replacements
```

```
Prompt Upgrade>> Opening file </lat/fs.1/prompt_db_vfs_map_dir0> ....
Number Of Language(s) in the prompt map file: 1
Starting English (US)...

Prompt Upgrade>> EOF (0) reached in /lat/fs.1/prompt_db_vfs_map_dir0 file (promptNum
1551): 0

... Done with English (US)

Starting Update Company Info

Loading to Lang Index=0

The languages installed are:
  Language 1  dir0  English (US)

FINISHED: Prompt Database Upgrade is complete!

Statistics: 0 new entries and 319 replacements
Updating time zone names: Using database path: /lat/db/config
Updating option names ... .. Done
Setting prompt file configuration
Working on /lat/fs.1/ ..
The file system directories are already updated
Working on /lat/fs.2/ ..
The file system directories are already updated
Working on /lat/fs.3/ ..
The file system directories are already updated
Adjusting prompt file sizes

Running vfprefix...
Initializing the file system...
Getting the disk configuration status...
Checking file system internal consistency... (may take a while) ...
Mon Oct 26 19:56:15 PDT 2004 NOTE: Disk backups disabled; run 'save' to re-enable.
Mon Oct 26 19:56:15 PDT 2004 Software update is complete.
```



## サンプルセッションのオンサイト インストールまたはアップグレードの表示（ディスクバックアップなし）

```
mtgplace:tech$ update
Update is from
  1) CD
  2) Diskette
  3) Remote File
  4) Local File
  q) (Quit Update)
Enter choice: 1
Please insert the update CD in the drive, then
wait for the drive to be quiet before continuing.

Press <ENTER> to continue or <CONTROL-C> to abort.

CD mounted OK; checking for update sets...
There is just one update set on the CD.
You wish to install: MeetingPlace 5.3
Is this correct? (y or n) y
-----
- MeetingPlace software release 5.3
- Archive created: Fri Oct 29 13:51:39 PDT 2004
-----
Press <ENTER> to continue or <CONTROL-C> to abort.

Mon Oct 26 18:50:22 PDT 2004 Starting ./UPDATE.phase1
Mon Oct 26 18:50:22 PDT 2004 Verifying the tape image checksum
Mon Oct 26 18:50:30 PDT 2004 Killing cron
Mon Oct 26 18:50:31 PDT 2004 Copying root file system from partition 1a to 2a
Mon Oct 26 18:51:17 PDT 2004 Starting extraction of files from archive:
Mon Oct 26 18:52:31 PDT 2004 Archive extraction is done.
Mon Oct 26 18:52:31 PDT 2004 Resetting system file ownerships:
Mon Oct 26 18:52:31 PDT 2004 Removing set-uid permissions:
Mon Oct 26 18:52:31 PDT 2004 Updating files and setting permissions:
Mon Oct 26 18:52:35 PDT 2004 Replacing //lat/sys/drivers/falcon/falcon_detach with
//lat/sys/drivers/falcon/falcon_attach
Mon Oct 26 18:52:36 PDT 2004 Replacing //bin/less with //lat/etc/less
Mon Oct 26 18:52:36 PDT 2004 Replacing //bin/login with //lat/etc/bin.login
Mon Oct 26 18:52:36 PDT 2004 Replacing //bin/rsh with //lat/etc/rsh
Mon Oct 26 18:52:36 PDT 2004 Replacing //etc/motd with //lat/etc/etc.motd
Mon Oct 26 18:52:36 PDT 2004 Replacing //lat/bin/dp with //lat/etc/rsh
Mon Oct 26 18:52:36 PDT 2004 Replacing //lat/bin/updatefile with //lat/etc/runscr
Mon Oct 26 18:52:36 PDT 2004 Replacing //lat/etc/setup_CSdb with //lat/etc/runscr
Mon Oct 26 18:52:36 PDT 2004 Replacing //lat/bin/clearshmem with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/configdiskcap with
//lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/diskcopy with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/download with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/mpconvert with
//lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/newdisk with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/revert with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/restore with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/restore_vp_db with
//lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/save with //lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/sysconfig with
//lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/sysdatacopy with
//lat/etc/runscr
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/su with //lat/etc/su
Mon Oct 26 18:52:37 PDT 2004 Replacing //lat/techbin/update with //lat/etc/runscr
Mon Oct 26 18:52:39 PDT 2004 Replacing //bin/xntpd with //lat/etc/xntpd
Mon Oct 26 18:52:39 PDT 2004 Replacing //net/inetd with //lat/etc/inetd
Mon Oct 26 18:52:39 PDT 2004 Replacing //net/telnetd with //lat/etc/telnetd
Mon Oct 26 18:52:39 PDT 2004 Replacing //lynx.os with //lat/etc/lynx.os
Mon Oct 26 18:52:40 PDT 2004 Updating time zone files:
```

```

Mon Oct 26 18:52:41 PDT 2004 Installing the new OS files
Mon Oct 26 18:52:43 PDT 2004 Constructing a new prompt set on partition 2f
Mon Oct 26 18:52:53 PDT 2004 Constructed new alternate prompt set
Mon Oct 26 18:52:53 PDT 2004 Copying in the new prompt set
Mon Oct 26 18:53:44 PDT 2004 Prompt setup complete
Mon Oct 26 18:53:44 PDT 2004 Copying the active database into a fresh partition
Mon Oct 26 18:53:44 PDT 2004 Constructing a new database on partition 2c
Mon Oct 26 18:59:02 PDT 2004 New database construction is complete
Mon Oct 26 18:59:03 PDT 2004 Preparing the boot from the new software load
The first phase of the software upgrade is complete.
The system will now restart. As it comes up it will start the 2nd phase

```

```
**** LynxOS is down ****
```

```

LynxOS 386/486/Pentium PC-AT Version 3.1.0
Copyright 1987-1998 Lynx Real-Time Systems Inc.
All rights reserved.

```

```

LynxOS (x86) created Tue Sep 30 15:05:41 PDT 2003
Rebooting into multi-user mode in 5 seconds...
12345

```

```
**** LynxOS is down ****
```

```

LynxOS 386/486/Pentium PC-AT Version 3.1.0
Copyright 1987-1998 Lynx Real-Time Systems Inc.
All rights reserved.

```

```
LynxOS (x86) created Tue Sep 30 15:05:41 PDT 2003
```

```
MeetingPlace by Cisco Systems
```

```

Mon Oct 26 19:01:07 PDT 2004
Startup flags = a

```

```

(all sizes and block numbers in decimal)
(block size is 16384)
(file system is byte-swapped)
(file system creation time is Mon Oct 26 18:50:30 2004)
(file system contains 31999 blocks and 7936 inodes)
checking used files
checking for orphaned files
making bit map free block list
making free inode list
14624 free blocks 6080 free inodes
Filesystem Ok
SCSI adapter is NCR 8xx.
Copying /tmp FS from partition 2b to 1b
/tmp moved to /dev/disk1b
Unit class is standalone conference server (SINGLE).
Bus architecture is CompactPCI (M3).
Ethernet device is "pro0".
Initializing the modem on COM2.../lat/bin/initmodem ...
/lat/bin/initmodem: type is `MultiTech MT5634Z'
/lat/bin/initmodem: modem initialized
Installing Cisco drivers...
devinstall: acti.dat: Device doesn't exist
done.
Executing the 2nd stage of software upgrade.
Mon Oct 26 19:01:44 PDT 2004 Phase 2 starting
Revising database from 5.2.0 to 5.3

```

```

cmdbrev: begun Mon Oct 26 19:01:44 PDT 2004
DB Config file is m3.con
Unpacking the archive:
Mon Oct 26 19:01:44 PDT 2004
cmdbrev: starting /lat/bin/initdb -y 5.2.0/config

```

```

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

```

```
5.2.0/config initialized

cldbrev: /lat/bin/initdb done

Beginning dbrev at Mon Oct 26 19:01:44 PDT 2004
cldbrev: starting /lat/bin/dbrev -s 5.2.0/config.rdl -q -v /lat/db/config 5.2.0/config
line 22: field CSSYSTEMCONFIG.MAXMEETINGIDLENGT not contained in destination database

dbrev compilation complete

Processing file /lat/db/billinginfo containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/companyinfo containing 1 records

Current slot 1 (0 seconds)

Processing file /lat/db/filestats containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/hwconfig containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/hwstats containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/option containing 22 records

Current slot 22 (0 seconds)

Processing file /lat/db/outdialtrans containing 16 records

Current slot 16 (0 seconds)

Processing file /lat/db/netmgtinfo containing 1 records

Current slot 1 (0 seconds)

Processing file /lat/db/netmgtcomm containing 3 records

Current slot 3 (0 seconds)

Processing file /lat/db/unit containing 128 records

Current slot 128 (0 seconds)

Processing file /lat/db/site containing 8 records

Current slot 8 (0 seconds)

Processing file /lat/db/promptstats containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/scsi containing 128 records

Current slot 128 (0 seconds)

Processing file /lat/db/swconfig containing 1 records

Current slot 1 (0 seconds)

Processing file /lat/db/swstats containing 0 records
```

```
Current slot 0 (0 seconds)

Processing file /lat/db/systemconfig containing 1 records

Current slot 1 (0 seconds)

Processing file /lat/db/timezone containing 319 records

Current slot 319 (0 seconds)

Processing file /lat/db/mtgcategory containing 1 records

Current slot 1 (0 seconds)

Processing file /lat/db/remoteserver containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/didcnfgconfig containing 16 records

Current slot 16 (0 seconds)

Processing file /lat/db/schedparamsconfig containing 1 records

Current slot 1 (0 seconds)
dbrev completed, successful restructure

Database Restructure Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

cmbdrev: /lat/bin/dbrev done

Copying 5.2.0/billinginfo:
 16384 16384
Copying 5.2.0/companyinfo:
 32768 32768
Copying 5.2.0/filestats:
 16384 16384
Copying 5.2.0/hwconfig:
 16384 16384
Copying 5.2.0/hwstats:
 16384 16384
Copying 5.2.0/option:
 4096 4096
Copying 5.2.0/outdialtrans:
 32768 32768
Copying 5.2.0/netmgtinfo:
 32768 32768
Copying 5.2.0/netmgtcomm:
 32768 32768
Copying 5.2.0/unit:
 65536 65536
Copying 5.2.0/site:
 32768 32768
Copying 5.2.0/promptstats:
 16384 16384
Copying 5.2.0/scsi:
 32768 32768
Copying 5.2.0/swconfig:
 32768 32768
Copying 5.2.0/swstats:
 16384 16384
Copying 5.2.0/systemconfig:
 32768 32768
Copying 5.2.0/timezone:
 65536 65536
Copying 5.2.0/mtgcategory:
 32768 32768
```

```
Copying 5.2.0/remoteserver:
 16384 16384
Copying 5.2.0/didcnfgconfig:
 32768 32768
Copying 5.2.0/schedparamsconfig:
 32768 32768
Copying 5.2.0/filestats.recnum:
 32768 32768
Copying 5.2.0/netmgtcomm.name:
 32768 32768
Copying 5.2.0/outdialtrans.recnum:
 32768 32768
Copying 5.2.0/option.name:
 2048 2048
Copying 5.2.0/timezone.id:
 32768 32768
Copying 5.2.0/timezone.timezonekey:
 32768 32768
Copying 5.2.0/unit.unitnum:
 32768 32768
Copying 5.2.0/site.sitenum:
 32768 32768
Copying 5.2.0/scsi.unitid:
 32768 32768
Copying 5.2.0/mtgcategory.uniqueid:
 32768 32768
Copying 5.2.0/mtgcategory.name:
 32768 32768
Copying 5.2.0/mtgcategory.mtgcatkey:
 32768 32768
Copying 5.2.0/remoteserver.uniqueid:
 32768 32768
Copying 5.2.0/remoteserver.name:
 32768 32768
Copying 5.2.0/remoteserver.vuid:
 32768 32768
Copying 5.2.0/remoteserver.ether:
 32768 32768
Copying 5.2.0/didcnfgconfig.unitnum:
 32768 32768
cldbrev: starting /lat/bin/initdb -y 5.2.0/config

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

5.2.0/config initialized

cldbrev: /lat/bin/initdb done

cldbrev: starting /lat/bin/initdb -y 5.2.0/res

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

5.2.0/res initialized

cldbrev: /lat/bin/initdb done

Beginning dbrev at Mon Oct 26 19:01:47 PDT 2004
cldbrev: starting /lat/bin/dbrev -q -v /lat/db/res 5.2.0/res

dbrev compilation complete

Processing file /lat/db/crres containing 0 records

Current slot 0 (0 seconds)
```

```
Processing file /lat/db/portres containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/didres containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/didconfigres containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/schedparamsres containing 0 records

Current slot 0 (0 seconds)

Processing file /lat/db/crresfstaccess containing 13 records

Current slot 13 (0 seconds)

Processing file /lat/db/portresfstaccess containing 13 records

Current slot 13 (0 seconds)

Processing file /lat/db/vsresfstaccess containing 15 records

Current slot 15 (0 seconds)

Processing file /lat/db/vsres containing 0 records

Current slot 0 (0 seconds)
dbrev completed, successful restructure

Database Restructure Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

cmdbrev: /lat/bin/dbrev done

Copying 5.2.0/crres:
16384 16384
Copying 5.2.0/portres:
16384 16384
Copying 5.2.0/didres:
16384 16384
Copying 5.2.0/didconfigres:
16384 16384
Copying 5.2.0/schedparamsres:
16384 16384
Copying 5.2.0/crresfstaccess:
258048 258048
Copying 5.2.0/portresfstaccess:
258048 258048
Copying 5.2.0/vsresfstaccess:
65536 65536
Copying 5.2.0/vsres:
16384 16384
Copying 5.2.0/didconfigres.unitnum:
32768 32768
Copying 5.2.0/didres.strtdid:
32768 32768
Copying 5.2.0/didres.UpdateTime:
32768 32768
Copying 5.2.0/crres.resourceid:
32768 32768
Copying 5.2.0/portres.resourceid:
32768 32768
Copying 5.2.0/vsres.resourceid:
```

```
32768 32768
Copying 5.2.0/vsres.UpdateTime:
32768 32768
cldbrev: starting /lat/bin/initdb -y 5.2.0/res

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

5.2.0/res initialized

cldbrev: /lat/bin/initdb done

cldbrev: starting /lat/bin/initdb -y 5.2.0/tcnfg

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

5.2.0/tcnfg initialized

cldbrev: /lat/bin/initdb done

Beginning dbrev at Mon Oct 26 19:01:48 PDT 2004
cldbrev: starting /lat/bin/dbrev -q -v /lat/db/tcnfg 5.2.0/tcnfg

dbrev compilation complete

Processing file /lat/db/analogcard containing 45 records

Current slot 45 (0 seconds)

Processing file /lat/db/masterswcard containing 108 records

Current slot 108 (0 seconds)

Processing file /lat/db/portrescard containing 108 records

Current slot 108 (0 seconds)

Processing file /lat/db/tlcard containing 108 records

Current slot 108 (0 seconds)

Processing file /lat/db/tlspan containing 432 records

Current slot 432 (0 seconds)

Processing file /lat/db/trunk containing 10800 records

Current slot 1000 (0 seconds) Current slot 2000 (0 seconds) Current slot 3000 (1
seconds) Current slot 4000 (1 seconds) Current slot 5000 (1 seconds) Current slot 6000
(1 seconds) Current slot 7000 (1 seconds) Current slot 8000 (1 seconds) Current slot
9000 (2 seconds) Current slot 10000 (2 seconds) Current slot 10800 (2 seconds)

Processing file /lat/db/trunkgroup containing 32 records

Current slot 32 (0 seconds)

Processing file /lat/db/elcard containing 18 records

Current slot 18 (0 seconds)

Processing file /lat/db/elspan containing 36 records

Current slot 36 (0 seconds)

Processing file /lat/db/accard containing 27 records
```

```
Current slot 27 (0 seconds)

Processing file /lat/db/acspan containing 432 records

Current slot 432 (0 seconds)

Processing file /lat/db/iprescard containing 108 records

Current slot 108 (0 seconds)

Processing file /lat/db/blade containing 12 records

Current slot 12 (0 seconds)

Processing file /lat/db/protable containing 100 records

Current slot 100 (0 seconds)
dbrev completed, successful restructure

Database Restructure Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

cmdbrev: /lat/bin/dbrev done

Copying 5.2.0/analogcard:
 32768 32768
Copying 5.2.0/masterswcard:
 32768 32768
Copying 5.2.0/portrescard:
 32768 32768
Copying 5.2.0/tlcard:
 32768 32768
Copying 5.2.0/tlspan:
49152 49152
Copying 5.2.0/trunk:
1048576 1851392
Copying 5.2.0/trunkgroup:
 32768 32768
Copying 5.2.0/elcard:
 32768 32768
Copying 5.2.0/elspan:
 32768 32768
Copying 5.2.0/accard:
 32768 32768
Copying 5.2.0/acspan:
65536 65536
Copying 5.2.0/iprescard:
 32768 32768
Copying 5.2.0/blade:
 32768 32768
Copying 5.2.0/protable:
65536 65536
Copying 5.2.0/ipglobalcfg:
16384 16384
Copying 5.2.0/analogcard.unitid:
 32768 32768
Copying 5.2.0/masterswcard.unitid:
 32768 32768
Copying 5.2.0/portrescard.unitid:
 32768 32768
Copying 5.2.0/tlcard.unitid:
 32768 32768
Copying 5.2.0/tlspan.unitid:
 32768 32768
Copying 5.2.0/trunk.unitid:
327680 327680
Copying 5.2.0/trunkgroup.id:
```



```
32768 32768
Copying 5.2.0/elcard.unitid:
32768 32768
Copying 5.2.0/elspan.unitid:
32768 32768
Copying 5.2.0/accard.unitid:
32768 32768
Copying 5.2.0/acspan.unitid:
32768 32768
Copying 5.2.0/iprescard.unitid:
32768 32768
Copying 5.2.0/blade.bladekey:
32768 32768
Copying 5.2.0/blade.slot:
32768 32768
Copying 5.2.0/protable.num:
32768 32768
cymbrev: starting /lat/bin/initdb -y 5.2.0/tcnfg

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

5.2.0/tcnfg initialized

cymbrev: /lat/bin/initdb done

cymbrev: starting /lat/bin/dbconfig -b /lat/db -f /lat/db/m3.con
cymbrev: /lat/bin/dbconfig done

Mon Oct 26 19:01:54 PDT 2004
cymbrev: starting 5.2.0/update -f 5.2.0 -t 5.3.0
update: starting updategen -f 5.2.0 -t 5.3.0

updategen: begun Mon Oct 26 19:01:54 PDT 2004
validating FINDME preferences
checked 4 users
skipped group check

update: updategen done

update: starting updateoptions -f 5.2.0 -t 5.3.0
Updating option names ... .. Done
update: updateoptions done

update: starting upgradetcnfg -f 5.2.0 -t 5.3.0
Converting tcnfg database from 5.2.0 to 5.3
Fixing AC card records+++++++!
Creating IP Global Configuration record.!
Fixing trunk
records+++++++
+++++++[Continues for
several lines]
Fixing group records+++++++!
update: upgradetcnfg done

cymbrev: 5.3/update done

cymbrev: starting dbprealloc -b /lat/db

----- Preallocating conf_att Mon Oct 26 19:01:58 PDT 2004

Reserving 200000 confatt records (code 10000) ...
the confatt file already has 7143 16384 byte pages that can hold 200004 record(s)

Reserving 1000 rsconfpart records (code 10001) ...
the rsconfpart file already has 8 16384 byte pages that can hold 1008 record(s)
```

```

Reserving 200000 conf records (code 10003) ...
  the conf file already has 11112 16384 byte pages that can hold 200016 record(s)

Reserving 1000000 confpart records (code 10005) ...
  the confpart file already has 8696 16384 byte pages that can hold 1000040 record(s)

Reserving 1000000 conftime records (code 10004) ...
  the conftime file already has 5026 16384 byte pages that can hold 1000174 record(s)

Record 10002 (tmp4): has no preallocation count

Reserving 200000 partnotrec records (code 10006) ...
  the partnotrec file already has 5406 16384 byte pages that can hold 200022 record(s)

Reserving 200000 confcatrec records (code 10007) ...
  the confcatrec file already has 294 16384 byte pages that can hold 200508 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file confatt.confattrefid...
  Adding 2 16384 byte pages to key file confatt.UpdateTime...
  Adding 2 16384 byte pages to key file rsconfpart.srtuserconf...
  Adding 2 16384 byte pages to key file rsconfpart.confpart...
  Adding 2 16384 byte pages to key file conf.nextevent...
  Adding 2 16384 byte pages to key file conf.uniquenum...
  Adding 2 16384 byte pages to key file conf.sdmc...
  Adding 2 16384 byte pages to key file conf.ssnd...
  Adding 2 16384 byte pages to key file conf.lmcn...
  Adding 2 16384 byte pages to key file conf.dspsc...
  Adding 2 16384 byte pages to key file conf.psd...
  Adding 2 16384 byte pages to key file conf.UpdateTime...
  Adding 2 16384 byte pages to key file confpart.srtuserconf...
  Adding 2 16384 byte pages to key file confpart.confpart...
  Adding 2 16384 byte pages to key file confpart.UpdateTime...
  Adding 2 16384 byte pages to key file conftime.confpart...
  Adding 2 16384 byte pages to key file conftime.UpdateTime...
  Adding 2 16384 byte pages to key file partnotrec.confpart...
  Adding 2 16384 byte pages to key file partnotrec.UpdateTime...
  Adding 2 16384 byte pages to key file confcatrec.cstuid...
  Adding 2 16384 byte pages to key file confcatrec.uidc...
  Adding 2 16384 byte pages to key file confcatrec.ConfNum...
  Adding 2 16384 byte pages to key file confcatrec.UpdateTime...

----- conf_att preallocation complete Mon Oct 26 19:01:59 PDT 2004

----- Preallocating config Mon Oct 26 19:01:59 PDT 2004

Reserving 1 billinginfo records (code 10000) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 companyinfo records (code 10001) ...
  the companyinfo file already has 1 record(s)

Reserving 1 filestats records (code 10002) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 hwconfig records (code 10003) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 hwstats records (code 10004) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 26 option records (code 10005) ...
  Adding 1 1024 byte page(s) to get 2 record(s) ...

Reserving 64 outdialtrans records (code 10006) ...
  the outdialtrans file already has 1 16384 byte pages that can hold 122 record(s)

Reserving 1 netmgtinfo records (code 10013) ...
  the netmgtinfo file already has 1 record(s)

```

```
Reserving 10 netmgtcomm records (code 10014) ...
  the netmgtcomm file already has 1 16384 byte pages that can hold 105 record(s)

Reserving 32 unit records (code 10015) ...
  the unit file already has 128 record(s)

Reserving 8 site records (code 10017) ...
  the site file already has 8 record(s)

Reserving 1 promptstats records (code 10007) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 10 scsi records (code 10008) ...
  the scsi file already has 128 record(s)

Reserving 1 swconfig records (code 10009) ...
  the swconfig file already has 1 record(s)

Reserving 1 swstats records (code 10010) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 systemconfig records (code 10011) ...
  the systemconfig file already has 1 record(s)

Reserving 1 timezone records (code 10012) ...
  the timezone file already has 319 record(s)

Reserving 10000 mtgcategory records (code 10016) ...
  Adding 105 16384 byte page(s) to get 9905 record(s) ...

Reserving 1000 remoteserver records (code 10018) ...
  Adding 24 16384 byte page(s) to get 1000 record(s) ...

Record 10019 (didcnfgconfig): has no preallocation count

Record 10020 (schedparamsconfig): has no preallocation count

Pre-allocating each key file...
  Adding 3 16384 byte pages to key file filestats.recnum...
  Adding 3 16384 byte pages to key file netmgtcomm.name...
  Adding 3 16384 byte pages to key file outdialtrans.recnum...
  Adding 3 1024 byte pages to key file option.name...
  Adding 3 16384 byte pages to key file timezone.id...
  Adding 3 16384 byte pages to key file timezone.timezonekey...
  Adding 3 16384 byte pages to key file unit.unitnum...
  Adding 3 16384 byte pages to key file site.sitenum...
  Adding 3 16384 byte pages to key file scsi.unitid...
  Adding 17 16384 byte pages to key file mtgcategory.uniqueid...
  Adding 37 16384 byte pages to key file mtgcategory.name...
  Adding 47 16384 byte pages to key file mtgcategory.mtgcatkey...
  Adding 3 16384 byte pages to key file remoteserver.uniqueid...
  Adding 3 16384 byte pages to key file remoteserver.name...
  Adding 3 16384 byte pages to key file remoteserver.vuid...
  Adding 3 16384 byte pages to key file remoteserver.ether...

----- config preallocation complete Mon Oct 26 19:02:00 PDT 2004

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

conflite initialized

----- Preallocating db Mon Oct 26 19:02:00 PDT 2004

Reserving 100 db records (code 10000) ...
  the db file already has 1 16384 byte pages that can hold 143 record(s)
```

```

Reserving 200 dbclass records (code 10001) ...
  Adding 2 16384 byte page(s) to get 127 record(s) ...

Reserving 200 dbmember records (code 10002) ...
  Adding 1 16384 byte page(s) to get 200 record(s) ...

Pre-allocating each key file...
  Adding 3 16384 byte pages to key file db.name...
  Adding 3 16384 byte pages to key file dbclass.dbnamerecid...
  Adding 5 16384 byte pages to key file dbclass.csdbnameskey...
  Adding 3 16384 byte pages to key file dbclass.dbname...
  Adding 3 16384 byte pages to key file dbclass.classname...
  Adding 3 16384 byte pages to key file dbmember.fieldid...

----- db preallocation complete Mon Oct 26 19:02:00 PDT 2004

----- Preallocating deletedrec Mon Oct 26 19:02:00 PDT 2004

Reserving 1000000 deletedrec records (code 10000) ...
  the deletedrec file already has 1000000 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file deletedrec.Sequence...

----- deletedrec preallocation complete Mon Oct 26 19:02:01 PDT 2004

----- Preallocating flexmenu Mon Oct 26 19:02:01 PDT 2004

Record 10000 (FMAppRec): has no preallocation count
Record 10001 (FMStateTable): has no preallocation count
Record 10002 (CustAppPrompt): has no preallocation count
Record 10003 (FMPlayPrompt): has no preallocation count
Record 10004 (FMGotoApp): has no preallocation count
Record 10005 (FMOptionsMenu): has no preallocation count
Record 10006 (FMHangUp): has no preallocation count
Record 10007 (FMFindMtg): has no preallocation count
Record 10008 (FMReviewMtgMat): has no preallocation count
Record 10009 (FMGetProfile): has no preallocation count

Pre-allocating each key file...

----- flexmenu preallocation complete Mon Oct 26 19:02:02 PDT 2004

----- Preallocating gen Mon Oct 26 19:02:02 PDT 2004

Reserving 250000 user records (code 10002) ...
  the user file already has 19231 16384 byte pages that can hold 250003 record(s)

Reserving 100 group records (code 10000) ...
  the group file already has 3 16384 byte pages that can hold 117 record(s)

Record 10003 (gentmp1): has no preallocation count
Record 10005 (gentmp2): has no preallocation count
Record 10004 (gentmp3): has no preallocation count

Reserving 6 flexfield records (code 10001) ...
  the flexfield file already has 14 record(s)

```

```
Pre-allocating each key file...
  Adding 2 16384 byte pages to key file user.last...
  Adding 2 16384 byte pages to key file user.name...
  Adding 2 16384 byte pages to key file user.uniqueid...
  Adding 2 16384 byte pages to key file user.username...
  Adding 2 16384 byte pages to key file user.cuid...
  Adding 2 16384 byte pages to key file user.cnlf...
  Adding 2 16384 byte pages to key file user.lfn...
  Adding 2 16384 byte pages to key file user.in...
  Adding 2 16384 byte pages to key file user.vuname...
  Adding 2 16384 byte pages to key file user.gln...
  Adding 2 16384 byte pages to key file user.UpdateTime...

----- gen preallocation complete Mon Oct 26 19:02:02 PDT 2004

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

genlite initialized

----- Preallocating pegs Mon Oct 26 19:02:02 PDT 2004

Reserving 1 pegs records (code 10000) ...
  the pegs file already has 1536 record(s)

Pre-allocating each key file...

----- pegs preallocation complete Mon Oct 26 19:02:02 PDT 2004

----- Preallocating podata Mon Oct 26 19:02:02 PDT 2004

Reserving 1 pomailbox records (code 10000) ...
  the pomailbox file already has 32 record(s)

Reserving 20000 pomsgdata records (code 10001) ...

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file pomsgdata.compundkey...

----- podata preallocation complete Mon Oct 26 19:02:02 PDT 2004

----- Preallocating res Mon Oct 26 19:02:02 PDT 2004

Reserving 1 crres records (code 10004) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 1 portres records (code 10005) ...
  Adding 1 16384 byte page(s) to get 1 record(s) ...

Reserving 200000 didres records (code 10001) ...
  Adding 513 16384 byte page(s) to get 200000 record(s) ...

Record 10000 (didconfigres): has no preallocation count

Record 10003 (schedparamsres): has no preallocation count

Reserving 13 crresfstaccess records (code 10006) ...
  the crresfstaccess file already has 13 record(s)

Reserving 13 portresfstaccess records (code 10007) ...
  the portresfstaccess file already has 13 record(s)

Reserving 13 vsresfstaccess records (code 10008) ...
  the vsresfstaccess file already has 15 record(s)

Reserving 200000 vsres records (code 10002) ...
```

```
Adding 465 16384 byte page(s) to get 200000 record(s) ...

Pre-allocating each key file...
  Adding 635 16384 byte pages to key file didres.strtdid...
  Adding 343 16384 byte pages to key file didres.UpdateTime...
  Adding 3 16384 byte pages to key file crres.resourceid...
  Adding 3 16384 byte pages to key file portres.resourceid...
  Adding 343 16384 byte pages to key file vsres.resourceid...
  Adding 343 16384 byte pages to key file vsres.UpdateTime...

----- res preallocation complete Mon Oct 26 19:02:07 PDT 2004

Database Initialization Utility
Centura RDM 5.0.0 [24-Apr-2000] http://www.centurasoft.com/rdm
Copyright (c) 1992-2000 Centura Software Corporation. All Rights Reserved.

reslite initialized

----- Preallocating status Mon Oct 26 19:02:07 PDT 2004

Reserving 200 alarmentry records (code 10000) ...
  the alarmentry file already has 200 record(s)

Reserving 16384 exlogentry records (code 10001) ...
  the exlogentry file already has 16384 record(s)

Reserving 1 hwstatus records (code 10002) ...
  the hwstatus file already has 1 16384 byte pages that can hold 2047 record(s)

Reserving 1 swstatus records (code 10003) ...
  the swstatus file already has 1 record(s)

Reserving 1500 exlogformat records (code 10004) ...
  the exlogformat file already has 3374 record(s)

Reserving 20 apps records (code 10005) ...
  the apps file already has 21 record(s)

Reserving 10000 outdial records (code 10006) ...
  the outdial file already has 10000 record(s)

Reserving 10000 notification records (code 10007) ...
  the notification file already has 10000 record(s)

Record 10008 (schedfail): has no preallocation count

Record 10009 (gwstatus): has no preallocation count

Pre-allocating each key file...

----- status preallocation complete Mon Oct 26 19:02:08 PDT 2004

----- Preallocating tcnfg Mon Oct 26 19:02:08 PDT 2004

Reserving 100 analogcard records (code 10000) ...
  the analogcard file already has 1 16384 byte pages that can hold 431 record(s)

Reserving 1 masterswcard records (code 10001) ...
  the masterswcard file already has 108 record(s)

Reserving 100 portrescard records (code 10002) ...
  the portrescard file already has 108 record(s)

Reserving 100 t1card records (code 10003) ...
  the t1card file already has 108 record(s)

Reserving 10 t1span records (code 10004) ...
  the t1span file already has 432 record(s)
```

```
Reserving 1000 trunk records (code 10005) ...
  the trunk file already has 10800 record(s)

Reserving 100 trunkgroup records (code 10006) ...
  the trunkgroup file already has 1 16384 byte pages that can hold 110 record(s)

Reserving 100 elcard records (code 10007) ...
  the elcard file already has 1 16384 byte pages that can hold 163 record(s)

Reserving 10 elspan records (code 10008) ...
  the elspan file already has 36 record(s)

Record 10009 (accard): has no preallocation count

Record 10010 (acspan): has no preallocation count

Record 10012 (iprescard): has no preallocation count

Record 10013 (blade): has no preallocation count

Record 10014 (protable): has no preallocation count

Record 10011 (ipglobalcfg): has no preallocation count

Pre-allocating each key file...
  Adding 3 16384 byte pages to key file analogcard.unitid...
  Adding 3 16384 byte pages to key file masterswcard.unitid...
  Adding 3 16384 byte pages to key file portrescard.unitid...
  Adding 3 16384 byte pages to key file tlcard.unitid...
  Adding 3 16384 byte pages to key file tlspan.unitid...
  Adding 3 16384 byte pages to key file trunkgroup.id...
  Adding 3 16384 byte pages to key file elcard.unitid...
  Adding 3 16384 byte pages to key file elspan.unitid...

----- tcnfg preallocation complete Mon Oct 26 19:02:08 PDT 2004

----- Preallocating userlist Mon Oct 26 19:02:08 PDT 2004

Reserving 100000 userlist records (code 10000) ...
  the userlist file already has 2041 16384 byte pages that can hold 100009 record(s)

Reserving 500000 userlistmem records (code 10001) ...
  the userlistmem file already has 611 16384 byte pages that can hold 500409 record(s)

Pre-allocating each key file...
  Adding 2 16384 byte pages to key file userlist.uniqueid...
  Adding 2 16384 byte pages to key file userlist.vuiid...
  Adding 2 16384 byte pages to key file userlist.name...
  Adding 2 16384 byte pages to key file userlist.unta...
  Adding 2 16384 byte pages to key file userlist.UpdateTime...
  Adding 2 16384 byte pages to key file userlist.oulid...
  Adding 2 16384 byte pages to key file userlistmem.uluid...
  Adding 2 16384 byte pages to key file userlistmem.UpdateTime...

----- userlist preallocation complete Mon Oct 26 19:02:08 PDT 2004
cndbrev: dbprealloc done

cndbrev: starting delrecinit
There are supposed to be 1,000,000 records in the deleted record database
Counting the number of records in the database...
2000
4000
6000
8000
10000
12000
14000
16000
```

18000  
20000  
22000  
24000  
26000  
28000  
30000  
32000  
34000  
36000  
38000  
40000  
42000  
44000  
46000  
48000  
50000  
52000  
54000  
56000  
58000  
60000  
62000  
64000  
66000  
68000  
70000  
72000  
74000  
76000  
78000  
80000  
82000  
84000  
86000  
88000  
90000  
92000  
94000  
96000  
98000  
100000  
102000  
104000  
106000  
108000  
110000  
112000  
114000  
116000  
118000  
120000  
122000  
124000  
126000  
128000  
130000  
132000  
134000  
136000  
138000  
140000  
142000  
144000  
146000  
148000  
150000  
152000  
154000



156000  
158000  
160000  
162000  
164000  
166000  
168000  
170000  
172000  
174000  
176000  
178000  
180000  
182000  
184000  
186000  
188000  
190000  
192000  
194000  
196000  
198000  
200000  
202000  
204000  
206000  
208000  
210000  
212000  
214000  
216000  
218000  
220000  
222000  
224000  
226000  
228000  
230000  
232000  
234000  
236000  
238000  
240000  
242000  
244000  
246000  
248000  
250000  
252000  
254000  
256000  
258000  
260000  
262000  
264000  
266000  
268000  
270000  
272000  
274000  
276000  
278000  
280000  
282000  
284000  
286000  
288000  
290000  
292000

■ サンプル セッションのオンサイト インストールまたはアップグレードの表示 (ディスク バックアップなし)

294000  
296000  
298000  
300000  
302000  
304000  
306000  
308000  
310000  
312000  
314000  
316000  
318000  
320000  
322000  
324000  
326000  
328000  
330000  
332000  
334000  
336000  
338000  
340000  
342000  
344000  
346000  
348000  
350000  
352000  
354000  
356000  
358000  
360000  
362000  
364000  
366000  
368000  
370000  
372000  
374000  
376000  
378000  
380000  
382000  
384000  
386000  
388000  
390000  
392000  
394000  
396000  
398000  
400000  
402000  
404000  
406000  
408000  
410000  
412000  
414000  
416000  
418000  
420000  
422000  
424000  
426000  
428000  
430000

432000  
434000  
436000  
438000  
440000  
442000  
444000  
446000  
448000  
450000  
452000  
454000  
456000  
458000  
460000  
462000  
464000  
466000  
468000  
470000  
472000  
474000  
476000  
478000  
480000  
482000  
484000  
486000  
488000  
490000  
492000  
494000  
496000  
498000  
500000  
502000  
504000  
506000  
508000  
510000  
512000  
514000  
516000  
518000  
520000  
522000  
524000  
526000  
528000  
530000  
532000  
534000  
536000  
538000  
540000  
542000  
544000  
546000  
548000  
550000  
552000  
554000  
556000  
558000  
560000  
562000  
564000  
566000  
568000

570000  
572000  
574000  
576000  
578000  
580000  
582000  
584000  
586000  
588000  
590000  
592000  
594000  
596000  
598000  
600000  
602000  
604000  
606000  
608000  
610000  
612000  
614000  
616000  
618000  
620000  
622000  
624000  
626000  
628000  
630000  
632000  
634000  
636000  
638000  
640000  
642000  
644000  
646000  
648000  
650000  
652000  
654000  
656000  
658000  
660000  
662000  
664000  
666000  
668000  
670000  
672000  
674000  
676000  
678000  
680000  
682000  
684000  
686000  
688000  
690000  
692000  
694000  
696000  
698000  
700000  
702000  
704000  
706000

708000  
710000  
712000  
714000  
716000  
718000  
720000  
722000  
724000  
726000  
728000  
730000  
732000  
734000  
736000  
738000  
740000  
742000  
744000  
746000  
748000  
750000  
752000  
754000  
756000  
758000  
760000  
762000  
764000  
766000  
768000  
770000  
772000  
774000  
776000  
778000  
780000  
782000  
784000  
786000  
788000  
790000  
792000  
794000  
796000  
798000  
800000  
802000  
804000  
806000  
808000  
810000  
812000  
814000  
816000  
818000  
820000  
822000  
824000  
826000  
828000  
830000  
832000  
834000  
836000  
838000  
840000  
842000  
844000

846000  
848000  
850000  
852000  
854000  
856000  
858000  
860000  
862000  
864000  
866000  
868000  
870000  
872000  
874000  
876000  
878000  
880000  
882000  
884000  
886000  
888000  
890000  
892000  
894000  
896000  
898000  
900000  
902000  
904000  
906000  
908000  
910000  
912000  
914000  
916000  
918000  
920000  
922000  
924000  
926000  
928000  
930000  
932000  
934000  
936000  
938000  
940000  
942000  
944000  
946000  
948000  
950000  
952000  
954000  
956000  
958000  
960000  
962000  
964000  
966000  
968000  
970000  
972000  
974000  
976000  
978000  
980000  
982000

```
984000
986000
988000
990000
992000
994000
996000
998000
1000000
1000001 records found
cndbrev: delrecinit done

cndbrev: ending Mon Oct 26 19:02:50 PDT 2004
Mon Oct 26 19:02:50 PDT 2004 Network setup:
Unit class = SINGLE/LOCAL
Updating error log format strings: Using database path: /lat/db/status
48 new entries and 3375 replacements
Prompt Upgrade>> Opening file </lat/fs.1/prompt_db_vfs_map_dir0> ....
Number Of Language(s) in the prompt map file: 1
Starting English (US)...

Prompt Upgrade>> EOF (0) reached in /lat/fs.1/prompt_db_vfs_map_dir0 file (promptNum
1551): 0

... Done with English (US)

Starting Update Company Info

Loading to Lang Index=0

The languages installed are:
  Language 1  dir0  English (US)

FINISHED: Prompt Database Upgrade is complete!

Statistics: 0 new entries and 319 replacements
Updating time zone names: Using database path: /lat/db/config
Updating option names ... .. Done
Setting prompt file configuration
Working on /lat/fs.1/ ..
The file system directories are already updated
Working on /lat/fs.2/ ..
The file system directories are already updated
Working on /lat/fs.3/ ..
The file system directories are already updated
Adjusting prompt file sizes

Running vfptrfix...
Initializing the file system...
Getting the disk configuration status...
Checking file system internal consistency... (may take a while) ...
Number of records in the prompt files has been updated, ret = a0084
Mon Oct 26 19:02:57 PDT 2004 NOTE: Disk backups disabled; run 'save' to re-enable.
Mon Oct 26 19:02:57 PDT 2004 Software update is complete.
Update is complete. Restarting...

**** LynxOS is down ****
LynxOS 386/486/Pentium PC-AT Version 3.1.0
Copyright 1987-1998 Lynx Real-Time Systems Inc.
All rights reserved.

LynxOS (x86) created Tue Sep 30 15:05:41 PDT 2003

MeetingPlace by Cisco Systems

Mon Oct 26 19:03:53 PDT 2004
Startup flags = a
```

```
(all sizes and block numbers in decimal)
(block size is 16384)
(file system is byte-swapped)
(file system creation time is Mon Oct 26 18:50:30 2004)
(file system contains 31999 blocks and 7936 inodes)
checking used files
checking for orphaned files
making bit map free block list
making free inode list
14586 free blocks 5963 free inodes
Filesystem Ok
SCSI adapter is NCR 8xx.
Unit class is standalone conference server (SINGLE).
Bus architecture is CompactPCI (M3).
Ethernet device is "pro0".
Initializing the modem on COM2.../lat/bin/initmodem ...
/lat/bin/initmodem: type is `MultiTech MT5634Z'
/lat/bin/initmodem: modem initialized
Installing Latitude drivers...
devinstall: acti.dat: Device doesn't exist
done.
Checking for out of date database files

Ready to load the MeetingPlace application software modules.
Hit ^C now to interrupt system activation...54321...activating

Loading the System Integrity Manager...OK
WARNING: Mount table does not match saved configuration
Automated disk backup disabled; run "save" to reenable
Loading the Command Shell...OK
Loading the Network Management Server...OK
Loading the Database Server...OK
Loading the Post Office Server...OK
Loading the Call Processing Module...OK
Loading the Conference Scheduler...OK
Loading the Workstation Server...OK
Loading the Voice User Interface ...OK
Loading the Gateway SIM Manager...OK
Release 5.3, Oct 26, 2004
user name: The MeetingPlace software is UP
```



## サンプルセッションのオンサイト インストールまたはアップグレードの表示 (ディスクバックアップあり)

```
bigfoot:tech$ update
Update is from
  1) Tape
  2) CD
  3) Diskette
  4) Remote File
  5) Local File
  q) (Quit Update)
Enter choice: 3
Please insert the update diskette in the drive.

Press <ENTER> to continue or <CONTROL-C> to abort.

Updating...
Reading the diskette:
Installing CDROM scripts
ln: symlink(ide.2, cd): File already exists
ln: symlink(ride.2, rcd): File already exists
DONE
bigfoot:tech$ update
Update is from
  1) Tape
  2) CD
  3) Diskette
  4) Remote File
  5) Local File
  q) (Quit Update)
Enter choice: 2
Please insert the update CD in the drive, then
wait for the drive to be quiet before continuing.

Press <ENTER> to continue or <CONTROL-C> to abort.

CD mounted OK; checking for update sets...
There is just one update set on the CD.
You wish to install: MeetingPlace 5.3
Is this correct? (y or n) y
-----
- MeetingPlace software release 5.3
- Archive created: Fri Oct 29 13:51:39 PDT 2004
-----
Press <ENTER> to continue or <CONTROL-C> to abort.

Sat Oct 30 20:22:45 PDT 2004 Starting ./UPDATE.phase1
Sat Oct 30 20:22:46 PDT 2004 Verifying the tape image checksum
Sat Oct 30 20:23:41 PDT 2004 Killing cron
Sat Oct 30 20:23:42 PDT 2004 Failed to unmount /mnt
Sat Oct 30 20:23:42 PDT 2004 Please 'restart disable' and try again
Software update FAILED
umount: /mnt: Device busy
bigfoot:tech$ restart enable
```

■ サンプル セッションのオンサイト インストールまたはアップグレードの表示 (ディスク バックアップあり)