

ロケーション階層

• Cisco DNA Spaces ロケーション階層への シスコ ワイヤレス コントローラ のインポート (1ページ)

Cisco DNA Spaces ロケーション階層への シスコ ワイヤレ スコントローラ のインポート

このタスクは、Cisco DNA Spaces へのロケーションのインポートにマップサービスを使用する 場合は適用されません。『*Cisco DNA Spaces Configuration Guide*』の「Importing Locations to the Location Hierarchy Using Map Services」を参照してください。X/Y ロケーションの計算では、 マップサービスを使用してマップをダウンロードする必要があります。

始める前に

- ・シスコ ワイヤレス コントローラ を Cisco DNA Spaces: コネクタ に接続します。「コネク タ から シスコ ワイヤレス コントローラ へ」を参照してください
- ・少なくとも1つのアクセスポイントがシスコワイヤレスコントローラに接続されている ことを確認します。

ステップ1 Cisco DNA Spaces にログインします。

ステップ2 左側のナビゲーションペインから、[Setup]>[Wireless Networks]の順に選択します。

ステップ3 それぞれのドロップダウン矢印を使用して、[Connects by Spaces Connector] エリアを展開します。

Cisco DNA Spaces			0
Connect your win	eless network		
Connect via Sp Spaces Connector is an ear	paces Connector sy way to get your wireless network connected to Cisco DNA Spaces. No need to upgrade Wireless LAN Control	Illers or reconfigure your wireless network.	Click to
Connect WLC/	Catalyst 9800 Directly <u>A Directly is an easy</u> way to get your wireless network connected to Cisco DNA Spaces. No need to upgrade Wir	ireless LAN Controllers or reconfigure your wireless network.	expand
Wireless Networks Map Service	ering Is network connected to Cisco DNA Spaces		
Camera	gin s to connect to Cisco Meraki Cloud, Import locations in to Cisco DNA Spaces and activate/sync	the Meraki Networks.	
	Get your wireless network connected with Cisco DNA Spaces There are multiple options to get connected based on your wireless network deployment.	Need Help? Configuration guide Cisco AireOS/Catalyst	

ステップ4 表示される手順のリストで、4番目の手順として記載されている [Import Controller] をクリックします。

Space	s Connector is an easy way to get your wireless network connected	to Cisco DNA Spaces. No need to upgrade Wireless LAN Controller:			
•	Install Spaces Connector OVA Download and install Spaces Connector OVA as a virtual machine. Download Spaces Connector ?				
2	Configure Spaces Connector You will need a token to configure Spaces Connector. You need to connect to https:// <your connector="" ip="">/ from a browser to configure the token. You can optionally configure Spaces Connector to connect via HTTPS proxy.</your>				
	0 / 46 connector(s) active	Create a new token View Connectors			
3	Add Controllers Add and associate controllers to your Cisco DNA Spaces Connector(s)				
	0 / 14 controller(s) active	Add Controllers View Controllers			
4	Import Controllers into Location Hier Once the controllers are added, you can import them into your location point.	rarchy hierarchy. You can only import controllers with at least one access			
	0 / 14 controller(s) imported to location hierarchy	Import Controllers View Location Hierarchy			

ロケーションおよび以前に追加されたコントローラのリストを表示できます。 ステップ5 コントローラをインポートするロケーションを選択します。

Where do you want to im	port this Controller
Choose a location that you want	to import this controller.
Centrol Locations	
2 Search Locations	
CXC	0
CXC	0

コントローラの AP が命名規則に基づいてネットワークとしてグループ化されている場合、それらのネットワーク名が表示されます。同じグループ構成を維持する場合は、ネットワークを選択します。AP がグループ化されていない場合、ネットワーク名は表示されません。

Import Controller

 \times

Locations

Following are auto discovered locations, select the locations which you wish to add.

Select All	Q
✓ AVAreaAP	2 Aps
VIN WIN	1 Aps
WIN_AP	5 Aps

You have currently used 1528 APs of your 2000 APs licenses				
	Cancel	Prev	Finish	

ステップ6 インポートするコントローラを選択します。

Import Controller	×
Select the Controller(s) that you want to import	
	Q
10.11.12.11	8 Aps

Cancel Prev Finish				
	Cancel	Prev	Finish	-

ステップ1 [Next] と [Finish] をクリックします。