

ISE 3.0-sponsorportal configureren met Azure AD SAML SSO

Inhoud

[Inleiding](#)

[Voorwaarden](#)

[Vereisten](#)

[Gebruikte componenten](#)

[stroomschema op hoog niveau](#)

[Configureren](#)

[Stap 1. SAML Identity Provider en Sponsor Portal configureren op ISE](#)

[1. Azure AD configureren als externe SAML-identiteitsbron](#)

[2. Configureer het sponsorportaal voor het gebruik van Azure AD](#)

[3. Informatie over de exportdienstverlener](#)

[Stap 2. Instellingen voor Azure AD IdP configureren](#)

[1. Een Azure AD-gebruiker maken](#)

[2. Een Azure AD-groep maken](#)

[3. Azure AD-gebruiker toewijzen aan de groep](#)

[4. Een Azure AD Enterprise-toepassing maken](#)

[5. Groep toevoegen aan de toepassing](#)

[6. Een Azure AD Enterprise-toepassing configureren](#)

[7. Active Directory-groepskenmerk configureren](#)

[8. Azure Federation Metadata XML File downloaden](#)

[Stap 3. Metagegevens uploaden van Azure Active Directory naar ISE](#)

[Stap 4. SAML-groepen configureren op ISE](#)

[Stap 5. Sponsor Group Mapping configureren op ISE](#)

[Verifiëren](#)

[Problemen oplossen](#)

[Veelvoorkomende problemen](#)

[Problemen met clients oplossen](#)

[Problemen met ISE oplossen](#)

Inleiding

In dit document wordt beschreven hoe een Azure Active Directory (AD) SAML-server met ISE 3.0 kan worden geconfigureerd om SSO-mogelijkheden te bieden aan Sponsor-gebruikers.

Voorwaarden

Vereisten

Cisco raadt kennis van de volgende onderwerpen aan:

- Cisco Identity Services Engine (ISE) 3.0
- Basiskennis over Security Assertion Markup Language (SAML) Single Sign-On (SSO)-implementaties
- Azure AD


Gebruikte componenten

De informatie in dit document is gebaseerd op de volgende hardware- en softwareversies:

- Cisco ISE 3.0
- Azure AD

De informatie in dit document is gebaseerd op de apparaten in een specifieke laboratoriumomgeving. Alle apparaten die in dit document worden beschreven, hadden een opgeschoonde (standaard)configuratie. Als uw netwerk live is, moet u zorgen dat u de potentiële impact van elke opdracht begrijpt.

stroomschema op hoog niveau




Configureren

Stap 1. SAML Identity Provider en Sponsor Portal configureren op ISE

1. Azure AD configureren als externe SAML-identiteitsbron

Navigeer in ISE naar Beheer > Identiteitsbeheer > Externe identiteitsbronnen > SAML-id-providers en klik op de knop Toevoegen.

Voer de naam van de ID-provider in en klik op Indienen om deze op te slaan. De naam van de ID-provider is alleen van belang voor ISE, zoals wordt weergegeven in de afbeelding.



2. Configureer het sponsorportaal voor het gebruik van Azure AD

Navigeer naar Werkcentra > Gasttoegang > Portalen en onderdelen > Sponsor Portalen en selecteer uw Sponsor Portal. In dit voorbeeld wordt Sponsor Portal (standaard) gebruikt.

Vouw het paneel Portaalinstellingen uit en selecteer uw nieuwe SAML Identity Provider (IdP) in de bronreeks Identiteit. Configureer de volledig gekwalificeerde domeinnaam (FQDN) voor het sponsorportaal. In dit voorbeeld is het sponsor30.example.com. Klik op Opslaan zoals weergegeven in de afbeelding:

Cisco ISE

Work Centers · Guest Access

Overview

Identities

Identity Groups

Ext Id Sources

Administration

Network Devices

Portals & Components

Manage Accounts

Policy Elements

Policy Sets

Guest Portals

Guest Types

Sponsor Groups

Sponsor Portals

Portal Name:*

Sponsor Portal (default)

Description:*

Default portal used by sponsors to create

Language File

Portal test URL

Portal Behavior and Flow Settings

Portal Page Customization

Portal & Page Settings

Portal Settings

HTTPS port: *

8445

Allowed interfaces: *

Make selections in one or both columns based on your PSN configurations.

If bonding is not configured on a PSN, use:

☒ Gigabit Ethernet 0

☐ Gigabit Ethernet 1

☐ Gigabit Ethernet 2

☐ Gigabit Ethernet 3

☐ Gigabit Ethernet 4

☐ Gigabit Ethernet 5

If bonding is configured on a PSN, use:

☒ Bond 0

Uses Gigabit Ethernet 0 as primary, 1 as backup.

☐ Bond 1

Uses Gigabit Ethernet 2 as primary, 3 as backup.

☐ Bond 2

Uses Gigabit Ethernet 4 as primary, 5 as backup.

Certificate group tag:*

Default Portal Certificate Group

Configure certificates at:

Work Centers > Guest Access > Administration > System Certificates

Fully qualified domain names (FQDN) and host names:

sponsor30.example.com

Identity source sequence: *

Azure_SAML

Configure authentication methods at:

Work Centers > Guest Access > Identities > Identity Source Sequences

Work Centers > Guest Access > Ext Id Sources > SAML Identity Providers

3. Informatie over de exportdienstverlener

Navigeer naar Beheer > Identiteitsbeheer > Externe identiteitsbronnen > SAML-id-providers > [Uw SAML-provider].

Switch naar tabblad Serviceproviderinformatie. en klik op de knop Exporteren zoals weergegeven in de afbeelding:

SAML Identity Provider

General	Identity Provider Config.	Service Provider Info.	Groups	Attributes	Advanced Settings
Service Provider Information					
☐ Load balancer ?					
Export Service Provider Info. Export ?					
Includes the following portals:					
Sponsor Portal (default)					

Download het zip-bestand en sla het op. Hierin kunt u 2 bestanden vinden. U hebt het XML-bestand nodig dat uw sponsorportal wordt genoemd.

Noteer de waarden ResponseLocation van SingleLogoutService Bindings, entityID en Location van AssertionConsumerService Binding.

```
<?xml version="1.0" encoding="UTF-8"?>
<md:EntityDescriptor xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata" entityID="http://CiscoISE/bd48c1a1
<md:SPSSODescriptor AuthnRequestsSigned="false" WantAssertionsSigned="true" protocolSupportEnumeration=
<md:KeyDescriptor use="signing">
<ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<ds:X509Data>
<ds:X509Certificate>
MIIFZjCCA06gAwIBAgIQX1oAvwAAAAChgVd9cEEW0zANBgkqhkiG9w0BAQwFADA1MSMwIQYDVQQD
ExpTQU1MX01TRTMwLTF1ay5leGFtcGx1LmNvbTAeFw0yMDA5MTAxMDMyMzFaFw0yNTA5MDkxMDMy
MzFaMCUxIzAhBgNVBAMTG1NBTUxsfSVNFMzAtMwVrLmV4YW1wbGUuY29tMIICIjANBgkqhkiG9w0B
AQEFAAOCAg8AMIICcGKCAGEat+MixKfuZvg/oAWGES6zrUYL3H2JwvZw9yJs6sJ8/BpP6Sw027wh
FXnESXpqmmoSVrVEcQIRdDk318UYNn/+98PPkIi/4ftyFjZK9YdeverD6nrA2MeoLCzG1kWq/y4i
vvVcYuw344pySm65awVvro3q84x9esHqyLahExs9guiLJryD497XmNP4Z8eTHCctu777PuI1wL04
QOYUs2sozXvR98D9Jok/+PjH3bjmVKapqAcNEFvk8Ez9x1sMBUgFwP4YdZzQB9IRVkJdIJGvqMyf
a6gn+KaddJnmIbXKFbrTaFi2IvRs3qHJ0mMVfYRnYeMq19/PhzvSFtjRe32x/aQh23j9dCsVXmQ
ZmXpZyxxJ8p4RqyM0YgkfxnQXXtV9K0sRZPFn60+iszUw2hARRG/tE0hTuVXpbonG2dT109JeeEe
S1E5uxenJvYkU7mMamvBjYQN6qVvyogf8F01HTSfd6TDsK3Qhmz0jg50PrBvvg5qE60rxxNvqSVZ
ldhx/iHZAZ1yYSVdwizsZMCw0PjSwrRPx/h8103djeW0aL5R1AF1qTFHVHNSnvigzh6FyjdkUJH66
JAygPeOPKJFRgYzh5vWoJ41qvDqJlGk3c/zYi57MR1Bs0mkSvkOGbmjSsb+EehnYyLLB8FG3De2V
ZaXaHZ37gmoCNNmZHRn+GB0CAwEAA0BkTCBjjAgBgNVHREETAXghVJU0UzMC0xZWsuZXhhbXBs
ZS5jb20wDAYDVROTBABUwAwEB/zALBgNVHQ8EBAMCAuwwHQYDVRO0BBYEFPT/6jpfyugxRo1bjzWJ
858WFTP1MB0GA1UdJQQWMBQGCCsGAQUFBwMBBggrBgEFBQcDAjARBglghkgBhvhCAQEEBAMCBkAw
DQYJKoZIhvcNAQEMBQADggIBABGyWZbLajM2LyLASg//4N6mL+Xu/9IMdVvNBWQodF+j0WusW15a
VPSQU2t3Ckd/I1anvpK+cp77NMjo9V9oWI3/ZnjZHGofAIcHn1GCoEjmC1TvLau7ZzhCCII37DFA
yMKDrXLi3Pr+ON1X1TivjPHTTzrKm1NHhkxkx/Js5Iuz+MyRKP8FNmWT0q4XGejyKzJWqEu+bc1
idC1/gBNUCHgqmFeM82IGQ7jV0m1kBjLb4pTDbYk4fMIbJVh4V2Pgi++6MIfXAYEWL+LHjSGHCQT
PSM3+kpv1wHHpGwzQSmcJ4tXVXV95W0NC+LxQZLBPNMUZorhuYCILXxvXH1HGJJ0YKx91k9Ubd2
s5JaD+GN8jqm5XXAAu7S4BawfvCo3bo0iXnSvvcIuH9YFiR21p2n/2X0VVbdPHYZtqGieqBWebHr
4I1z18FXb1YyMzpIkht00vkP5mA1R92VXBkvx2WPjtzQrv0tSXgvTCOKerYCBM/jnuwsztV7FVTV
JNdFwOsnXC70YngZeujZyJpUbFRKZI34VKZp4i05bZsG1bWE9Skdquv0PaQ8ecXTv80CVBYUeg1
vt0pde18h/9jImdLG8dF0rbADGHiieTcntSDdw3E7JFmS/oHw7FsA5GI8IxXfcOWUx/L0Dx3jTND
Z1AXp4juySODIx9yDyM4yV0f
</ds:X509Certificate>
```

```

</ds:X509Data>
</ds:KeyInfo>
</md:KeyDescriptor>
<md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" Location="https://
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:transient</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:persistent</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:WindowsDomainQualifiedName</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:kerberos</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName</md:NameIDFormat>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://

</md:SPSSODescriptor>
</md:EntityDescriptor>

```

Volgens het XML-bestand:

SingleLogoutService

ResponseLocation="<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action>"

entityID="<http://CiscoSE/100d02da-9457-41e8-87d7-0965b0714db2>"

AssertionConsumerService

Location="<https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService

Location="<https://10.48.23.86:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService

Location="<https://10.48.23.63:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService

Location="<https://10.48.26.60:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService Location="<https://ise30-1ek.example.com:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService Location="<https://ise30-2ek.example.com:8445/sponsorportal/SSOLoginResponse.action>"

AssertionConsumerService Location="<https://ise30-3ek.example.com:8445/sponsorportal/SSOLoginResponse.action>"

Stap 2. Instellingen voor Azure AD IdP configureren

1. Een Azure AD-gebruiker maken

Meld u aan bij het Azure Active Directory Admin Center-dashboard en selecteer uw advertentie zoals wordt weergegeven in de afbeelding:

The screenshot shows the Azure Active Directory Admin Center interface. The left sidebar contains a navigation menu with 'Azure Active Directory' highlighted. The main content area displays the 'Default Directory | Overview' page. This page includes a search bar for tenants, a 'Tenant information' section with details like 'Your role' (Global administrator), 'License' (Azure AD Premium P2), 'Tenant ID', and 'Primary domain'. It also features an 'Azure AD Connect' section showing 'Status' (Not enabled) and 'Last sync' (Sync has never run). At the bottom, there is a 'Sign-ins' table.

Sign-ins	
3	
2.8	
2.6	
2.4	
2.2	
2	

Selecteer Gebruikers, klik op Nieuwe gebruiker, configureer gebruikersnaam, naam en eerste wachtwoord. Klik op Maken zoals weergegeven in de afbeelding voor deze testgebruiker:

Azure Active Directory admin center

Dashboard > Users >

New user

Default Directory

Got feedback?

☒ **Create user**
 Create a new user in your organization. This user will have a user name like `alice@ekorneyccisco.onmicrosoft.com`.
[I want to create users in bulk](#)

☐ **Invite user**
 Invite a new guest user to collaborate with your organization. The user will be emailed an invitation they can accept in order to begin collaborating.
[I want to invite guest users in bulk](#)

[Help me decide](#)

Identity

User name * ⓘ ✓ @ ✓

The domain name I need isn't shown here

Name * ⓘ ✓

First name

Last name

Password

☐ Auto-generate password
☒ Let me create the password

Initial password * ⓘ ✓

2. Een Azure AD-groep maken

Selecteer groepen. Klik op Nieuwe groep zoals weergegeven in de afbeelding:

Dashboard > Default Directory > Groups

Groups | All groups

Default Directory - Azure Active Directory

New group
 Download groups
 Delete
 Refresh
 Columns

This page includes previews available for your evaluation. View previews →

Search groups
 Add filters

Houd groepstype als beveiliging. Configureer de groepsnaam zoals in de afbeelding wordt

weergegeven:

Azure Active Directory admin center

Dashboard > Default Directory > Groups >

New Group

Group type *

Security

Group name * ⓘ

Sponsor Group

Group description ⓘ

Enter a description for the group

Azure AD roles can be assigned to the group (Preview) ⓘ

Yes No

Membership type * ⓘ

Assigned

Owners

No owners selected

Members

No members selected

3. Azure AD-gebruiker toewijzen aan de groep

Klik op Geen leden geselecteerd. Kies de gebruiker en klik op Selecteren. Klik op Maken om de groep te maken waaraan een gebruiker is toegewezen.

Add members



Search ⓘ



AAD Terms Of Use
d52792f4-ba38-424d-8140-ada5b883f293



Alice
alice@ekorneyccisco.onmicrosoft.com
Selected



azure
azure@ekorneyccisco.onmicrosoft.com



Azure AD Identity Governance - Directory Management
ec245c98-4a90-40c2-955a-88b727d97151



Azure AD Identity Governance - Dynamics 365 Management
c495cfdc-814f-46a1-89f0-657921c9fbe0



Azure AD Identity Governance Insights
58c746b0-a0b0-4647-a8f6-12dde5981638



Azure AD Identity Protection
fc68d9e5-1f76-45ef-99aa-214805418498



Azure AD Notification
fc03f97a-9db0-4627-a216-ec98ce54e018



Azure ESTS Service
00000001-0000-0000-c000-000000000000

Selected items



Alice
alice@ekorneyccisco.onmicrosoft.com

Remove

Noteer Group Object id, in dit scherm is het f626733b-eb37-4cf2-b2a6-c2895fd5f4d3 voor de Sponsor Group.

Dashboard > Default Directory > Groups

Groups | All groups

Default Directory - Azure Active Directory

+ New group | Download groups | Delete | Refresh | Columns | Preview features | Got feedback?

This page includes previews available for your evaluation. View previews →

Search groups [Add filters](#)

	Name	Object Id	Group Type	Membership Type
☐	IG ISE Group	eebf9cb9-91e2-4989-8c06-eef2cd3f69a3	Security	Assigned
☐	SG Sponsor Group	f626733b-eb37-4cf2-b2a6-c2895fd5f4d3	Security	Assigned

Settings

- General
- Expiration
- Naming policy

4. Een Azure AD Enterprise-toepassing maken

Selecteer onder AD Enterprise Applications en klik op New application zoals weergegeven in de afbeelding:

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications

Enterprise applications | All applications

Default Directory - Azure Active Directory

+ New application | Columns | Preview features | Got feedback?

Try out the new Enterprise Apps search preview! Click to enable the preview. →

Application type: Enterprise Applications | Applications status: Any | Application visibility: Any

First 50 shown, to search all of your applications, enter a display name or the application ID.

Selecteer de toepassing Niet-galerij zoals in de afbeelding wordt weergegeven:

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications >

Add an application

Click here to try out the new and improved app gallery. →

Add your own app

Application you're developing

Register an app you're working on to integrate it with Azure AD

On-premises application

Configure Azure AD Application Proxy to enable secure remote access.

Non-gallery application

Integrate any other application that you don't find in the gallery

Voer de naam van uw toepassing in en klik op Toevoegen.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application >

Add your own application

Name * ⓘ

ISE30 ✓

Once you decide on a name for your new application, click the "Add" button below and we'll walk you through some simple configuration steps to get the application working.

Supports: ⓘ

- SAML-based single sign-on
[Learn more](#)
- Automatic User Provisioning with SCIM
[Learn more](#)
- Password-based single sign-on
[Learn more](#)

5. Groep toevoegen aan de toepassing

Selecteer Gebruikers en groepen toewijzen.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30

ISE30 | Overview

Enterprise Application

Overview

Deployment Plan

Diagnose and solve problems

Manage

- Properties
- Owners
- Users and groups
- Single sign-on
- Provisioning
- Application proxy
- Self-service

Security

- Conditional Access

Properties

Name ⓘ

ISE30

Application ID ⓘ

20ee030a-1a06-4a65-80ce-9 ...

Object ID ⓘ

0e6aac66-0ce1-4924-84a6-0 ...

Getting Started

- 1. Assign users and groups**
Provide specific users and groups access to the applications
[Assign users and groups](#)
- 2. Set up single sign on**
Enable users to sign into their application using their Azure AD credentials
[Get started](#)

Klik op Gebruiker toevoegen.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30

ISE30 | Users and groups

Enterprise Application

+ Add user | Edit | Remove | Update Credentials | Columns | Got feedback?

The application will appear on the Access Panel for assigned users. Set 'visible to users?' to no in properties to prevent this. →

First 100 shown, to search all users & groups, enter a display name.

Display Name
No application assignments found

Manage

- Properties
- Owners
- Users and groups

Klik op Gebruikers en groepen.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30 >

Add Assignment

Default Directory

Users and groups

None Selected

Select a role

User

Kies de groep die eerder is geconfigureerd en klik op Selecteren.

 Opmerking: het is aan u om de juiste set gebruikers of groepen te selecteren die toegang krijgt.

Users and groups



Search



Alice
alice@ekorneyccisco.onmicrosoft.com



azure
azure@ekorneyccisco.onmicrosoft.com



Eugene Korneychuk
ekorneyc@cisco.com



ISE Group



Sponsor
sponsor@ekorneyccisco.onmicrosoft.com



Sponsor Group
Selected

Zodra de groep is geselecteerd, klikt u op Toewijzen zoals weergegeven in de afbeelding:

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30 >

Add Assignment

Default Directory

When you assign a group to an application, only users directly in the group will have access. The assignment does not cascade to nested groups.


Users and groups >

1 group selected.

Select a role >


User

Als gevolg hiervan moet het menu Gebruikers en groepen voor uw toepassing worden gevuld met de geselecteerde groep.



6. Een Azure AD Enterprise-toepassing configureren

Navigeer terug naar uw toepassing en klik op Eenmalige aanmelding instellen zoals weergegeven in de afbeelding>



Selecteer SAML op het volgende scherm:

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30

ISE30 | Single sign-on

Enterprise Application

Select a single sign-on method [Help me decide](#)

Disabled
Single sign-on is not enabled. The user won't be able to launch the app from My Apps.

SAML
Rich and secure authentication to applications using the SAML (Security Assertion Markup Language) protocol.

Klik op Bewerken naast Basisconfiguratie SAML.

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30 >

ISE30 | SAML-based Sign-on

Enterprise Application

Upload metadata file | Change single sign-on mode | Test this application | Got feedback?

Set up Single Sign-On with SAML

Read the [configuration guide](#) for help integrating ISE30.

- Basic SAML Configuration** [Edit](#)

Identifier (Entity ID)	Required
Reply URL (Assertion Consumer Service URL)	Required
Sign on URL	Optional
Relay State	Optional
Logout Url	Optional
- User Attributes & Claims** [Edit](#)

givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname
- SAML Signing Certificate** [Edit](#)

Status	Active
Thumbprint	8E26CD6E415249B9B13DBACDF4216A464E0AE20C
Expiration	7/18/2025, 2:00:00 AM
Notification Email	ekorneyc@cisco.com
App Federation Metadata Url	https://login.microsoftonline.com/64ace648-115d...
Certificate (Base64)	Download
Certificate (Raw)	Download
Federation Metadata XML	Download

Identificatiecode (Entiteit-ID) invullen met de waarde van entityID uit het XML-bestand uit stap Informatie over exportserviceprovider. Vul de URL voor antwoorden (Assertion Consumer Service URL) in met de waarde van Locaties van AssertionConsumerService. Vul de waarde van de URL voor afmelden in met ResponseLocation van SingleLogoutService. Klik op Save (Opslaan).

 **Opmerking:** Reply URL fungeert als een paslijst, waardoor bepaalde URL's als bron kunnen fungeren wanneer ze worden doorgestuurd naar de IdP-pagina.

Basic SAML Configuration



Save

Identifier (Entity ID) * ⓘ

The default identifier will be the audience of the SAML response for IDP-initiated SSO

	Default
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429	☒ ⓘ

Reply URL (Assertion Consumer Service URL) * ⓘ

The default reply URL will be the destination in the SAML response for IDP-initiated SSO

	Default
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action	☒ ⓘ
https://10.48.23.86:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ
https://10.48.26.63:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ
https://10.48.26.60:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ
https://ise30-1ek.example.com:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ
https://ise30-2ek.example.com:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ
https://ise30-3ek.example.com:8445/sponsorportal/SSOLoginResponse.action	☐ ⓘ

Sign on URL ⓘ

Relay State ⓘ

Logout Url ⓘ

https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action	☒
--	-------------------------------------

7. Active Directory-groepskenmerk configureren

Als u de waarde van het groepskenmerk wilt retourneren die eerder is geconfigureerd, klikt u op Bewerken naast de Gebruikerskenmerken en claims.

User Attributes & Claims

 Edit

givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname

Klik op Groepsclaim toevoegen.

Azure Active Directory admin center

Dashboard

All services

FAVORITES

Azure Active Directory

Users

Enterprise applications

Dashboard > Enterprise applications > ISE30 > SAML-based Sign-on >

User Attributes & Claims

+ Add new claim

+ Add a group claim

Columns

Required claim

Claim name	Value
Unique User Identifier (Name ID)	user.userprincipalname [nameid-for... ***

Additional claims

Claim name	Value
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress	user.mail ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname	user.givenname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	user.userprincipalname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname	user.surname ***

Selecteer Beveiligingsgroepen en klik op Opslaan. Het bronattribuut dat in de bewering wordt geretourneerd, is een groep-ID, een groepsobject-id dat eerder is vastgelegd.

Group Claims



Manage the group claims used by Azure AD to populate SAML tokens issued to your app

Which groups associated with the user should be returned in the claim?

- ☐ None
- ☐ All groups
- ☒ Security groups
- ☐ Directory roles
- ☐ Groups assigned to the application

Source attribute *

Group ID



Geef daarnaast de groepsnaam op onder de Geavanceerde opties

☒ Customize the name of the group claim

Name (required)

Sponsor Group



Namespace (optional)

- ☐ Emit groups as role claims ⓘ
- ☐ Apply regex replace to groups claim content
- ☐ Expose claim in JWT tokens in addition to SAML tokens

Noteer de naam van de claim voor de groep. In dit geval is het <http://schemas.microsoft.com/ws/2008/06/identity/claims/groups>.

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30 > SAML-based Sign-on >

User Attributes & Claims

+ Add new claim + Add a group claim Columns

Claim name	Value
Unique User Identifier (Name ID)	user.userprincipalname [nameid-for... ***

Additional claims

Claim name	Value
http://schemas.microsoft.com/ws/2008/06/identity/claims/groups	user.groups [SecurityGroup] ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress	user.mail ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname	user.givenname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	user.userprincipalname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname	user.surname ***

8. Azure Federation Metadata XML File downloaden

Klik op Downloaden tegen Federation Metadata XML in SAML Signing Certificate.

SAML Signing Certificate

 Edit

Status	Active
Thumbprint	9772DA460A43ACDA2AC5FBF09EE33ED7DAA7BAE2
Expiration	9/16/2023, 10:57:46 AM
Notification Email	ekorneyc@cisco.com
App Federation Metadata Url	https://login.microsoftonline.com/64ace648-115d ...
Certificate (Base64)	Download
Certificate (Raw)	Download
Federation Metadata XML	Download

Stap 3. Metagegevens uploaden van Azure Active Directory naar ISE

Navigeer naar Beheer > Identiteitsbeheer > Externe identiteitsbronnen > SAML-id-providers > [Uw SAML-provider].

Klik op Switch om het tabblad Identity Provider Config te openen en klik vervolgens op de knop Bladeren. Selecteer Federation Metadata XML-bestand uit stap Download Azure Federation Metadata XML en klik op Opslaan.

 **Opmerking:** UI-storing met Identity Provider Configuration moet worden aangepakt onder Cisco-bug-ID [CSCv74517](https://cisco.com/cisco Bugtoolkit/bugdetails.do?bugID=CSCv74517).

Cisco ISE

Administration • Identity Management

IdentitiesGroupsExternal Identity SourcesIdentity Source SequencesSettings

External Identity Sources

<⚙️

>Certificate Authentication Profile

Active Directory

EXAMPLE

LDAP

ODBC

RADIUS Token

RSA SecurID

SAML Id Providers

Azure_SAML

Social Login

REST (ROPC)

Identity Provider List > Azure_SAML

SAML Identity Provider

GeneralIdentity Provider Config.Service Provider Info.GroupsAttributesAdvanced Settings

Identity Provider Configuration

Import Identity Provider Configuration FileChoose file

https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2

Single Sign Out URL (Redirect)https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2

Signing Certificates

Subject	Issuer	Valid From	Valid To (Expira...	Serial Number
CN=Microsoft Azure Federated SSO Certificate	CN=Microsoft Azure...	Wed Sep 16 08:57:...	Sat Sep 16 08:57:4...	54 FB 3C 2B 81 49 68 B...

Stap 4. SAML-groepen configureren op ISE

Switch naar tabblad Groepen en plak de waarde van de claimnaam van het Active Directory Group-kenmerk configureren in het groepslidmaatschapattribuut.

Cisco ISE

Administration • Identity Management

IdentitiesGroupsExternal Identity SourcesIdentity Source SequencesSettings

External Identity Sources

<⚙️

>Certificate Authentication Profile

Active Directory

EXAMPLE

LDAP

ODBC

RADIUS Token

RSA SecurID

SAML Id Providers

Azure_SAML

Social Login

REST (ROPC)

Identity Provider List > Azure_SAML

SAML Identity Provider

GeneralIdentity Provider Config.Service Provider Info.GroupsAttributesAdvanced Settings

Groups

Group Membership Attributehttps://schemas.microsoft.com/ws/2008/06/identity/claims/groups ⓘ

+ Add

EditDelete

☐Name in Assertion

^Name in ISE

No data available

Klik op Add (Toevoegen). Vul Naam in in Bewering met de waarde van Groepsobject-id van sponsorgroep vastgelegd in Azure Active Directory-gebruiker toewijzen aan de groep. Configureer Naam in ISE met de betekenisvolle waarde in dit geval is het Azure Sponsor Group. Klik op OK. Klik op Save (Opslaan).

Hierdoor wordt een koppeling gemaakt tussen de naam van de groep in Azure en de naam van de groep die op ISE kan worden gebruikt.

×

Add Group

*Name in Assertion

eb37-4cf2-b2a6-c2895fd5f4d3

*Name in ISE

Azure Sponsor Group

i

OK

Cancel

Stap 5. Sponsor Group Mapping configureren op ISE

Navigeer naar Workcenters > Gasttoegang > Portals & Components > Sponsor Groups en selecteer Sponsor Group die u wilt toewijzen aan de Azure AD Group. In dit voorbeeld is ALL_ACCOUNTS (standaard) gebruikt:

Cisco ISE

Work Centers - Guest Access

OverviewIdentitiesIdentity GroupsExt Id SourcesAdministrationNetwork DevicesPortals & ComponentsManage AccountsPolicy ElementsPolicy SetsReportsCustom Portal Files

Guest PortalsGuest TypesSponsor GroupsSponsor Portals

Sponsor Groups

You can edit and customize the default sponsor groups and create additional ones.
A sponsor is assigned the permissions from all matching sponsor groups (multiple matches are permitted) ⓘ

CreateEditDuplicateDelete

Enabled	Name	Member Groups
☒	ALL_ACCOUNTS (default) Sponsors assigned to this group can manage all guest user accounts. By default, users in the ALL_ACCOUNTS user identity group are members of this sponsor group More	ALL_ACCOUNTS (default)
☒	GROUP_ACCOUNTS (default) Sponsors assigned to this group can manage just the guest accounts created by sponsors from the same sponsor group. By default, users in the GROUP_ACCOUNTS user identity group are members of this sponsor group More	GROUP_ACCOUNTS (default)
☒	OWN_ACCOUNTS (default) Sponsors assigned to this group can manage only the guest accounts that they have created. By default, users in the OWN_ACCOUNTS user identity group are members of this sponsor group More	OWN_ACCOUNTS (default)

Klik op Leden... en voeg Azure_SAML:Azure Sponsor Group toe aan Geselecteerde gebruikersgroepen. Hiermee wordt de Sponsor Group in Azure toegewezen aan ALL_ACCOUNTS Sponsor Group. Klik op OK. Klik op Save (Opslaan).



Select Sponsor Group Members

Select the user groups who will be members of this Sponsor Group

Available User Groups

Search

Name

^

Employee

GROUP_ACCOUNTS (default)

OWN_ACCOUNTS (default)

>

>>

<

<<

Selected User Groups

Search

Name

^

ALL_ACCOUNTS (default)

Azure_SAML:Azure Sponsor Group

OK

Verifiëren

Gebruik deze sectie om te controleren of uw configuratie goed werkt.

 **Opmerking:** de nieuwe gebruiker wordt gedwongen het gebruikerswachtwoord te wijzigen bij de eerste aanmelding. De stappen voor verificatie van de AUP worden niet gedekt. Verificatie heeft betrekking op het scenario, waarbij gebruikers niet voor de eerste keer

 inloggen en AUP al een keer werd geaccepteerd door de sponsor (Alice).

Als u nu het sponsorportaal opent (bijvoorbeeld via de test-URL), wordt u doorgestuurd naar Azure om u aan te melden en vervolgens terug te keren naar het sponsorportaal.

1. Start het sponsorportaal met zijn FQDN op de link Portal Test URL. ISE moet u doorverwijzen naar de aanmeldingspagina van Azure. Voer de gebruikersnaam in die eerder is gemaakt en klik op Volgende.



Sign in

alice@ekorneyccisco.onmicrosoft.com

[Can't access your account?](#)

[Sign-in options](#)

Back

Next

2. Voer het wachtwoord in en klik op Inloggen. IdP-aanmeldingsscherm leidt de gebruiker naar het eerste ISE-sponsorportaal.



← [alice@ekorneyccisco.onmicrosoft.com](#)

Enter password

.....|

[Forgot my password](#)

Sign in

3. Accepteer de AUP.

 **Sponsor Portal**

[alice@ekorneyccisco.onmicrosoft.com](#) ⓘ

Acceptable Use Policy

Please read the Acceptable Use Policy.

You are responsible for maintaining the confidentiality of the password and all activities that occur under your username and password. Cisco Systems offers the Service for activities such as the active use of e-mail, instant messaging, browsing the World Wide Web and accessing corporate intranets. High volume data transfers, especially sustained high volume data transfers, are not permitted. Hosting a web server or any other server by use of our Service is prohibited. Trying to access someone else's account, sending unsolicited bulk e-mail, collection of other people's personal data without their knowledge and interference with other network users are all prohibited. Cisco Systems reserves the right to suspend the Service if Cisco Systems reasonably believes that your use of the Service is unreasonably excessive or you are using the Service for criminal or illegal activities. You do not have the right to resell this Service to a third party. Cisco Systems reserves the right to revise, amend or modify these Terms & Conditions, our other policies and agreements, and aspects of the Service itself. Notice of any revision, amendment, or modification will be posted on Cisco System's website and will be effective as to existing users 30 days after posting.

Accept

Decline

[Help](#)

4. Op dit punt moet de Sponsor-gebruiker volledige toegang hebben tot het portaal met ALL_ACCOUNTS Sponsor Group-machtigingen.



Create Accounts

Manage Accounts (0)

Pending Accounts (0)

Notices (0)

Create, manage, and approve guest accounts.

Guest type:

Contractor (default) ▾

Maximum devices that can be connected: 5 | Maximum access duration: 365 days

Guest Information

Known

Random

Import

First name:

Last name:

Email address:

Mobile number:

 ▾

Company:

Person being visited (email):

Reason for visit:

Group tag:

Language:

English - English ▾

Access Information

☐ End of business day

23:59



Duration:*

90

Days (Maximum:365)

From Date (yyyy-mm-dd) *

2020-09-16



From Time *

11:22



To Date (yyyy-mm-dd) *

2020-12-15



To Time *

10:22



Create

[Help](#)

5. Klik op Uitloggen onder het keuzemenu Welkom.


Welcome [alice@ekorneyccisco.onmicrosoft.com](#) ▾



Help

Sign Out

6. De gebruiker moet met succes zijn uitgelogd en opnieuw naar het aanmeldscherm worden geleid.



Problemen oplossen

Deze sectie bevat informatie waarmee u problemen met de configuratie kunt oplossen.

Veelvoorkomende problemen

Het is van vitaal belang om te begrijpen dat SAML-verificatie wordt afgehandeld tussen de browser en de Azure Active Directory. Daarom kunt u verificatiefouten rechtstreeks krijgen van de Identity Provider (Azure) waar de ISE-service nog niet is gestart.

Aflevering 1. De gebruiker voert het verkeerde wachtwoord in, er zijn geen gebruikersgegevens verwerkt op ISE, het probleem komt rechtstreeks van IdP (Azure). Om te repareren: Reset het wachtwoord of geef de juiste wachtwoordgegevens op.



← `alice@ekorneyccisco.onmicrosoft.com`

Enter password

Your account or password is incorrect. If you don't remember your password, [reset it now](#).

Password

[Forgot my password](#)

Sign in

Uitgave 2. De gebruiker maakt geen deel uit van de groep die toegang zou moeten krijgen tot SAML SSO, opnieuw in dit geval werd er geen verwerking van gebruikersgegevens uitgevoerd op ISE, probleem komt rechtstreeks van IdP (Azure). Om te repareren: Controleer of de groep toevoegen aan de configuratiestap van de toepassing correct is uitgevoerd.



Sign in

Sorry, but we're having trouble signing you in.

AADSTS50105: The signed in user 'azure@ekorneyccisco.onmicrosoft.com' is not assigned to a role for the application '92ecf9db-766a-42bf-af42-617e95d44675'(ISE).

Troubleshooting details



If you contact your administrator, send this info to them.

[Copy info to clipboard](#)

Request Id: e128020b-a4b1-4a5e-9ea8-2c7007b1fe00

Correlation Id: 09a3bce1-8dc9-464d-ab97-85e2bf1f0a33

Timestamp: 2020-05-21T13:03:07Z

Message: AADSTS50105: The signed in user 'azure@ekorneyccisco.onmicrosoft.com' is not assigned to a role for the application '92ecf9db-766a-42bf-af42-617e95d44675'(ISE).

Advanced diagnostics: [Enable](#)

If you plan on getting support for an issue, turn this on and try to reproduce the error. This will collect additional information that will help troubleshoot the issue.

3. Uitloggen werkt niet zoals verwacht en deze fout wordt weergegeven - "Uitloggen bij eenmalige aanmelding is mislukt. Er is een probleem opgetreden bij het afmelden voor uw SSO-sessie. Neem contact op met de helpdesk voor hulp." Het kan worden gezien wanneer de afmeldings-URL niet correct is geconfigureerd op SAML IdP. In dat geval werd deze URL gebruikt "<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutRequest.action?portal=100d02da-9457-41e8-87d7-0965b0714db2>" terwijl het "<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action>" moet zijn Om het te repareren, voert u de juiste URL in Logout URL in Azure IdP.

Naam component	logniveau	bestandsnaam van logboek
toegang voor de gasten	DEBUGGEN	guest.log
portaalweb-actie	DEBUGGEN	guest.log
openhartig	DEBUGGEN	ISE-PSC.log
saml	DEBUGGEN	ISE-PSC.log

Werkende set van Debugs op het moment van correcte flow uitvoering (ise-psc.log):

1. De gebruiker wordt doorgestuurd naar de URL van IdP via het sponsorportaal.

```
2020-09-16 10:43:59,207 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-8e40-e43d20c9f429_SEMI
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][] cpm.saml.framework.impl.SAMLFa
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
```

2. SAML-antwoord wordt ontvangen van de browser.

```
2020-09-16 10:44:11,122 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;token
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
:_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSes
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;token
2020-09-16 10:44:11,129 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,129 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;token
2020-09-16 10:44:11,133 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;token
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
This node's host name:ISE30-1ek LB:null request Server Name:sponsor30.example.com
2020-09-16 10:44:11,182 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,184 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] org.opensaml.xml.parse.BasicPa
2020-09-16 10:44:11,187 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] org.opensaml.xml.parse.BasicPa
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.saml2.binding.decodin
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-8e40-e43d20c9f429_SEMI
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.saml2.binding.decodin
2020-09-16 10:44:11,191 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
```

```

2020-09-16 10:44:11,193 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.xml.signature.impl.Si
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.xml.signature.impl.Si
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.xml.signature.impl.Si
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.xml.signature.impl.Si
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.saml2.binding.decodin
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.saml2.binding.decodin
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.common.binding.decodi
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.common.binding.decodi
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.common.binding.decodi
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa
SAML decoder's URIComparator - [https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] opensaml.common.binding.decodi
SAML message intended destination endpoint matched recipient endpoint
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLFa

```

3. Het parseren van attributen (assertie) wordt gestart.

```

2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
http://schemas.microsoft.com/identity/claims/tenantid
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
Attribute=<http://schemas.microsoft.com/identity/claims/tenantid> add value=<64ace648-115d-4ad9-a3bf-76
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
attribute<http://schemas.microsoft.com/identity/claims/tenantid> value=<64ace648-115d-4ad9-a3bf-76601b0
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
http://schemas.microsoft.com/identity/claims/objectidentifier
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
Attribute=<http://schemas.microsoft.com/identity/claims/objectidentifier> add value=<50ba7e39-e7fb-4cb1
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
attribute<http://schemas.microsoft.com/identity/claims/objectidentifier> value=<50ba7e39-e7fb-4cb1-8256
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
http://schemas.microsoft.com/identity/claims/displayname
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
Attribute=<http://schemas.microsoft.com/identity/claims/displayname> add value=<Alice>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
attribute<http://schemas.microsoft.com/identity/claims/displayname> value=<Alice>

```

4. Het groepskenmerk wordt ontvangen met de waarde van f626733b-eb37-4cf2-b2a6-c2895fd5f4d3, waarmee validatie wordt ondertekend.

```

2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
http://schemas.microsoft.com/ws/2008/06/identity/claims/groups
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
Attribute=<http://schemas.microsoft.com/ws/2008/06/identity/claims/groups> add value=<f626733b-eb37-4cf
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
<http://schemas.microsoft.com/ws/2008/06/identity/claims/groups> value=<f626733b-eb37-4cf2-b2a6-c2895fd
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][] cpm.saml.framework.impl.SAMLAT
http://schemas.microsoft.com/identity/claims/identityprovider

```

```

2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute=<http://schemas.microsoft.com/identity/claims/identityprovider> add value=<https://sts.window
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
<http://schemas.microsoft.com/identity/claims/identityprovider> value=<https://sts.windows.net/64ace648
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
http://schemas.microsoft.com/claims/authnmethodsreferences
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute=<http://schemas.microsoft.com/claims/authnmethodsreferences> add value=<http://schemas.microso
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
<http://schemas.microsoft.com/claims/authnmethodsreferences> value=<http://schemas.microsoft.com/ws/200
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLA
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute=<http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name> add value=<alice@ekorneyccisco.o
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
<http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name> value=<alice@ekorneyccisco.onmicrosoft.com
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.cfg.Identity
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.microsoft.com/identity/claims/displayname> NOT configured in IdP dictionary, l
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.microsoft.com/identity/claims/tenantid> NOT configured in IdP dictionary, NOT
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.microsoft.com/identity/claims/identityprovider> NOT configured in IdP dictio
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.microsoft.com/identity/claims/objectidentifier> NOT configured in IdP diction
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name> NOT configured in IdP dictionary
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
Attribute <http://schemas.microsoft.com/claims/authnmethodsreferences> NOT configured in IdP dictionary
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
cisco.cpm.saml.framework.SAMLS
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLAt
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=0A6CZJQD7X67TLYHE4Y3EM3EYO97E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=0A6CZJQD7X67TLYHE4Y3EM3EYO97E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;toke
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSess
token=0A6CZJQD7X67TLYHE4Y3EM3EYO97E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
IDP URL: https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][ cpm.saml.framework.impl.SAMLFa
IdP URI: https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/
SP URI: http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
Assertion Consumer URL: https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
Request Id: _bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-8e40-e43d2

```

Client Address: 10.61.170.160

Load Balancer: null

```
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.security.SAMLSign
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.security.SAMLSign
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.xml.signature.Sig
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.xml.signature.Sig
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.xml.signature.Sig
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.xml.signature.Sig
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] org.opensaml.xml.signature.Sig
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.validators.
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
format=urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress, sessionIndex=_4b798ec4-9aeb-40dc-8bed-6d
2020-09-16 10:44:11,292 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
IdP ID: Azure_SAML
Subject: alice@ekorneyccisco.onmicrosoft.com
SAML Status Code:urn:oasis:names:tc:SAML:2.0:status:Success
SAML Success:true
SAML Status Message:null
SAML email:
SAML Exception:nullUserRole : SPONSOR
2020-09-16 10:44:11,292 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,306 INFO [RMI TCP Connection(346358)-127.0.0.1] [] api.services.server.role.RoleImpl
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cisco.cpm.saml.framework.SAMLS
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cisco.cpm.saml.framework.SAMLS
```

5. De gebruikersgroep wordt toegevoegd aan de verificatieresultaten zodat deze kan worden gebruikt door Portal, SAML-verificatie wordt doorgegeven.

```
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
```

6. Uitloggen wordt geactiveerd. LogOut URL wordt ontvangen in SAML Response;
<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action>.

```
2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.Messag
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
```

```
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.Message
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8] [] cpm.saml.framework.impl.Message
2020-09-16 10:44:53,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,248 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,249 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,249 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,250 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] org.opensaml.xml.parse.BasicPa
2020-09-16 10:44:53,251 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] org.opensaml.xml.parse.BasicPa
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.saml2.binding.decodin
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.saml2.binding.decodin
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.saml2.binding.decodin
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.saml2.binding.decodin
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.ws.message.decoder.Ba
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.common.binding.decodi
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.common.binding.decodi
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.common.binding.decodi
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] opensaml.common.binding.decodi
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
IdP URI: https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/
SP URI: http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
Assertion Consumer URL: https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action
Request Id: _bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daa1_DELIMITI
Client Address: 10.61.170.160
Load Balancer: null
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.validators.
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.validators.
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.validators.
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.validators.
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4] [] cpm.saml.framework.impl.SAMLFa
```

Over deze vertaling

Cisco heeft dit document vertaald via een combinatie van machine- en menselijke technologie om onze gebruikers wereldwijd ondersteuningscontent te bieden in hun eigen taal. Houd er rekening mee dat zelfs de beste machinevertaling niet net zo nauwkeurig is als die van een professionele vertaler. Cisco Systems, Inc. is niet aansprakelijk voor de nauwkeurigheid van deze vertalingen en raadt aan altijd het oorspronkelijke Engelstalige document (link) te raadplegen.