Controleer de draadloze instellingen op een Cisco Small Business VoIP-router

Inhoud

Inleiding Hoe krijg ik de draadloze instellingen op mijn netwerk? Gerelateerde informatie

Inleiding

Dit artikel is één in een serie om te helpen bij het instellen, oplossen en onderhouden van Cisco Small Business-producten.

Hoe krijg ik de draadloze instellingen op mijn netwerk?A.

De draadloze instellingen waarvan u nota moet nemen zijn:

a.) SSID

b) SSID's

c.) Draadloze beveiliging

Voltooi de volgende stappen om de draadloze instellingen op de Cisco Small Business-router te controleren:

De draadloze instellingen controleren op de Cisco Small Business-router

Stap 1:

Toegang tot de webgebaseerde setup-pagina van de router. Klik hier voor meer informatie.

Stap 2:

Wanneer de op web-gebaseerde setup-pagina van de router verschijnt, klikt u op Draadloos.



Stap 3:

Zoek naar **draadloze netwerknaam (SSID)**. Als deze optie nog steeds op "linksys" is ingesteld, verandert u deze in iets uniek en bekijkt u of Wireless SSID Broadcast is ingesteld op **Enable** of

A Division of Cisco Systems, Inc. Wireless Applications Access Security Setup Wireless Administration Status Voice Restrictions & Gaming Basic Wireless Settings П **Basic Wireless Settings** Wireless Settings Wireless Network Mode: Mixed Y This is your SSID. If e Wireless screen allows this is set to "linksys," u to customize data Wireless Network Name (SSID): linksys ansmission settings. In lost cases, the advanced attings on this screen should remain at their default values change this to Wireless Channel: 1 ~ something unique. Wireless SSID Broadcast: 💿 Enable Obisable More... **CISCO SYSTEMS** ահուսիո Save Settings **Cancel Changes**

Stap 4:

Klik op Draadloze beveiliging en neem nota van de huidige beveiligingsmodus.

LINKSYS [®] A Division of Cisco Systems, Inc.										
			Clic S	k Wirele Security.	ess					
Wireless	Setup	Wireless	Secu	a A	ccess trictions	Application & Gaming	^s Adminis	tration	Status	Voice
Wireless Security	Basic Wir	Security Mode:		Disable			Take note Security settir	e of the Mode ng. (WPA Dial 1 (RAD Wire Prote	uter supp nt types o s for your Protecte) Pre-Sha Remote A (n User Se IUS), RAD Equivaler ection (WI	rity orts four if security onetwork. d Access ared key, access ervice DIUS, and nce EP).
				Save	Settings	Cancel Cl	hanges		11	IIItuutIIItu.®

Als de Security Mode is ingesteld op EFM:

Wireless Security		_		
	Security Mode :	WEP 🔽	Take n	ote that the number
	Default Transmit Key:	• 1 • 2 • 3 • 4	select what W	ted, will determine
	WEP Encryption:	64 bits 10 hex digits 💌	what w	rer key you'n usnig.
	Passphrase:	MySecretKey Generate		Conv. Key 1.
	Key 1:	BA3777C135	<u> </u>	This will be
	Key 2:	8D5AA90AAD		your WEP key.
	Key 3:	60A6275993		
	Key 4:	A98B258607		

Als de beveiligingsmodus is ingesteld op WAP:

Wireless Security			
	Security Mode :	WPA Personal 💌	
	WPA Algorithms:	TKIP	Take note of your
	WPA Shared Key:	MySecretKey 🧹 📃	WPA Key. This key
	Group Key Renewal:	3600 seconds	snoula be unique.

Stap 5:

Klik op	Save Settings	

Gerelateerde informatie

• Technische ondersteuning en documentatie – Cisco Systems