

Planificador maré da empresa: Permita o registro de AdapterHost

Índice

[Introdução](#)

[Pré-requisitos](#)

[Requisitos](#)

[Configurar o registro do adaptador](#)

[Informações Relacionadas](#)

Introdução

Este documento descreve o processo para permitir adicional entrando o AdapterHost e os adaptadores de serviço.

Pré-requisitos

Requisitos

Cisco Tidal Enterprise Scheduler 5.3.1 ou mais atrasado

Configurar o registro do adaptador

A fim configurar o adaptador que registra, termine estas etapas:

1. Vá à **administração** > à **conexão**, e escolha a **conexão mestre**.
2. Do indicador da definição da conexão (modo de edição), ajuste o **log do ambiente do host** em conformidade. Isto configurará o registro para o AdapterHost e adaptadores de serviço.
3. Os logs de AdapterHost são armazenados no diretório mestre do log. Os log de serviço são armazenados em um sub-diretório nomeado **log**, situado sob cada adaptador de serviço.

```
{MASTER_INSTALL_DIRECTORY/log}= AdapterHost
```

```
{MASTER_INSTALL_DIRECTORY/Services/{Adapter GUID}/log = Services Adapters
```

```
{MASTER_INSTALL_DIRECTORY/Services/{65C600D1-4316-41bd-8ED0-AB8E5F470838}/log  
= Email Adapter
```

```
{MASTER_INSTALL_DIRECTORY/Services/{84E41389-A7FA-4834-9A63-3808C7B7D799}/log  
= Horizon Adapter
```

```
{MASTER_INSTALL_DIRECTORY/Services/{CAFA6E81-E29F-4263-8E80-4928FFF416A2}/log  
= MsSQL Adapter
```

{MASTER_INSTALL_DIRECTORY/Services/{DE7FB8C2-96AF-4790-9512-AFC8ECFE784D}/log
= OracleApps Adapter

{MASTER_INSTALL_DIRECTORY/Services/{3EC69AA3-C8C3-4a19-8F66-F36CFDDA5BB1}/log
= Oracle DB Adapter

{MASTER_INSTALL_DIRECTORY/Services/{B20EC120-2EB5-4d5f-8133-73FA37225667}/log
= Peoplesoft Adapter

{MASTER_INSTALL_DIRECTORY/Services/{51C57049-3215-44b7-ABE1-C012FF786010}/log
= SAP Adapter

{MASTER_INSTALL_DIRECTORY/Services/{A2277702-9011-49e9-991D-F2E7E7055C0E}/log
= TA Adapter

{MASTER_INSTALL_DIRECTORY/Services/{2C290052-71BA-47BC-85BB-D65E06459001}/log
= Webservice Adapter

[Informações Relacionadas](#)

- [Suporte Técnico e Documentação - Cisco Systems](#)