

Como fazem os encabeçamentos de mensagem de registro I?

Índice

[Introdução](#)

[Como fazem os encabeçamentos de mensagem de registro I?](#)

[Informações Relacionadas](#)

Introdução

Este documento descreve como gravar os encabeçamentos de mensagens processados através da ferramenta de segurança do email de Cisco (ESA).

Como fazem os encabeçamentos de mensagem de registro I?

Em alguns casos, é útil gravar a presença e os índices dos encabeçamentos de mensagem porque passam através do dispositivo. Você especifica os encabeçamentos para gravar através do **logconfig > dos logheaders**. O ESA gravará os cabeçalhos da mensagem especificados nos logs do correio de texto de IronPort, em logs da entrega de IronPort, e em logs do salto de IronPort. Se o encabeçamento esta presente, o sistema grava o nome do encabeçamento e do valor. A informação de cabeçalho recored após a informação de entrega.

Está abaixo um exemplo de como permitir o registro para gravar toda a mensagem com o X-IPA-resultado dos encabeçamentos e o X-IronPort-AV:

```
my_esa.local> logconfig
```

```
Currently configured logs:
```

```
Log Name Log Type Retrieval Interval
```

```
-----  
1. amp AMP Engine Logs Manual Download None  
2. amparchive AMP Archive Manual Download None  
3. antispam Anti-Spam Logs Manual Download None  
4. antivirus Anti-Virus Logs Manual Download None  
5. asarchive Anti-Spam Archive Manual Download None  
6. authentication Authentication Logs Manual Download None  
7. avarchive Anti-Virus Archive Manual Download None  
8. bounces Bounce Logs Manual Download None  
9. cli_logs CLI Audit Logs Manual Download None  
10. encryption Encryption Logs Manual Download None  
11. error_logs IronPort Text Mail Logs Manual Download None  
12. euq_logs Spam Quarantine Logs Manual Download None  
13. euqgui_logs Spam Quarantine GUI Logs Manual Download None  
14. ftpd_logs FTP Server Logs Manual Download None  
15. gui_logs HTTP Logs Manual Download None
```

16. mail_logs IronPort Text Mail Logs Manual Download None
17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host 192.168.0.200: Port 22None
18. repeng Reputation Engine Logs Manual Download None
19. reportd_logs Reporting Logs Manual Download None
20. reportqueryd_logs Reporting Query Logs Manual Download None
21. scanning Scanning Logs Manual Download None
22. slbld_logs Safe/Block Lists Logs Manual Download None
23. snmp_logs SNMP Logs Manual Download None
24. sntpd_logs NTP logs Manual Download None
25. status Status Logs Manual Download None
26. system_logs System Logs Manual Download None
27. trackerd_logs Tracking Logs Manual Download None
28. updater_logs Updater Logs Manual Download None
29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[> **X-IPAS-Result, X-IronPort-AV**

Retorne à alerta principal CLI, e **comprometa** alguns/todas as mudanças.

Quando você revê os mail_logs, você verá o resultado dos encabeçamentos injetados agora nos logs como configurados:

my_esa.local> **logconfig**

Currently configured logs:

Log Name Log Type Retrieval Interval

-
1. amp AMP Engine Logs Manual Download None
 2. amparchive AMP Archive Manual Download None
 3. antispam Anti-Spam Logs Manual Download None
 4. antivirus Anti-Virus Logs Manual Download None
 5. asarchive Anti-Spam Archive Manual Download None
 6. authentication Authentication Logs Manual Download None
 7. aarchive Anti-Virus Archive Manual Download None
 8. bounces Bounce Logs Manual Download None
 9. cli_logs CLI Audit Logs Manual Download None
 10. encryption Encryption Logs Manual Download None
 11. error_logs IronPort Text Mail Logs Manual Download None
 12. euq_logs Spam Quarantine Logs Manual Download None
 13. euqgui_logs Spam Quarantine GUI Logs Manual Download None
 14. ftpd_logs FTP Server Logs Manual Download None
 15. gui_logs HTTP Logs Manual Download None
 16. mail_logs IronPort Text Mail Logs Manual Download None
 17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host 192.168.0.200: Port 22None
 18. repeng Reputation Engine Logs Manual Download None
 19. reportd_logs Reporting Logs Manual Download None

20. reportqueryd_logs Reporting Query Logs Manual Download None
21. scanning Scanning Logs Manual Download None
22. slbld_logs Safe/Block Lists Logs Manual Download None
23. snmp_logs SNMP Logs Manual Download None
24. sntpd_logs NTP logs Manual Download None
25. status Status Logs Manual Download None
26. system_logs System Logs Manual Download None
27. trackerd_logs Tracking Logs Manual Download None
28. updater_logs Updater Logs Manual Download None
29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[> **X-IPAS-Result, X-IronPort-AV**

Do email recebido, se você devia olhar diretamente os encabeçamentos nesse email, você verá o X-IPA-resultado e os encabeçamentos X-IronPort-AV destacados nos cabeçalhos originais antes do primeiro salto recebido:

my_esa.local> **logconfig**

Currently configured logs:

Log Name Log Type Retrieval Interval

-
1. amp AMP Engine Logs Manual Download None
 2. amparchive AMP Archive Manual Download None
 3. antispam Anti-Spam Logs Manual Download None
 4. antivirus Anti-Virus Logs Manual Download None
 5. asarchive Anti-Spam Archive Manual Download None
 6. authentication Authentication Logs Manual Download None
 7. avarchive Anti-Virus Archive Manual Download None
 8. bounces Bounce Logs Manual Download None
 9. cli_logs CLI Audit Logs Manual Download None
 10. encryption Encryption Logs Manual Download None
 11. error_logs IronPort Text Mail Logs Manual Download None
 12. euq_logs Spam Quarantine Logs Manual Download None
 13. euqgui_logs Spam Quarantine GUI Logs Manual Download None
 14. ftpd_logs FTP Server Logs Manual Download None
 15. gui_logs HTTP Logs Manual Download None
 16. mail_logs IronPort Text Mail Logs Manual Download None
 17. mail_logs_copy IronPort Text Mail Logs SCP Push - Host 192.168.0.200: Port 22None
 18. repeng Reputation Engine Logs Manual Download None
 19. reportd_logs Reporting Logs Manual Download None
 20. reportqueryd_logs Reporting Query Logs Manual Download None
 21. scanning Scanning Logs Manual Download None
 22. slbld_logs Safe/Block Lists Logs Manual Download None
 23. snmp_logs SNMP Logs Manual Download None
 24. sntpd_logs NTP logs Manual Download None
 25. status Status Logs Manual Download None

- 26. system_logs System Logs Manual Download None
- 27. trackerd_logs Tracking Logs Manual Download None
- 28. updater_logs Updater Logs Manual Download None
- 29. upgrade_logs Upgrade Logs Manual Download None

Choose the operation you want to perform:

- NEW - Create a new log.
- EDIT - Modify a log subscription.
- DELETE - Remove a log subscription.
- SETUP - General settings.
- LOGHEADERS - Configure headers to log.
- HOSTKEYCONFIG - Configure SSH host keys.

[> **logheaders**

Please enter the list of headers you wish to record in the log files.

Separate multiple headers with commas.

[> **X-IPAS-Result, X-IronPort-AV**

Note: O RFC para o protocolo S TP é ficado situado em <http://www.faqs.org/rfcs/rfc2821.html> e define encabeçamentos definidos pelo utilizador.

Informações Relacionadas

- [Cisco envia por correio eletrónico a ferramenta de segurança - Guias do utilizador final](#)
- [Suporte Técnico e Documentação - Cisco Systems](#)