

配置第三方CVP的Webservices Web服务器证书

目录

[简介](#)

[先决条件](#)

[要求](#)

[使用的组件](#)

[配置](#)

[安装证书在呼叫工作室为了调试应用程序。](#)

[在CVP VXML服务器的安装证书。](#)

[验证](#)

简介

本文描述程序加载Cisco用户语音门户的(CVP)语音扩展标记语言(VXML)应用程序的证书为了访问网站服务。

先决条件

参考Java keytool options命令。

[Keytool文档](#)

要求

Cisco 建议您了解以下主题：

- 思科统一客户语音门户(CVP)

使用的组件

本文档中的信息基于以下软件和硬件版本：

- 思科统一客户语音门户(CVP)版本11.X或以上

配置

在本例中，您安装称为**webserver.cer**的一个认证。认证被复制到文件夹和证书贮藏库一样。respository的认证，cacerts，keystore密码是*changeit*。

安装证书在呼叫工作室为了调试应用程序。

呼叫工作室的证书贮藏库是%CALLSTUDIO_HOME%\蚀\jre\解放\安全\cacerts。Keytool.exe程序位于在%CALLSTUDIO_HOME%\蚀\jre\bin文件夹以下。

```
cd %CALLSTUDIO_HOME%\eclipse\jre\lib\security
```

```
C:\Cisco\CallStudio\eclipse\jre\lib\security>dir
```

```
Volume in drive C has no label.  
Volume Serial Number is 1800-FBA8
```

```
Directory of C:\Cisco\CallStudio\eclipse\jre\lib\security
```

```
07/17/2019  11:03 AM    <DIR>          .  
07/17/2019  11:03 AM    <DIR>          ..  
12/23/2018  08:33 AM             4,054 blacklist  
12/23/2018  08:33 AM             1,253 blacklisted.certs  
12/23/2018  08:33 AM          114,757 cacerts  
12/23/2018  08:33 AM             2,466 java.policy  
12/23/2018  08:33 AM          42,624 java.security  
12/23/2018  08:33 AM              98 javaws.policy  
02/19/2019  03:38 PM    <DIR>          policy  
12/23/2018  08:33 AM              0 trusted.libraries  
03/24/2016  12:45 PM             2,090 webserver.cer  
            8 File(s)          167,342 bytes  
            3 Dir(s)    54,560,612,352 bytes free
```

```
C:\Cisco\CallStudio\eclipse\jre\lib\security>..\..\bin\keytool.exe -importcert -file  
webserver.cer -keystore cacerts -alias somewebserver  
Enter keystore password:changeit  
Trust this certificate? [no]:yes  
Certificate was added to keystore
```

在CVP VXML服务器的安装证书。

CVP VXML服务器的证书贮藏库是%**CVP_HOME%** \jre \解放\安全\ cacerts。Keytool.exe程序位于在%**CVP_HOME%** \jre以下\ bin文件夹。

```
cd %CVP_HOME%\jre\lib\security\
```

```
C:\Cisco\CVP\jre\lib\security>dir
```

```
Volume in drive C has no label.  
Volume Serial Number is 1800-FBA8
```

```
Directory of C:\Cisco\CVP\jre\lib\security
```

```
07/17/2019  11:46 AM    <DIR>          .  
07/17/2019  11:46 AM    <DIR>          ..  
12/23/2018  08:37 AM             4,054 blacklist  
12/23/2018  08:37 AM             1,253 blacklisted.certs  
12/23/2018  08:37 AM          114,757 cacerts  
12/23/2018  08:37 AM             2,466 java.policy  
12/23/2018  08:37 AM          42,624 java.security  
12/23/2018  08:37 AM              98 javaws.policy  
02/12/2019  12:45 PM    <DIR>          policy  
12/23/2018  08:37 AM              0 trusted.libraries  
03/24/2016  12:45 PM             2,090 webserver.cer  
            8 File(s)          167,342 bytes  
            3 Dir(s)    54,558,191,616 bytes free
```

```
C:\Cisco\CVP\jre\lib\security>..\..\bin\keytool.exe -importcert -file webserver.cer -keystore  
cacerts -alias somewebserver  
Enter keystore password:changeit  
Trust this certificate? [no]: yes  
Certificate was added to keystore
```

验证

为了检查在贮藏库上安装的证书在证书贮藏库cacerts找出的文件夹下，请运行命令：

```
..\..\bin\keytool.exe -list -keystore cacerts -storepass changeit -v
Keystore type: jks
Keystore provider: SUN

Your keystore contains 106 entries

Alias name: verisignclass2g2ca [jdk]
Creation date: Aug 25, 2016
Entry type: trustedCertEntry

Owner: OU=VeriSign Trust Network, OU="(c) 1998 VeriSign, Inc. - For authorized use only",
OU=Class 2 Public Primary Certification Authority - G2, O="VeriSign, Inc.", C=US
Issuer: OU=VeriSign Trust Network, OU="(c) 1998 VeriSign, Inc. - For authorized use only",
OU=Class 2 Public Primary Certification Authority - G2, O="VeriSign, Inc.", C=US
Serial number: b92f60cc889fa17a4609b85b706c8aaf
Valid from: Sun May 17 17:00:00 PDT 1998 until: Tue Aug 01 16:59:59 PDT 2028
Certificate fingerprints:
  MD5:  2D:BB:E5:25:D3:D1:65:82:3A:B7:0E:FA:E6:EB:E2:E1
  SHA1: B3:EA:C4:47:76:C9:C8:1C:EA:F2:9D:95:B6:CC:A0:08:1B:67:EC:9D
  SHA256:
3A:43:E2:20:FE:7F:3E:A9:65:3D:1E:21:74:2E:AC:2B:75:C2:0F:D8:98:03:05:BC:50:2C:AF:8C:2D:9B:41:A1
Signature algorithm name: SHA1withRSA
Subject Public Key Algorithm: 1024-bit RSA key
Version: 1

*****
*****

Alias name: digicertassuredidg3 [jdk]
Creation date: Aug 25, 2016
Entry type: trustedCertEntry

Owner: CN=DigiCert Assured ID Root G3, OU=www.digicert.com, O=DigiCert Inc, C=US
Issuer: CN=DigiCert Assured ID Root G3, OU=www.digicert.com, O=DigiCert Inc, C=US
Serial number: ba15afa1ddfa0b54944afcd24a06cec
Valid from: Thu Aug 01 05:00:00 PDT 2013 until: Fri Jan 15 04:00:00 PST 2038
Certificate fingerprints:
  MD5:  7C:7F:65:31:0C:81:DF:8D:BA:3E:99:E2:5C:AD:6E:FB
  SHA1: F5:17:A2:4F:9A:48:C6:C9:F8:A2:00:26:9F:DC:0F:48:2C:AB:30:89
  SHA256:
7E:37:CB:8B:4C:47:09:0C:AB:36:55:1B:A6:F4:5D:B8:40:68:0F:BA:16:6A:95:2D:B1:00:71:7F:43:05:3F:C2
Signature algorithm name: SHA384withECDSA
Subject Public Key Algorithm: 384-bit EC key
Version: 3

Extensions:

#1: ObjectId: 2.5.29.19 Criticality=true
BasicConstraints:[
  CA:true
  PathLen:2147483647
]
```

#2: ObjectId: 2.5.29.15 Criticality=true

```
KeyUsage [  
  DigitalSignature  
  Key_CertSign  
  Crl_Sign  
]
```

#3: ObjectId: 2.5.29.14 Criticality=false

```
SubjectKeyIdentifier [  
  KeyIdentifier [  
    0000: CB D0 BD A9 E1 98 05 51   A1 4D 37 A2 83 79 CE 8D   .....Q.M7..y..  
    0010: 1D 2A E4 84                               .*..  
  ]  
]
```

.....

```
..\..\bin\keytool.exe -list -keystore cacerts -storepass changeit -alias somewebserver -v
```

```
Alias name: somewebserver  
Creation date: Jul 17, 2019  
Entry type: trustedCertEntry
```

```
Owner: CN=.....
```